MEDICAL CONSULTING BY LETTER IN FRANCE
1665-1789

A Thesis
Presented to the Department of History
The University of Western Australia

In Fulfilment
Of the Requirements for the Degree
Doctor of Philosophy

Robert Laurence Weston

2010

Medical Consulting by Letter in France 1665-1789

Robert Weston

The University of Western Australia

Abstract

In 1994, historian of eighteenth-century French medicine Laurence Brockliss posed the question as to whether consulting by letter was a widespread practice in pre-revolutionary France. This thesis sets out to analyse some 2500 letters between patients, members of their families and their local medical advisers written to expert physicians and surgeons and the responses of these experts. Primary source material has been collected from many libraries and archival deposits, large and small, across France in manuscript and printed formats. Whilst scholars have drawn on epistolary consultations for various purposes, this thesis through its large source base seeks to examine the genre in depth to give a broader picture of medical practice on a day-by-day basis than has been previously explored. The thesis investigates the relationships between the various parties as expressed in their correspondence and how these are linked to perceived and actual authorities. It examines the manner in which patients saw their bodies in health and in sickness. It compares the physicians' views of these matters to the changing medical theories of the period and whether or not they migrated into the therapeutic advice proffered. Historical studies of epistolary consulting in countries from England, Spain, Switzerland and Italy have been concerned with the output of physicians. A unique feature of this thesis is that it draws also on consultations written by surgeons a hitherto overlooked aspect of this form of providing medical advice.

The thesis opens with an introduction to the topic of medical consulting by letter and its historiography. Its analysis is then divided into two parts. In the first half, chapters 1 to 4 examine a series of contexts: textual, professional and social. Firstly the nature and authorship of the sources is detailed;

an examination is then made of the hierarchy of medical practice in early-modern France, and how the relationships between practitioners and patients are represented in the correspondence including the question of the costs of providing medical advice by letter which is compared with other formats. The thesis then turns to the question of the basis on which claims of authority were made by the various participants in the correspondence. In the second half, chapters 5-7, the thesis considers how the body, health and illness were perceived by practitioners and patients. The theories used to justify the medicine practised are examined, to contextualise the therapies which were proposed to deal with the various ailments that were addressed by letter. A regime of therapy was the consultant's final step. Whether or not his proposals were adopted or efficacious are matters that are examined. The specific disorders venereal disease, hypochondria and epilepsy have been analysed in some detail to illustrate the issues raised in chapters 3, 6 and 7 respectively.

This thesis establishes that medical consulting by letter was widespread in early-modern France, between elite patients and elite practitioners. It demonstrates clearly that over the period examined although the explanatory basis of physiology and pathology was challenged at a theoretical level, in everyday practice the medical practitioner continued to follow centuries-old Hippocratic-Galenic principles with little change in the therapeutic methods they proposed. It shows that both physicians and surgeons engaged in each other's nominal fields of expertise; and, despite long-running and at times vociferous public contestation between these two groups over their respective roles, in practical terms a significant degree of cooperation took place between them. That surgeons challenged the monopoly claims of physicians in the period is well known, this thesis has been innovative in bringing to the fore the practice of surgeons consulting by letter, an aspect of French medical history hitherto overlooked. Analysis of the letter format provides insight into how claimed authorities were in fact fragile and the issue of authority, and its corollary power, imbues every aspect of this thesis. The pendulum of power swung between patients and practitioners according to the patients' desperation for relief on one side and their social and economic weight on the other.

Table of Contents

Acknowledgements	iii
List of illustrations, maps and tables	v
Notes on the Text	vii
Introduction	1
Background	
Historiography	
Methodology	
Terms and concepts	
Chapter structure	
Part 1 Contexts: textual, professional and social	
1 Correspondence: practices and contexts	29
Survey and collection techniques	
The manuscript sources	
Printed consultations	
The veracity of printed sources	
The practitioners of medical correspondence	
Epistolary consultations as reflections of medical practice	
Limitations of the sources	
2 The medical world through the lens of epistolary consultations	74
Defining the boundaries between physicians and surgeons	
Surgeons and their roles	
The roles of paramedics	
The presence of empirics and charlatans	
The cost of medical treatment	
3 Relationships between medical correspondents	119
Family involvement in medical correspondence	
Hereditary disorders	
A case study of venereal diseases	
Gender-based distinctions	
4 Knowledge, status and power: negotiating authority	150
Establishing authority	
Establishing authority between practitioners	
Negotiating diagnoses	
Negotiating treatments	

Part 2 Body, health and illness

5 University medical knowledge in epistolary practice	179
The longevity of the Hippocratic-Galenic curriculum	
Alternative theories	
Driving the machine	
Debates about nosography and nosology	
The learned view of pathology, illness and its diagnosis	
Evidence of theoretical stances in diagnosis and prognosis	
6 Patients' perceptions of the body, health and illness	219
Perceptions of health and disease	
Patients' rhetoric	
Patients in pain	
Describing the body	
The perception of death	
Patient knowledge	
Hypochondria: patient perceptions and provider advice	
7 The Deployment of Therapies	250
Reassessing the practice of phlebotomy	
Medicinal therapies	
The <i>materia medica</i>	
Lifestyle - The use of the non-naturals	
The evidence of self-medication	
Therapeutic efficacy	
Epilepsy – examining therapeutic options and rationales	
Conclusions	307
Bibliography	314
Appendix 1 Example of a consultation	355

Acknowledgements

All those who have travelled the road to a Ph. D. thesis know how it is not a solo effort, despite the times when one feels isolated. I wish to thank those to whom I am so indebted in bringing this project to completion my supervisors.

Susan Broomhall first inspired me to engage in historical studies and has since been my constant mentor. The task of converting someone with a science background to the mentality of humanities has been one that has required her endless patience. Without her coaching, coaxing and ever-present encouragement I would never have stayed the course. Philippa Maddern, whose erudition never ceases to astound me, has been a consistent supporter of my endeavours. I would also acknowledge the other staff members from the History Discipline, School of Humanities in the University of Western Australia as well the reference librarians and interlibrary-loan staff of the Reid Library, UWA who have always been ready to help.

The University of Western Australia, through the Graduate Research School, provided me with financial support through a University Postgraduate Award, a Completion scholarship and a UWA Travel Award. A travel grant from the School of Humanities enabled me to travel extensively in France in search of archival material.

My French peregrinations brought me in touch with an unbelievably helpful group of archivists and librarians. I particularly thank M. Jean-François Vincent, Conservateur au service d'histoire de la médecine, Bibliothèque interuniversitaire de médecine et d'ontologie, Université de Paris 5, René-Descartes ; Mme. Mireille Vial, Bibliothèque universitaire de médecine Montpellier ; Dr Christiane Larocca, Bibliothèque de médecine et d'odontologie Université Louis-Pasteur, Strasbourg ; Mme Emilienne Molina, Bibliothèque municipale - Ceccano, Avignon and Joan R. McKenzie, Technical Services Librarian, The College of Physicians of Philadelphia ; and the staff of Bibliothèque Port-Royal Paris, Bibliothèque du musée de santé de l'armée, Paris, Bibliothèque du Collège de médecine, Paris ; Bibliothèque de la

Sorbonne, Universités de Paris and Bibliothèque Nationale de France. Then there has been the ready assistance provided by the staff of many municipal libraries in France, Aix-en-Provence, Carpentras, Colmar, Dijon, Hyères, Lille Jean-Lévy, Orléans, Metz, Montpellier, Nîmes, Rennes, and Archives départementales de l'Hérault all of whom welcomed me and provided me with whatever material I sought and more besides.

I thank my fellow students, whose company and encouragement has been such a source of pleasure and a constant reminder that there is a world beyond one's own thesis topic. In particular I mention, Kate Riley, Michael Crouch, Margaret Dorey, Lisa Elliott, Cecelia Leong and Joanne McEwan. Finally, there is my enduring gratitude to my wife Jan, without whose love, encouragement and support this thesis would have faltered at the first gate.

List of Illustrations, Maps and Tables

Figure 1.1 Number of consultations versus date in <i>Consultations choisies. de plusieurs médecins célèbres de l'Université de Montpellier sur des maladies aiguës et chroniques</i> , 10 vols., 1750-1757	40
Figure 1.2, Map of François Broussonnet's contacts in France. (Base map: William R. Shepherd, "The Gouvernements" in <i>The Historical Atlas</i> , New York, Henry Holt and Company, 1923.)	61
Figure 2.1 Approximate French locations from which published letters were received commending Arnault's ant-apoplectic sachets. (Base map: William R. Shepherd, "The Gouvernements" in <i>The Historical Atlas</i> , New York, Henry Holt and Company, 1923.)	106
Figure 5.1 Samuel Tissot's Questionnaire for use by persons seeking epistolary consultations. (From, Samuel Tissot's, <i>Advice to People in General with Regard to Their Health</i> , 5 th ed., Dublin, n.p., 1769, pp. 374-376.	209
Figure 6.1 Incidence of different names for hypochondria used in cases derived from the ten volumes of <i>Consultations choisies</i> (1750-1757).	241
Figure 7.1 Seventeenth-century palette for collecting blood. (<i>Author's photograph</i>)	254
Figure 7.2 'A physician giving a patient an enema, by a French doctor' ca.1700. (<i>Wellcome Institute Library, London</i>)	262
Table 1.1 Number of consultations written by physicians and surgeons In researched sources	49
Table 7.1 Proxy sub-sample frequency of prescribed phlebotomy	257

Table 7.2 Proxy sub-sample frequency of prescribed purging	260
Table 7.3 Proxy sub-sample frequency of prescribed enemas	261
Table 7.4 Occurrence of antimonials in proxy sub-sample	270
Table 7.5 Treatment outcomes recorded by M.B.F. Ramel le fils	282
Table 7.6 Summary of epilepsy analysis	295
Table 7.7 Frequency of use of individual purgatives in analysed cases of epilepsy	298

Notes on the text

This thesis has employed a large amount of French material. The body of the text contains English translations and the original French is available in the footnotes. The only exception is where translation is ineffective because the original French was deliberately obfuscated by the original author.

All translations are my own unless otherwise indicated.

The orthography employed in the seventeenth and eighteenth centuries was markedly different to that of Modern French. The spelling of many words and the use of accents was inconsistent. As a consequence, the original has been maintained throughout, excepting the replacement of the ampersand with *et*. Similarly ampersands have been replaced in English and Latin where they appear mostly in text titles. The use of the term *sic* has been kept to an absolute minimum.

A minority of the sources, both in manuscript and printed form were produced in Latin and German. To maintain a French focus, these have not been employed except where a French translation was provided with the original.

In this thesis the term physician is used in translations rather than doctor; firstly to avoid any possible confusion with the more numerous doctors of theology or law, and secondly to encompass individuals who studied and practised medicine and who had obtained licences in medicine but had not proceeded to gain a doctoral bonnet. Where the original text refers to *un docteur* that has been retained.

INTRODUCTION

In 1763 the English writer Tobias Smollett (1721-1771) was travelling in France, in part, in an endeavour to improve his health. Whilst stopping in Montpellier he wrote regarding his condition, which might be loosely termed pulmonary, to Antoine Fizes (1690-1768), an established figure at the Montpellier University of Medicine. That letter and the subsequent correspondence were included in Smollett's 1789 *Travels through France and Italy*.¹ The letters, which could easily be described as increasingly splenetic as each one passed between Fizes and Smollett, are well known to readers of eighteenth-century English literature as well as to those who study the history of medicine. It was a reading of this work which initially aroused my curiosity in the topic of epistolary consulting. This interest was further stimulated when I encountered a large number of such consultations by Fizes, whose name constantly appears through this thesis.

How commonplace was such a practice? Was this a French phenomenon, or was it more widespread? Who would use such a service and why? Smollett's description of his declared purpose was hardly one of simply seeking the best advice available. Smollett had already seen the Irish-born, Montpellier-trained Dr. Fitz-maurice (1699-1781) whom he described as 'a very worthy sensible physician' but '[I] had the curiosity to know the opinion [on my state of health] of the celebrated professor Fizes.'² He continued by writing a very disparaging description of Fizes, leading the reader to conclude that Smollett's motives were as much aimed at testing his pre-formed opinion of Fizes' character as gaining genuine medical advice. What did such a service cost? Did women as well as men avail themselves of it? How was such correspondence used to test authority and disseminate new medical ideas? These questions and more, which arose as I investigated the topic, are explored in this thesis.

¹ Tobias Smollett, *Travels through France and Italy*, 1789, World Classics Edition, Frank Felsenstein (ed.), Oxford, Oxford University Press, 1981, pp. 88-102.

² Ibid., p. 88.

This thesis examines manuscript and printed correspondence between 1665 and 1789 between French individuals and their medical advisors where the parties did not come face to face; that is, the requesting and providing of medical advice was conducted by letter. It is focussed on the practice in France, a topic hitherto somewhat neglected by historians. Yet analysis of the correspondence can tell a great deal about the way in which medicine was practised in the period and how this related to extant physiology, pathology and therapy. It furthermore allows one to gain an insight into the relationships between the participants which were bound up with the culture of the times. France of the seventeenth and eighteenth centuries was a hierarchical society. From the King down there was a social standing for every man, woman and child. In such a stratified society the relative positions of medical practitioners and their patients were not fixed. For the patients status depended on title, wealth, particularly land-ownership, and recognition within their specific community. For the most part the patients of concern in this thesis could be described as amongst the elite. The practitioners were generally of lesser social standing but claimed as it were a competing status founded on their superior medical knowledge. Within the practitioners there was also a hierarchy, which for the moment can be somewhat simplistically described as physicians superior to surgeons who were in turn superior to apothecaries.³ To the extent that midwives enjoyed any official standing they were on the bottom rung, little better than any other persons who claimed medical know-how. This hierarchy will be examined in greater detail later in a following chapter. An elite patient's status was of questionable value when he or she was in desperate need of relief from pain, or was fearful of dying. The correspondence provides a way of examining the fluidity of the *pouvoir/savoir* relationships which were entailed.

Background

The American intellectual Susan Sontag eloquently described the place of health and sickness in modern life in the following manner:

³ See Laurence Brockliss and Colin Jones, *The Medical World of Early Modern France*, Oxford, Clarendon Press, 1997, pp. 549-50.

Illness is the night-side of life, a more onerous citizenship. Everyone who is born holds dual citizenship, in the kingdom of the well, and in the kingdom of the sick. Although we all prefer to use only the good passport, sooner or later each one of us is obliged, at least for a spell, to identify ourselves as citizens of the other place.⁴

It is when a person enters Sontag's kingdom of the sick that he or she is drawn into seeking the help of the healer. For sufferers in early modern Europe, as for the sick today, the choice of healers available was wide. For the affluent of the period one such choice was the university-trained physician who claimed to be engaged, despite any ulterior motives, in a practice of the highest calling. This view was idealised by the Paris physician Jean Fernel (1497-1558):

Is there a greater blessing vouchsafed to mankind than Medicine is [sic]. Life is our dearest possession, by which we breathe and enjoy the company of our fellow beings. Can any calling be worthier than that which it [sic] preserves and maintains life itself? Is wealth or fortune, in whatever measure, in the last resort, more estimable than good-health? He who succours the sufferer and the sick exercises a knowledge which deserves the admiration and affectionate regard of all men.⁵

Medical practice has always been a part of the human story in one guise or another, as it remains today. This thesis, concerned with the second half of the early modern period in France, admittedly involves a small slice of time in a limited geographical area, but it addresses an aspect of the history of medicine, consulting by letter, which has not been explored to the full. It is focussed on the provision of medical advice through the medium of the letter, by university-trained physicians and by surgeons in seventeenth- and eighteenth-century France. The participants were physicians and surgeons practising at a local level; consultants, their equivalents regarded as being 'expert', and the patients who were, or feared they were, ill. Individually a consultation may be only of

⁴ Susan Sontag, *Illness as Metaphor: AIDS and its Metaphors*, New York, Picador, 2001, p. 3.

⁵ Jean Fernel, *Universa medicina*, Utrecht, Gilbert ô Zijll and Theodor ab Ackersdijck, 1656. The quote is abridged by Sir Charles Sherrington (1857-1952) in Sir Charles Sherrington, *The Endeavour of Jean Fernel: With a List of His Writings*, Cambridge, Cambridge University Press, 1946, p. 20.

anecdotal interest, but given a sufficiency, the correspondence is like a prism capable of producing a spectrum of perspectives - people, places and practices.

This thesis uses the prism in reverse, combining the spectral components into a coherent light on French medical practice of the period. Medical theories, practices and terminology were quite different in the period under study to those of today. The thesis highlights the role of the physician, but within its purview come the many others with whom he was in competition, not only the surgeon, but also other health-care providers-the apothecary, the herbalist, the empiric, the wise-woman and wise-man, even the clergy.⁶ Analysis of the correspondence between patients and their medical advisors will be used to demonstrate their respective roles in seeking and providing medical advice and how the medical practices corresponded to contemporary notions of health, disease and medical thinking.

The practice of medicine is tripartite, it is not simply about healers and the sick, but also involves the illness, whether real or imaginary.⁷ These three aspects will be explored in this thesis. For the patient, recovery of normal health, however he or she might perceive it, was the sole objective in seeking the advice of a healer. The purpose of the healer was however more complex. Not only did he or she seek to cure whatever ailed the sick, but in addition it was an enterprise undertaken for reward, be that monetary, prestige, or some other form of self-gratification.⁸ The illness may have been perceived differently by the patient and the healer, particularly in the material considered in this thesis, when the healer was predominantly a university-trained person. The

⁶ Whilst the role of clergy in treating the sick may have been limited in the seventeenth and eighteenth centuries, it had not disappeared completely. See for example a large collection of remedies written by a Nîmes Canon, Honoré de Trimond and his lawyer brother Léon de Trimond. Bibliothèque municipale d'Aix-en-Provence, MS 127, *Recueil de toute sorte de remèdes secrets et receptes, fait et écrit par feu sieur Honoré de Trimond, chanoine et conseiller clerc à Nîmes, et frère de feu sieur Léon de Trimond, avocat général en la cour des comptes de Montpellier*. It is difficult to believe that this work was compiled and not employed. Marcelle Bouteiller quotes a number of examples of priests providing cures in the early eighteenth century. Marcelle Bouteiller, *Médecine populaire d'hier et d'aujourd'hui*, Paris, Maisonneuve et Larose, 1966, pp. 28-29.

⁷ The term healer is employed at this early juncture deliberately. Although this thesis may be mainly about physicians, throughout history there has been a variety of practitioners offering to heal the sick, a topic which recurs throughout the thesis.

⁸ George Rousseau, Introduction to George Rousseau, Miranda Gill and David Haycock (eds) *Framing and Imaging Disease in Cultural History*, Basingstoke, Palgrave Macmillan, 2003, p.13.

patient primarily viewed the illness as a symptom, or more likely, series of symptoms. The physician or surgeon saw it rather in terms of a disorder which once identified could be named and addressed. George Rousseau in prefacing a multi-discipline collection of essays on framing disease claims that ‘the language used to frame historical illness and disease is as significant as the malady itself’.⁹ Considerations of wellness, disease and illness are bounded by the period, by the location, by the structure of society and by medical constructs. Within these boundaries, language can be regarded as the unifying factor through which health can be analysed. The rhetoric employed by practitioners is analysed as it could influence therapeutic outcomes. The rhetoric of the patients on the other hand provided a means of perceiving their understanding of illness and healing.

The patient sought medical advice for the improvement of his or her well-being. The achievement of this could be expected to depend markedly on how effective the healer was in convincing the patient to follow a prescribed medicinal and lifestyle programme, assuming their efficacies. A recurring motif through this thesis therefore is authority. This thesis examines who had authority over whom, and the basis on which it was constructed. The expression of authority, or its absence, when the engagement is carried out by letter, had to be primarily through rhetoric. Medical practice is, and always has been, reliant on rhetoric to claim its intellectual validity, to obtain patient compliance, and to justify practitioners’ claims to authority.¹⁰ There were other rhetorical devices which could be deployed, the use of Latin rather than French, the script employed, even the quality of paper, but it will be argued that the textual structure and content were the most significant.

Laurence Brockliss and Colin Jones in their magisterial study *The Medical World of Early Modern France* have described the early modern period as containing a highly fragmented marketplace in which the university-trained physician had to compete for his authority, his place in society and his

⁹ Ibid., p. 13.

¹⁰ See for instance Heinrich von Staden, ‘Anatomy as Rhetoric: Galen on Dissection and Persuasion’, *Journal of the History of Medicine and Allied Sciences*, vol. 50, no.1, 1995, pp. 47-66.

income.¹¹ The social standing of the physician however was equivocal. On the one hand, medicine was one of three arts studied at universities; yet its status was perceived to be well beneath that of the others, theology and law.¹² Outside the faculty there was considerable scepticism about the efficacy of physicians' treatments, and compared with competing health providers they were perceived as expensive, even venal.¹³ The letters are analysed for the views of patients and practitioners on therapeutic efficacy as well as the cost of consulting by this method.

Many histories have been written about the development of medical knowledge during the early modern period, less has been written about day-to-day medical practice. Epistolary consultations and the letters which provoked them provide a more subtle means of examining the relationship between the various practitioners and their patients than can be achieved through the study of case notes. Not only revealing relationships between patient and consultant, the letters also enable the tracing of negotiations of status, patronage and assistance between local practitioners and those who might be termed the experts of the day. Furthermore, analysis of such correspondence can provide an insight into cultural perceptions of medical practice in the early modern world.

The majority of the consultants whose work has been examined were based in the two main centres of French medical learning, Paris and Montpellier.¹⁴ As a consequence most, though not all, of the sources examined here, were the work of consultants based in these cities. The importance of these cities in terms of French medicine and the high profile of many of its leading medical practitioners may well account for the survival of many of the manuscripts.

¹¹ For an extensive discussion on this topic see Brockliss and Jones, pp. 230-283.

¹² Ibid., p. 81. Medicine was 'Insufficiently cerebral to command absolute respect, insufficiently wealthy to occupy the highest perches, insufficiently effective to win ungrudging admiration, medicine was thus an ambiguous calling and a doubtful science to most contemporaries.'

¹³ The popular image is nowhere better exemplified, even if somewhat exaggerated, than in Molière's play *La Malade Imaginaire*, Jean-Baptiste Poquelin Molière, *Le Malade imaginaire*, Paris, n.p., 1673.

¹⁴ There were other French universities where medicine was taught, as is mentioned in chapter 5, but Paris and Montpellier were the most significant throughout the period of interest here.

Evidence of differences in medical practice between consultants from these two cities is an area of investigation in this thesis. This thesis analyses the records of elite consultants to understand contestation between these schools of medicine and its impact on cross-disciplinary rivalry. It also examines three major areas of dispute taking place in eighteenth-century French medicine, competition for authority between different practitioners, particularly physicians and surgeons, friction over long-established and emergent theories of medicine and of therapies, and disputation over the rights of graduates as to where they could practise. By analysing the relationships between the parties involved, these intertwined issues can be unravelled and better understood. Previous studies have considered these topics typically in isolation.

Frequently the history of medicine has been conceived as coming within the purview of the history of science.¹⁵ But historically, medical practice does not fit well within modern notions of science; firstly because it can be argued to have a much longer pedigree, and secondly, perhaps more importantly for this thesis, early modern physicians saw themselves as engaged in an art, a term applied to align themselves with the other learned faculties of theology and law, and to distinguish themselves from their manual associates, surgeons and apothecaries.¹⁶ As recently as 2002 the highly-regarded medical historian Roy Porter described the importance given to the historical and philosophical study of medicine in the following way:

[The life sciences and medicine] have received prestige only insofar as they have assimilated themselves to the models of the physical sciences, as in molecular biology. In these contexts pertaining to the philosophy of science there has been scant discussion of the status of medicine'.¹⁷

¹⁵ Mirko Grmek (ed.), *Western Medical Thought from Antiquity to the Middle Ages*, trans. Antony Shugar, Cambridge, Mass., Harvard University Press, 1998, pp. 12-14.

¹⁶ Whether medicine was considered to be a science is problematic. Contemporary dictionaries did not include medicine within definitions of science, specifically referring to it an art, yet science was a word deployed at times in medical literature by seventeenth- and eighteenth-century physicians and surgeons.

¹⁷ Roy Porter, 'Disease and the Historian', in Peter Burke (ed.), *History and Historians in the Twentieth Century*, Oxford, Oxford University Press, 2002, p. 165.

Porter continued that from a philosophical standpoint, '[w]e have not arrived at the truth about the nature of health and disease' arguing that modern Western thinking has become pre-occupied with the individual whereas '[m]ost peoples and cultures the world over, throughout history, have sought to understand life - birth and death, sickness and health - primarily in context of a grasp of the relations of human beings to the cosmos'.¹⁸ Our early modern forebears equally struggled with the same difficulties of understanding these complex issues.

The correspondence between patients, their families, local medical advisers and the elite consultants of the day provides a medium for examining the relationships between them. The thesis aims to use these letters to explore how real and imagined authorities of the different participants were culturally founded. It uses the microcosm of individual cases to gain a clearer understanding of the macrocosm of everyday contemporary medicine. Furthermore it links lay perceptions of health and disease to practitioners' views of physiology, pathology and therapy.

Historiography

From the thirteenth century to the latter part of the twentieth century, the general histories of medicine have mostly been written by medical practitioners who have presented a story of continuous progressive development.¹⁹ Such authors have presented a journey signposted by Great Discoveries and Great Men, from the ignorance and superstition of the past, to the science-based crest of today, analysis which Roy Porter described as 'well trodden'.²⁰ In the nineteenth century such a viewpoint was being expressed in France. Pierre Victoire Ronouard typified this view of the history of medicine which he described in the following manner:

¹⁸ Ibid., p. 176.

¹⁹ See for instance Ernest Withington, *Medical History from the Earliest Times*, London, The Holland Press, 1964; Henry Sigerest, *On the History of Medicine*, New York, MD Publications, 1960; and Fielding Garrison, *An Introduction to the History of Medicine: With Medical Chronology, Suggestions for Study and Bibliography*, 4th ed., Philadelphia and London, W.B. Saunders Company, 1929.

²⁰ Porter, 'Disease and the Historian', p. 166.

Medicine is a science which aims at the Preservation of Health, the cure of Diseases, and the Physical perfection of Man ... Medicine appears to me to have followed a constantly progressive march, from its origin to the death of Galen. Then it remained stationary, or even retrograded, at least in Europe, until the end of the fourteenth century of the Christian era. But from this epoch, the Healing Art took a new bound, and acquired from generation to generation, remarkable perfection. Those who deny the progress of Medicine have never seriously studied history.²¹

This attitude was continued well into the twentieth century, particularly by those, who like Ronouard, were medical practitioners turned historians.

Over the past thirty or so years this perspective has been challenged as historians have looked at medicine as a topic for study in its own right and as a sub-set of social history. The sociologist Eliot Freidson in his analysis of the professionalisation of medicine accused most historians of medicine as:

[having] been concerned with documenting discoveries of isolated bits of information that we now consider to be scientifically true. Looking back from our present-day perspective of “modern science,” the historian is inclined to pass through the centuries picking out the “valid” elements of medical knowledge and assembling a chronology of truths that add up to become present-day scientific medicine. in such histories, particularly when inflamed by undetached conceptions of the dignity and the glory of medicine, it is difficult to perceive that in the past (as in the present), the individually discovered truths were often embedded in and undiscriminated from a mass of ineffectual, or even harmful, procedures some of which were merely empirical usages and some of which were systematically derived from theories.²²

²¹ Pierre Victoire Ronouard, Introduction to *History of Medicine from its Origin to the Nineteenth century*, trans. Cornélius Comegys, Cincinnati, Moore, Wilstach, Keys and Co., 1856, p. xi.

²² Eliot Freidson, *Profession of Medicine: A Study of the Sociology of Applied Knowledge*, New York, Dodd, Mead and Company, 1972, p. 13.

Histories of failed theories and therapies could have been written equally easily as those of a continual march to the greater glory of medicine but they would not have been well received by the medical profession. It is perhaps no coincidence that through much of the nineteenth and twentieth centuries, aided and abetted by compliant patients, many medical professionals perceived themselves as the all-knowing authority over an individual's health, and such aggrandisement was expressed in histories penned by such practitioners.

Recent histories of medicine covering the past 2000 years, typified by those written by Roy Porter, have contested the grand progression professed by earlier twentieth-century historians.²³ Kathleen Wellman has been another critic of this view of the history of medicine: 'Eighteenth century medicine does not lend support to a Whiggish story of medical progress, since it confronts one at every turn with the arcane'.²⁴ Porter has urged that to overcome the shortcomings of a medical historiography produced by doctors, the history of medicine can usefully be looked at from the 'bottom up', that is from the patient's perspective.²⁵ This thesis will show that through analysis of the discourse between patients and practitioners a more balanced picture of medical practice of the period can be obtained. Mark Micale has sought to delineate the opposing stances in his study of 2000 years of the history of hysteria:

Physicians, keen to find historical support for current medical perspectives and with little time to read outside their specific concerns, either remain unfamiliar with the most significant writings of critics and historians or reject this work out of hand as faddish, uninformed or irrelevant. Conversely, many investigators within the humanities, ignorant of the basic clinical and scientific dimensions of the subject, have been content to cultivate the latest

²³ Roy Porter, *The Greatest Benefit of Mankind: A Medical History of Humanity from Antiquity to the Present*, London, Harper Collins, 1997.

²⁴ Kathleen Wellman, *La Mettrie, Medicine, Philosophy and Enlightenment*, Durham and London, Duke University Press, 1992, p. 9.

²⁵ Roy Porter, 'The Patient's View: Doing Medicine from Below', *Theory and Society*, vol. 14, no.3, 1985, pp. 175-198. Nonetheless, Porter has also pointed out that often the 'anti-history of medicine has paradoxically only confirmed that the history of medicine is about doctors, what they know, what they do', p. 181.

themes and methodologies of their field and to dismiss the work of doctors as uncritical, self-serving, and unsophisticated.²⁶

Historians and medical professionals have taken steps to address this dichotomy with the aim of bringing the value of both perspectives to a common field of view.²⁷

This thesis analyses the records from bottom up and top down, not only in the sense of social and economic status, but also on the basis of medical knowledge. Implicit in such a model is the proposition that the patients were 'bottom' and the practitioners were 'top'. The validity of this has to be questioned. The physicians and surgeons claimed superior expertise, and on the basis of experience, this was probably legitimate, but if the patients had superior social standing, and in real terms, authority, then in this context they were 'top'. In this thesis it is not assumed that one or other of the parties was above each other in hierarchy or status, rather that different indices of social standing had different significance at different points in the relationships.

In 1988 Matthew Ramsey stated that the history of French medical and surgical practice largely remained to be written.²⁸ He referred to 'the marginality of [French] medical history as an academic discipline' which he attributed, at least in part, to a lack of institutional support.²⁹ Much has been added to the historiography of the topic since then, and this thesis is aimed at adding its contribution to the subject. Brockliss and Jones have observed that 'In France despite spasmodic support for the topic, the history of medicine has never been able to penetrate the institutional carapace of the academy, nor to establish itself as an independent and intellectually esteemed discipline or even subspecialism.'³⁰ It appears that relatively little attention has been given to early

²⁶ Mark Micale, *Approaching Hysteria: Disease and its Interpretations*, Princeton, Princeton University Press, 1995, p. 11.

²⁷ University courses are being run conjointly by historians and medical professionals, for instance at my own university, the University of Western Australia, at the Universities of Geneva, Lausanne, and Ottawa and probably elsewhere.

²⁸ Matthew Ramsey, *Professional and Popular Medicine in France, 1770-1830: The Social World of Medical Practice*. Cambridge, Cambridge University Press, 1988, p. 45.

²⁹ Matthew Ramsey, 'Alternative Medicine in Modern France', *Medical History*, vol. 43, no. 3, 1999, p. 294.

³⁰ Brockliss and Jones, p. 5.

modern medicine in France compared with that given to the topic in Britain. This thesis will help to redress this geographical imbalance.

There is ample evidence that letters of the kind used in this thesis have been perceived by historians as potentially significant historical sources and that they generate new questions that can be asked about the medical world but each has focussed on a particular set of questions of a social nature for which the letters provide an evidentiary base, rather than looking at the genre as a whole. Although this study has been limited to the practice in France, it seeks to expose the many social and medical facets and interactions which are demonstrated in this type of correspondence. The issues include aspects of social and cultural histories as well as the history of medicine. The earlier Porter quote implies a cultural component to the way sickness and health has been perceived as worthy of investigation. Ludmilla Jordanova, writing about the social history of medicine, points out that medical knowledge cannot be separated from the institutions and practices of medicine which she argues are socially constructed.³¹ The links between these three components run through this thesis. Lindsay Wilson contends that the history of medicine crosses many of the historiographical sub-section borders.³² Summarising these points made by Porter, Jordanova and Wilson highlights the need to adopt an interdisciplinary view of the history of medicine, which is the approach followed here.

Studies have been undertaken of such correspondence that originated in Britain and a number of European countries covering a range of historical sub-disciplines, detailed later. But in the case of France, there has been little scholarly analysis of medical correspondence by French historians.³³ Whether

³¹ Ludmilla Jordanova, 'The Social Construction of Medical Knowledge', *Social History of Medicine*, vol. 8, no. 3, 1995, p. 361-362.

³² Lindsay Wilson, *Women and Medicine in the French Enlightenment*, Baltimore, The Johns Hopkins University Press, 1993, pp. 2-3.

³³ Laurence Brockliss, 'Consultations by Letter in Early Eighteenth-century Paris: The Medical Practice of Étienne-François Geoffroy', in Ann La Berge and Mordechai Feingold (eds), *French Medical Culture in the Nineteenth Century*, Amsterdam, Rodopi, 1994, pp. 79-80; Lisa Smith, *Women's Health Care in England and France (1650-1755)*, University of Essex, Ph. D. thesis, 2001 [Smith relied for French material on the Geoffroy correspondence used by Brockliss] and Laurence Brockliss, *Calvet's Web; Enlightenment and the Republic of letters in Eighteenth-Century France*, Oxford, Oxford University Press, 2002.

this was a result of unawareness of the available records or lack of interest amongst historians of French medical practice is unknown. Laurence Brockliss and Colin Jones, in *The Medical World of Early Modern France*, provide an impetus for the further study of epistolary consultations, stating that it was common practice between elite patients and elite practitioners.³⁴

The correspondence between individuals has always been a major resource to which historians have turned, and it is no surprise that this should also be the case with medical matters. Social historian Barbara Duden has focused on the female patients of the Eisenach physician Johannes Storch (1681-1751), who kept patient records for over 30 years. She used Storch's records, which included letters from patients, to reconstruct illness and its consequences from the patient's point of view, in particular to elucidate eighteenth-century perceptions of the female body.³⁵ Wayne Wild used British epistolary consultations to compare the rhetoric they contained with that used in literature.³⁶ Nancy Siraisi has studied Italian consulting letters in examining the practice of specific doctors.³⁷ Two substantial Italian manuscript collections of medical correspondence were translated into English by Saul Jarcho, physician and medical historian, but very little analysis accompanies these translations.³⁸ Alfons Zarzoso, Spanish historian of medicine, has examined private letters to reconstruct the medical world of a Catalan family. He has argued that from such

³⁴ Brockliss and Jones, p. 118. This work must be considered the most comprehensive English work on early modern French medical history. By their own description they set out to produce 'une histoire totale', but conceded that after twenty years it was incomplete. Partly chronological, they sought through analysis of the archives to identify the relationships between medical events and the activities of a wide range of participants in the practice of medicine in France across the early modern period.

³⁵ Barbara Duden, *The Woman Beneath the Skin: a Doctor's Patients in Eighteenth-century Germany*, trans. T. Dunlap, Cambridge, Mass., Harvard University Press, 1991.

³⁶ Wayne Wild, *Medicine by Post in Eighteenth-century Britain: The changing Rhetoric of Illness in Doctor-Patient Correspondence and Literature*, Ph.D. Dissertation, Brandeis University, Waltham, Mass, Feb. 2001.

³⁷ Nancy Siraisi, *Taddeo Alderotti and his Pupils: Two Generations of Italian Medical Learning*, Princeton, N.J., Princeton University Press, 1981.

³⁸ Ippolito Albertini, Francesco Torti, et al., *Clinical Consultations and Letters by Ippolito Francesco Albertini, Francesco Torti and other physicians*, University of Bologna MS 2089-1, translated and annotated with an introductory analysis by Saul Jarcho, Boston, Mass., Francis A. Countway Library of Medicine, 1989 and Francesco Torti, *The Clinical Consultations of Francesco Torti*, translated with an introduction by Saul Jarcho, Malabar, Florida, Krieger Publishing Company, 2000.

correspondence, it is possible to reveal how sufferers retained control over remedies and resources.³⁹

One of the most studied collections of letters is that of the Montpellier-trained Swiss physician Samuel Tissot (1728-1797). It is recognised that a number, perhaps many, of his patients were in France.⁴⁰ Micheline Louis-Courvoisier analysing the Tissot correspondence stated that the letters 'show how the authors perceived the figure of the doctor, and their relation to money, time and space.'⁴¹ She has also used this material and correspondence of another Swiss physician Théodore Tronchin (1701-1789) to examine the development of medical ethics in the eighteenth century.⁴² Séverine Pillaud et al used the Tissot material and the correspondence of Albrecht von Haller (1708-1777) in a study in which they commented that interpretation of such letters was not easy, describing consulting by letter as an elaborate process because of its bivocal nature.⁴³ Another Swiss historian, Philip Rieder, has examined the functioning of the medical market and medical practice in Geneva on the basis of consulting correspondence.⁴⁴

Turning specifically to France, medical history has been a sub-topic of the letters of influential people, such as the study of the medically related letters of Madame de Sévigné (1626-1696) by distinguished surgeon and medical historian Yves Pouliquen. However this was focussed as much on her and her

³⁹ Alfons Zarzosa, 'Mediating Medicine through Private Letters: the Eighteenth-century Catalan Medical World', in Willem de Blécourt and Conelie Usborne (eds) *Cultural Approaches to the History of Medicine: Mediating Medicine in Early Modern and Modern Europe*, Basingstoke, Palgrave Macmillan, 2004, pp. 108-125.

⁴⁰ The Tissot archives which have been extensively studied by a group of historians at the Lausanne University including Vincent Barras, Micheline Louis-Courvoisier, Stefan Hächler and Séverine Pillaud, have been not been included for analysis in this study.

⁴¹ Micheline Louis-Courvoisier, and Séverine Pilloud, 'Consulting by Letter in the Eighteenth Century: Mediating the Patient's View' in Willem de Blécourt, and Conelie Usborne (eds), *Cultural Approaches*, p. 85. See particularly Micheline Louis-Courvoisier, 'Le malade et son médecin: le cadre de la relation thérapeutique dans la deuxième moitié du XVIII^e siècle', *Canadian Bulletin of Medical History*, vol. 18, part 2, 2001, pp. 277-296. Some 1250 peices of Tissot's correspondence are held at Lausanne as Bibliothèque cantonale universitaire, Lausanne MS 3784, *Samuele-Auguste-David Tissot, Correspondance*.

⁴² Micheline Louis-Courvoisier, 'Que faut-il ne pas dire à qui? Le secret médical au XVIII^e siècle', *Revue Médicale Suisse*, no.141, 2008, pp. 242-246.

⁴³ Séverine Pilloud, Stefan Hächler, and Vincent Barras, 'Consulter par lettre aux XVIII^e siècle', *Gesnerus*, vol. 61, no. 3-4, 2004, pp. 232-253.

⁴⁴ Philip Rieder, 'The Poor and the Patient: Protestant Geneva in the Earl Modern Period', *Hugiea Internationalis*, vol. 5, no. 1, 2006, pp. 33-50.

family as significant persons of the period as on the significance of the medical content.⁴⁵ Isabelle Robin Romero, historian of eighteenth-century children in France, has investigated children's illnesses using amongst other sources, correspondence, but does not indicate if these included consulting by letter.⁴⁶ In *Philosophie, maladie et médecine au XVIII^e siècle* (2008) French historian Gilles Barroux introduced the topic of epistolary consultations into his comparative study of medicine and philosophy in eighteenth-century France. Relying on Swiss material for his analysis, he commented that whilst such letters were significant in terms of eighteenth-century medical exchange they were not of major importance.⁴⁷ Michael Stolberg has sought to use eighteenth-century correspondence between patients and their medical advisors as a source for analysing medical popularisation across Europe, but like Barroux he has drawn on almost no French material.⁴⁸ French physician and historian Louis Dulieu wrote extensively on the history of the medical school at Montpellier, but made only passing reference to consultation by letter.⁴⁹ It has largely been historians drawing from countries other than France that have engaged with the topic. Lisa Smith employed the manuscript correspondence of the Parisian physician Étienne François Geoffroy (1672-1731) in a comparison of women's health care in England and France, and in her study of the role of male household heads in early modern France arguing in the latter case that they provide evidence of the caring role played by men.⁵⁰

Evidently, little attention has been paid by French historians to the material available on consulting correspondence; the thesis subjects this overlooked resource to historical analysis. Laurence Brockliss who has also written about the Geoffroy source referred to above, contends that the practice

⁴⁵ Yves Pouliquen, *Mme. de Sévigné et la Médecine du Grand Siècle*, Paris, Odile Jacob, 2006.

⁴⁶ Isabelle Robin-Romero, 'L'Enfant malade dans les écrits privés du XVIII^e siècle', *Histoire économie et société*, vol. a2, no. 4, 2003, pp. 469-486.

⁴⁷ Gilles Barroux, *Philosophie, maladie et médecine au XVIII^e siècle*, Paris, Honoré Champion Éditeur, 2008, p. 66. 'La littérature épistolaire constitue une dimension qui, sans être majeure, est significative de l'échange médicale au XVII^e siècle.'

⁴⁸ Michael Stolberg, 'Medical Popularization and the Patient in the Eighteenth Century', in Willem de Blécourt and Conelie Usborne (eds), *Cultural Approaches*, pp. 89-107.

⁴⁹ Louis Dulieu, vol. 3, 'L'Époque classique', 1983, *La Médecine à Montpellier*, Avignon, Les Presses universelles, p. 268.

⁵⁰ Lisa Smith, *Women's Health Care*. And Lisa Smith, 'The Relative Duties of a Man: Domestic Medicine in England and France, ca. 1685-1740', *Journal of Family History*, vol. 31, no. 3, 2006, pp. 237-258.

was established in Europe during the late medieval period but that he had encountered none in France prior to 1620. He remarked, 'Given the importance of consulting by letter it is peculiar at first sight that the practice has been largely ignored by early modern historians'. Brockliss undertook a reconstruction of Geoffroy's medical practice but concluded that 'it is a reconstruction in isolation and in consequence of little interest to the historian. What a medical historian would really like to know is whether or not Geoffroy's practice was typical'.⁵¹ What Brockliss sought was other examples of the genre. He found more letters of this kind in the correspondence of the Avignon physician Esprit-Claude-François Calvet (1728-1810).⁵²

To sum up, what has been lacking until now is a broad examination of French epistolary consultations, analysed in the light of important socio-cultural medical debates of the early modern period which this thesis endeavours to undertake. This thesis utilises letters from a substantial number of different sources from several locations in the specific cultural and social contexts of France.

Methodology

The thesis analyses the correspondence through the lens of a series of questions which follow from the broad issues raised above. Key amongst these is: did patients and practitioners understand and express health and illness to each other in the same way? How were medical, social and commercial aspects of the relationship between the parties revealed in the correspondence? Amongst the parties involved who had authority and its corollary power, over whom and on what basis was it constructed? What were the roles of surgeons in consulting by letter? Cascading from these four core questions are other matters which have been interrogated to exploit the material contained in the sources.

⁵¹ Brockliss, 'Consultations by Letter', p. 101.

⁵² Laurence Brockliss, *Calvet's Web*. Avignon, together with the Comtat Venaissien, was a Papal enclave and not a part of France; however, a number of Calvet's patients resided in France. A large part of Brockliss' book relates to Calvet's participation in a circle of corresponding antiquarians, who can be described as members of the Republic of Letters.

The correspondence contains such a variety of information that it could be used for examining many aspects of the history of the period. The letters were written in a cultural context, and at the same time their personal nature can lead to eliciting the social issues they contain. There is the obvious medical nature of the dialogues which could be read in terms of many of the sub-divisions of medicine, physiology, pathology, nosology, pharmacotherapy and others. This thesis unashamedly draws from all of these sub-histories in its endeavour to understand the place of this particular form of medical service in French society of the period.

Andrew Wear, in looking at English medicine in the early modern period, wrote that he 'sought to get as close as possible to the mind-sets of early modern medicine as represented in the vernacular medical books'.⁵³ This thesis seeks to mine the letters between the sick and their medical advisers to gain some sense of what issues were at the forefront of their *mentalité*. It is based on archival research, mainly primary source materials, which have been analysed for evidence of changing practices, medical theories and treatment regimes, as well as rhetoric across the period. In total, some 2500 individual cases have been identified and many analysed. The range of sources employed is wider than has been hitherto examined by historians employing manuscript or printed formats. It thus addresses in part Brockliss' concern with the lack of study of French materials.

The letters are problematic, in that it is not always easy to distinguish between them and other related documentary forms. There are, for instance, case-books, which for the most part cover records of consultations that involved the physician or surgeon having a face-to-face meeting with the patient; differentiating between the two is generally easier when the documents are in manuscript rather than in printed form.⁵⁴ There are also manuals written for the training of students where the historian has to try to elucidate which cases

⁵³ Andrew Wear, *Knowledge and Practice in English Medicine, 1550-1680*, Cambridge, Cambridge University Press, 2000, p. 3.

⁵⁴ Brian Nance, *Turquet de Mayerne as Baroque Physician: the Art of Medical Portraiture*, Amsterdam-New York, Editions Rodopi B.V., 2001, p. 49. Nance records that from the surviving records of Sir Turquet de Mayerne (1573-1655) his consultations by letter were exceeded by the number of face-to-face consultations by over twenty to one.

described are the result of genuine epistolary consultations.⁵⁵ The type and selection of sources employed here are analysed in Chapter 1.

As with most studies of this kind of material, the approach has been essentially qualitative. Limited numerical analysis has been undertaken to complement the qualitative analysis where possible, to show the distribution of patients with respect to age, gender and the geographical spread of patients as they apply to individual physician's practices as well as treatment options. In chapters three, six and seven, case studies of particular disease clusters have been undertaken to demonstrate the particular issues considered.⁵⁶ Biographical details of most of the consultants under study have been published enabling contextualisation within the thesis. Despite extensive searching, biographical details about the *ordinaires* and patients are seldom available; in those instances where information is available and pertinent it has been included.

Terms and concepts

The time period chosen for this thesis closes in 1789, the date of the start of the Revolution, when the structure of French medicine was to be to a large extent overturned.⁵⁷ The starting point has been somewhat more arbitrary. I have chosen 1665, the year which Françoise Lehoux considered to be significant in her description of the lives of Parisian physicians in the early modern period. It was the year with markers which, ostensibly at least, flag the inclusion of medicine into the cultural movement labelled the Enlightenment, alongside a

⁵⁵ This is true for instance in the case of Henri-François le Dran (1685-1770), *Consultations sur les pluspart des Maladies qui sont du ressort de la Chirurgie*, Paris, P. Fr. Diderot, 1765.

⁵⁶ The term disease clusters is employed to categorise sets of symptoms which were at the time diagnosed and designated as specific disorders.

⁵⁷ From the abolition of guilds in 1791, through the closure of the universities in 1792, to the ultimate restructuring of medical training and practice (including the unification of medicine and surgery) the Revolution grossly changed the French medicine from what had existed under the *ancien régime*. See Matthew Ramsey, *Professional and Popular*, pp. 71-79. And Dulieu, *La Médecine à Montpellier*, vol. 3, pp. 655-657. During the Revolution '[The term] *faculté*, was considered to be redolent of privilege and even corruption ... and the term was dropped, although it was still permissible to speak of a school' (*école*).' Maurice Crosland, 'The Officers de Santé of the French Revolution: A Case Study in the Changing Language of Medicine', *Medical History*, vol. 48, 2004, pp. 229-244.

derogatory public perception of medical practice.⁵⁸ It was the year that the *Journal des Savants* and the *Philosophical Transactions of the Royal Society of London* were first published, both of which were employed as outlets for disseminating medical writing, and in stark contrast, the year that Molière's *l'Amour médecin* was first performed in which contemporary medicine was parodied.⁵⁹ For Lehoux, 1665 marked the arrival of '[a]nother type of physician much closer to that of modern times, at the point of replacing that which Molière had just staged.'⁶⁰ The epistolary consultation was for the most part produced by the university-educated medical practitioner, who had to live with a public perception often sceptical, if not downright disparaging, but who was trying to locate himself socially and eruditely, in the world of the *savant*. At the same time, he was functioning in a competitive environment. Some practitioners would have sought to locate themselves within the Republic of Letters, like Calvet, with his circle of corresponding friends, discussing, and exchanging antiquities, the maintenance of specimen cabinets and the like. The surgeon Antoine Louis (1723-1792) was very much a man of the Enlightenment, experimental, challenging the establishment, a believer in the unity of the sciences.⁶¹ Simply lumping all these attitudinal differences into a term such as *ancien régime* is hardly a satisfactory way to describe the period covered by this thesis, but it would equally be inappropriate to widely use the term Enlightenment. Can the period be described as one which involved a Kuhnian paradigm shift?⁶² Brockliss and Jones contend that there was a paradigm shift

⁵⁸ Molière's various theatrical depictions of the medical profession had their counterpart in the visual arts through French cartoonists such as Abraham Bosse (1604-1676) and Nicholas de Larmessin II (1638-1694).

⁵⁹ Françoise Lehoux, *Le Cadre de vie des médecins parisiens aux XVI^e et XVII^e siècles*, Paris, Éditions A. et J. Picard, 1976, pp. 3-4. Whilst this thesis focuses on consulting letters there was an additional flow of correspondence not only between university-educated practitioners, but also from them and between educated individuals with perhaps some level of learning in medicine, with interests in scientific matters. This is evidenced for example by the stream of correspondence recorded by the Royal Society whose formal and informal membership included French and other European physicians. A delegation of Dutch and French *savants* visited the Royal Society in 1663 which led to the formation of the Paris Academy of Sciences. David Lux and Harold Cook, 'Closed Circles or Open Networks?: Communicating at a Distance During the Scientific Revolution', *History of Science*, vol. 36, issue 112, part 2, 1998, p. 185.

⁶⁰ Lehoux, p. 4, 'Un autre type de médecin beaucoup plus proche de celui des temps moderne, est sur le point de remplacer celui que Molière vient de faire monter sur les planches.'

⁶¹ On Calvet's biography see See Brockliss, *Calvet's Web*, pp. 69-125. On Antoine Louis' background see chapter 1, p. 20 of this thesis. On the term 'science' in an eighteenth century context see footnote 12 of this chapter.

⁶² See Thomas Kuhn, *The Structure of Scientific Revolutions*, 2nd ed., Chicago, University of Chicago Press, 1970.

at the start of the eighteenth century in the form of a 'radical explanatory shift in natural philosophy *tout court*' and that this involved medicine as much as the other philosophical topics.⁶³ Andrew Wear has taken an opposing view of the eighteenth century, '[t]his was no period between paradigms, where a hundred medical flowers could blossom until the new paradigm asserted itself.'⁶⁴ Kuhn himself might have described eighteenth-century medicine as pre-paradigm, as both those within the medical fraternity and society at large, were becoming increasingly sceptical that the models being employed were addressing their needs. The thesis examines changes in medical theories over the period of enquiry and the extent to which they were portrayed in the correspondence and will argue against the notion of a paradigm shift.

The physicians involved in the letters can be broadly categorised into two groupings, elite practitioners, mostly associated with the major schools of medicine at Montpellier and Paris often at a professorial level, and local physicians typically functioning within a specific geographical area, usually a town.⁶⁵ Members of both groups were university educated, though not necessarily to doctoral level, and not necessarily from one of the major schools. It is debatable if there was a medical profession in the early modern period. Elizabeth Williams used the term profession 'as convenient shorthand for the domain of official medicine without intending to enter the debate on 'professionalisation'; this pragmatic stance has been followed here.⁶⁶

⁶³ Brockliss and Jones, pp. 412-413.

⁶⁴ Andrew Wear, 'Continuity and Union in Medical Practice', in Roger French and Andrew Wear (eds), *The Medical Revolution of the Seventeenth Century*, Cambridge, Cambridge University Press, 1988, p. 319.

⁶⁵ The term elite is widely used in the literature to describe some groupings of 'professionals' and even as a way of classifying the social group to which many, if not most, of the patients who were involved in the correspondence covered by this thesis belonged. However, as Matthew Ramsey has pointed out, the term elite is problematic. He notes this also applies to the term popular, which arises in this thesis when discussing certain types of published texts. Ramsey describes both terms as 'notoriously polysemous'. Matthew Ramsey, A review of Michael Lynn's, *Popular Science and Public Opinion in Eighteenth-Century France*. Manchester and New York: Manchester University Press, 2006. *H-France Review*, vol. 9, no. 63, 2009, p. 245. The term 'bourgeois' as a descriptor for classes of patients is also problematic; Joseph di Corsia has discussed this term and how it was understood contemporaneously. Joseph di Corsia, 'Bourg, Bourgeois, Bourgeois de Paris from the Eleventh to the Eighteenth century', *Journal of Modern History*, vol. 50, 1978, pp. 207-331. A further difficulty with this term not discussed by di Corsia, is the implication of it covering a set of town dwellers, when there were also wealthy patients living in rural areas.

⁶⁶ Elizabeth Williams, *The Physical and the Moral: Anthropology, Physiology, and Philosophical Medicine in France, 1750-1850*, p. 23. fn.8. The term profession was in use in a medical context

Such a division amongst surgeons is not so easily defined. Prior to the establishment of colleges of surgery, mastery in the art was attained by apprenticeship with a master surgeon, often followed by a period as a journeyman surgeon, and usually being accredited by the local guild of surgeons.⁶⁷ There were however many who practised and called themselves surgeons without having been through this process. The term surgeon was further complicated by the presence of barber-surgeons, some of whom were more engaged in barbering than surgery.⁶⁸ There was the plethora of other individuals, women and men, who practised medicine in one way or another. Whilst they were not involved in initiating or writing the letters, their roles will be discussed as they appear in the correspondence.

Throughout this thesis the following terminology is used to describe consistently the components of the epistolary process. Letters from patients, or their local physicians and surgeons, to consultants are referred to by the most common term employed, *mémoire*.⁶⁹ In the sources the consultants' responses were either termed *consultations* or *réponses*. Many of the *mémoires* were written by local practitioners. The terms *médecin ordinaire* and *chirurgien ordinaire* are used for local practitioners to differentiate them from the high-profile practitioners who were consulted. In instances where it is not possible to identify whether the individual was a physician or surgeon, the term *ordinaire* alone is employed, or to encompass either when more than one individual is involved. As used in this thesis, this term is not intended to imply the individuals concerned were holders of an official position with prominent figures, such as the upper echelons of the Court. For example, Montpellier professor Jacques Lazerme (1676-1756) wrote a consultation for a twenty-seven-year-old

at least during the seventeenth century, 'la profession de Medecin ... il est Chirurgien de profession...' - *Dictionnaire de L'Académie française*, Paris, Académie française, 1694, and the term profession was used by Jean Berneir in a 1689 in Jean Berneir, *Essais de medecine où il est traité de l'histoire de la medecine et des medecins*, Paris, chez Simone Langronne, 1689, preface, p. i.

⁶⁷ See Brockliss and Jones, pp. 488-490 for a more comprehensive description of surgeons' accreditation.

⁶⁸ The connection between surgeons and barbers was, officially at least, terminated in 1743 by Louis XV. See Toby Gelfand, 'Empiricism and Eighteenth-Century French Surgery', *Bulletin of the History of Medicine*, vol. 44, no. 1, 1970, p. 43.

⁶⁹ Only on rare occasions has an initiating letter been encountered which came from a practitioner who would have been considered of the same status as the consultant.

Benedictine nun in which he left adjustments to life-style to her *Médecin ordinaire*.⁷⁰ The term is used regularly in the sources by patients and consultants. Thus Aubagne physician M. F. B. Ramel le fils (fl.18th C.) in *Consultations médicales et mémoire sur l'air de Gemenos* referred to *médecins ordinaires* on eleven occasions and *chirurgiens ordinaires* on six without any suggestion that the practitioner involved was officially designated.⁷¹

Terminology of the illnesses described requires careful consideration. This thesis attempts to avoid retrodiagnosis, the equating of historical disease descriptions and terminology with those used currently. American historian John Riddle contends that it is possible to make judgements both about diagnosis and treatments encountered in records from the past, to the standards expected of modern historians, if sufficient diligence is applied.⁷² Other historians however take a contrary view. There are no problems in dealing with surgical matters such as a broken leg; however when dealing with ailments that have an internal component, relabelling these with modern descriptions is at the very least tenuous. As David Harley has explained the problem, '[t]he accounts of internal ailments in the past are incommensurable with modern accounts because they were framed by a very different understanding.'⁷³ He further described retrospective rediagnosis as 'deeply misleading not only because it relies on naive acts of translation but also it privileges supposedly stable modern categories.'⁷⁴ Not only is today's medical construct totally different from

⁷⁰ *Consultations choisies, de plusieurs médecins célèbres de l'Université de Montpellier sur des maladies aiguës et chroniques*, Paris, Durand et Pissot, vol. 7, 1755, p. 406. 'on ne parle pas du régime de vivre, parce qu'on persuadé que Monsieur le Médecin ordinaire en fait un convenable.' [Hereafter this work is referred to as *Consultations choisies*]

⁷¹ M.F.B. Ramel, le fils, *Consultations médicales et mémoire sur l'air de Gemenos*, La Hayes, chez les libraires associés, 1785. Aubagne was a small town some 16 kilometres east of Marseilles. Gemenos was a commune some 5 km. from Aubagne which Ramel described as having good and bad climatic qualities in Hippocratic terms. He was probably Marie-François-Bernadin Ramel (1752-?), but I have been unable to confirm this. The Ramels were a locally well-known family of physicians

⁷² See John Riddle, 'Research Procedures in Evaluating Medieval Medicine', in Barbara Bowers (ed.), *The Medieval Hospital and Medical Practice*, Aldershot, Ashgate, 2007, pp. 3-17. Riddle has used historical, anthropological and modern scientific data in his study of the history of contraceptives and abortion. John Riddle, *Eve's Herbs: a History of Contraception and Abortion in the West*, Cambridge, Mass., Harvard University Press, 1997.

⁷³ David Harley, 'Rhetoric and the Social Construction of Sickness and Healing', *Social History of Medicine*, vol. 12, no. 1, 1999, p. 417.

⁷⁴ *Ibid.*, p. 419. See also Jean-Pierre Goubert, 'Twenty Years On: Problems of Historical Methodology in the History of Health', in Roy Porter and Andrew Wear (eds), *Problems and Methods in the History of Medicine*, London, Croom Helm, 1987, pp. 50-51.

that of earlier periods, but the nomenclature applied to some disorders has remained unchanged even though the perception of what this did, and now does mean, may be grossly different. Names have changed and as Roger French remarked: 'description is elusive, either everyone at the time knew what [the disease] was and there was no need for a description, or the description was one of the appearances that were significant in the etiology [sic] entirely different from our own.'⁷⁵ By way of example, in a consultation headed 'Sur un disposition scorbutique', neither the requesting *mémoire* nor the reply describe the condition the patient was suffering from as 'scorbut', yet a note was added after the consultant's response setting out further information on this particular disease. It appears that it was not considered necessary to name the disorder as though it were obvious.⁷⁶

It has not been possible to undertake a meaningful numerical analysis of all the diseases encountered in the correspondence. Some are readily identified, such as melancholy, epilepsy or hemiplegia; however, in a substantial number of cases no single disorder is identified.

Even such simple terms as acute and chronic disease could be seen differently to modern notions. Jean-Claude Adrien Helvetius (1685-1755) broadly classified as acute (*vives ou aiguës*), those diseases which end promptly and are sometimes decided in the third to fifth days, but can last up to the fortieth. Chronic diseases (*longues ou chroniques*) were those which could last several months.⁷⁷ The position adopted in this thesis is that of accepting whatever descriptor was used at the time in any given case. David Harley's admonition has been heeded. French nomenclature of the period is used as much as possible for illnesses and medicinal agents. In those chapters where a specific disease has been studied in some depth, the classification employed has been whatever was used by the consultant or *ordinaire*.

⁷⁵ Roger French, *Medicine before Science*, Cambridge, Cambridge University Press, 2003, p. 232.

⁷⁶ *Consultations choisies*, vol. 10, pp. 191-201. Perhaps unfortunately for the patient, the therapeutic regime proposed insisted that she be denied fresh salads, herbs and fruit.

⁷⁷ Jean-Claude Adrien Helvetius, *Idée generale de l'œconomie animale, et observations sur la petite verole*, Lyon, Chez Freres Bruyset, 1727, pp. 3-4.

A related but slightly different issue is whether there was a common comprehension of the medical terminology of the early modern period between patients and professionals. It is reasonable to suppose that at the time, at least between professionals, descriptors were understood, and that terminology used by patients presented no problem to the physicians. Whether patients always comprehended the terminology employed by the physicians cannot be so lightly assumed. The range of possible shared understandings or of misunderstandings between patients and physicians is, indeed, one of the themes examined in this thesis.

The question of patients' fears over particular ills is one that must be addressed in the context of early modern understandings and ideologies. Food historian Madeleine Ferrières has pointed out:

Past fears cannot be judged in the light of our present knowledge. Collectively, they are rooted in the ideology of the period, by which I mean the network of beliefs, the mental and intellectual framework that allows the conception of fear and the channelling of the imagination.⁷⁸

Patients expressed fear in a number of the *mémoires* and it was an issue the consultants needed to address. As will be shown in Chapter 6, many individuals suffering from melancholia had to be reassured by their consultants that it was a condition that was not life-threatening.

Chapter structure

The thesis is divided into two parts. In the first half, chapters 1 to 4 examine a series of contexts: textual, professional and social. Firstly the nature and authorship of the sources is detailed; the eighteenth-century medical hierarchy is considered as represented in the correspondence and the significance of the relationships between practitioners and patients.

⁷⁸ Madeleine Ferrières, *Sacred Cow, Mad Cow: A History of Food Fears*, trans. Jody Gladding, New York, Columbia University Press, 2006, p. 7.

The analysis then turns to the question of the basis on which claims of authority were made by the various participants in the correspondence.

In the second half, chapters 5-7, the thesis considers how the body, health and illness were perceived by practitioners and patients. The theories used to justify the medicine practised are examined, to contextualise the therapies which were proposed to deal with the various ailments that were addressed by letter. A regime of therapy was the consultant's final step. Whether or not his proposals were adopted or considered to be efficacious are matters that are examined.

Chapter 1 examines in detail the type, selection and recovery of sources employed. In this thesis a number of substantial eighteenth-century collections of consulting by letter have been examined, most of which have not previously been the subject of detailed historical analysis. This chapter explores why individuals resorted to this method of obtaining medical advice. Were issues of distance or of agency involved? For the local practitioner was it simply a matter of their being at a loss when their own treatments had failed, or were they looking for confirmation of the correctness of their actions to convince reluctant patients? Analysis has been undertaken of the backgrounds of the consultants, their patients, and to the limited extent possible, the latter's local advisors. Consideration is then given to the nature of the illnesses which are covered, and comment provided on why others appear to have been excluded.

Chapter 2 focuses on the medical hierarchy of the period; how physicians, surgeons and other health-care providers stood in theoretical and actual relationship to each other as shown in the letters. It analyses the relationship between physicians and other suppliers of medical services. The discord between physicians and surgeons has been the subject of frequent discussion in medical histories and has been linked to issues of patronage and corporatisation. How these two groups actually carried out their practices and the degree of overlap which occurred, as opposed to the claims made by the defenders of both, is analysed here. To what extent did epistolary consultations by surgeons differ from those of physicians? Did such letters infringe on what

the physicians considered to be their domain? The chapter deals in some depth with material which has previously been overlooked by historians, and how it shows well-known inter-professional disputation from a different aspect. The evidence of the cost of the written consultation is compared with other methods of obtaining health advice in this format is compared with other forms.

Chapter 3 looks at the relationships between patients, their families and the practitioners, and how their respective social standing impacted on their relationships. As many of the initiating letters came from the patient's immediate physician, issues of professional standing between them and the consultants are also examined. How were medical, social and commercial aspects of the relationships between the parties revealed? In this chapter venereal diseases are used to exemplify how family issues were dealt with in what could be a socially sensitive area. The essence of the chapter is one of agency involving both cultural and social historical approaches.

Chapter 4 examines the question of authority. It asks who had authority over whom in relation to the body in sickness and under what circumstances? It is shown that far from being fixed, authority was labile; it shifted over time and on occasions was contested, within individual cases between the patients, their local advisors and the consultants. The basis for claimed authority by physicians and surgeons is contextualised *vis-à-vis* that of the patients, particularly the knowledge base of the parties involved. On a more general basis, authority claimed by the university-trained physician, supposedly at the top of the medical hierarchy, is shown to have been far from secure.

Chapter 5 looks at how physicians in the seventeenth and eighteenth centuries were confronted with new theories which challenged the long-standing basis on which they had justified the practice of their art. The chapter analyses the correspondence for evidence of the shifting perceptions of physiology and pathology being promulgated in the academies. Diagnosis and prognosis were key parts of the physician's practise before they could propose any form of therapy; the chapter examines how they sought to distinguish between symptoms, signs and causes.

Chapter 6 opens with consideration of how the body was perceived in the seventeenth and eighteenth centuries. It interrogates the letters for patients' perceptions of health and of illness, including pain and death, and how these were described. As new medical theories were introduced, were these reflected in the letters written by the physicians and surgeons, and did the patients understand them? Did *médecins ordinaires* refer to them, or patients themselves describe their conditions on such bases? If so, was this only a matter of using fashionable terminology, or did they exhibit an understanding of the underlying theories? The issues raised are exemplified by analysing the many cases of melancholia, which appear in epistolary consultations, under its various guises. The chapter thus is focussed on locating the meaning of wellness and disease in the second half of the early modern period.

The final chapter, 7, examines the therapeutic regimes which were proposed to deal with illness. To what extent did these proposals meet the patients' expectations and what evidence is there in the correspondence as to their efficacy? The chapter closes with an examination of epilepsy, a disorder of great significance particularly to the parents of children afflicted by it, because of its perceived hereditary nature. The analysis is used to exemplify the various issues covered in this chapter.

An example from the sources which includes a *mémoire* and the corresponding consultation has been provided in Appendix 1. This was selected to provide a sense of the information given by a patient and a consulting physician's response. It is typical in terms of the way the two letters were constructed and the disorder diagnosed. It is atypical in that the therapeutics proposed were written in Latin, which suggests that it was intended to be passed to an apothecary for their preparation.

In summary, a substantial resource has been drawn together which has enabled a cohesive portrayal of the typical ailments of French elite society in the latter part of the early modern period. This thesis explores how and why changes occurred in the relationships between those who sought and those

who provided medical advice. Furthermore it presents an analysis of the medicine of the period through the everyday experiences of physicians, surgeons and their clientele.

CORRESPONDENCE: PRACTICES AND CONTEXTS

Medical consulting by letter is known to go back to at least the thirteenth century in France. The earliest reference encountered of this practice in France was that of French physician and surgeon Henri de Mondeville (1260-1320) who complained of the practice, its mercenary nature and doubted its reliability-criticisms which were to echo through to the eighteenth century.¹ Séverine Pilloud and Micheline Louis-Courvoisier have made the observation that 'medical consulting by letter was a relatively common practice in the eighteenth century'.² Indeed examples can be found from most European countries and Britain a number of which are referred to in this thesis. I do not claim to have uncovered all such letters within France; but the research for this thesis has located and analysed over 2500 examples. Most of the sources employed have not previously been the subject of historical analysis. This chapter articulates the methodology governing the collection of the primary sources and presents an initial analysis of their key characteristics. Above all it sets the scene for later chapters to explore these documents for what they uncover of actual medical practice.

The sources comprise a mix of manuscript and printed material. This chapter examines how they were constructed, who sought medical consultations by letter and who provided them. Why did some consultants choose to publish their consultations when others did not? It also poses the important question of whether printed sources can be relied on. Finally, this chapter considers the value of such material to the historian. It appears that printed material has been a source overlooked by historians when considering

¹ Henri de Mondeville, *Chirurgie de maître chirurgien de Philippe le Bel, composée de 1306-1320*, cited in Édouard Nicaise, *Les Consultations entre médecins au XIV^e siècle*, Paris, Bureaux de la Revue Scientifique, Chamerot et Renouard, 1894, p. 10. Smollett complained about Fizes charging excessively in *Travels through France and Italy*, World Classics Edition, Frank Felsenstein (ed.), Oxford, Oxford University Press, 1981, p. 101.

² Séverine Pilloud and Micheline Louis-Courvoisier, 'The Intimate Experience of the Body in the Eighteenth Century: Between Interiority and Exteriority', *Medical History*, vol. 47, no. 4, 2003, p. 451.

correspondence between medical practitioners and their patients which this thesis shows can be useful.

As was demonstrated in the introduction to this thesis, historians to date have tended to use epistolary consultations to answer discrete questions, such as 'what was the nature of a particular physician's practice?', or to examine how the rhetoric employed by patients and practitioners changed over time.³ Notably they have relied on the consultations generated by one or two physicians rather than using the writings of a wide range of consultants and enquirers as a source to undertake a broad study of how they reflect medical practice in the seventeenth and eighteenth centuries. The sources employed in this thesis involve a large number of medical practitioners and a time span of over 100 years. Because physicians and surgeons are involved in the consultations they provide the opportunity to throw some additional light on the alleged antipathy between these groups in the period.

Survey and collection techniques

The survey conducted for this thesis incorporated a wide and detailed review of all French departmental and library deposits. The search proper commenced with an exhaustive examination of the manuscript catalogues of France's public libraries.⁴ On-line searches were made for published collections of correspondence to provide a list of likely manuscript and printed resources relevant to the area of study.⁵ The criteria set for further investigation was the volume of items held, the language in which they were written and the appropriateness of their dates relative to the defined time period of the thesis. Ideally they contained a mix of different locations, different practitioners, and were in both manuscript and printed form. The document search sought to

³ Wayne Wild has argued that the rhetoric employed in medical consultations in Britain changed during the eighteenth century. Wayne Wild, *Medicine by Post in Eighteenth-century Britain: The Changing Rhetoric of Illness in Doctor-Patient Correspondence and Literature*, Ph. D. dissertation, Brandeis University, Waltham, Mass, Feb. 2001.

⁴ France, Ministère de l'éducation nationale, *Catalogue général des manuscrits des bibliothèques publiques des départements / publié sous les auspices du Ministre de l'instruction publique*, 7 vols, Paris, Imprimerie Impériale, 1849-1885.

⁵ On-line searches were conducted through *Gallica* (Bibliothèque nationale de France) and in particular, *Le Catalogue collectif de France* (CCFr).

provide consultations by physicians and surgeons working in major urban and regional centres, over a wide time period to give depth to the study. The list was reduced to those locations where there was likely to be sufficient material to make analysis worthwhile. The end result was a large and thorough cross-section of the available resources.⁶

The collections of epistolary consultations used here are in manuscript and printed forms. They are to be found today in institutional libraries connected with medicine, such as those of the Collège de Médecine (Paris) and the Musée de Santé de l'Armée (Paris), and the Paris, Montpellier and Strasbourg schools of medicine. There are also archival records in the Montpellier Municipal Library and the Hérault Departmental Archives, in both instances a result of the historical significance of the Montpellier school. Municipal libraries hold other materials and collections and are probably located in such institutions as a result of serendipity. For instance a collection of consultations by surgeon Antoine Louis (1723-1792), despite his practising in Paris, are located in Metz because this was the location of the family home.

The manuscript sources

There were a number of reasons why individual practitioners might have collected their consultations and the associated letters. Prime amongst these could have been for future reference in similar cases, for teaching purposes, even for later publication. Brian Nance has noted how the Swiss-born physician Sir Théodore Turquet de Mayerne described utilising his casebooks when deliberating how to deal with difficult cases.⁷ It is easy to imagine that French practitioners would have done much the same with their collected consultations.

⁶ After intensive catalogue searching, other probably relevant collections or single letters have been identified in a further thirteen French centres scattered around the country, but these have not been examined as the collections appeared to be small or are, in the case of printed works, the same as those found elsewhere as at Angers, Amiens, Arras, Besançon, Bordeaux, Corse, Laval, Limoges, Nantes, Nice, Pau, Rochefort, Troyes. Thus a single document located in Pau was not considered worth the limited time available. A significant collection in Philadelphia, College of Physicians, Philadelphia, MS 170. Pierre Chirac, reports on the treatment of various ailments recorded by Cuthbert Constable, Montpellier?, ca. 1700-18.

was discounted on the basis of geography; travel around France to conduct archival research was extensive without venturing to North America.

⁷ Brian Nance, *Turquet de Mayerne as Baroque Physician: The Art of Medical Portraiture*, Amsterdam-New York, Editions Rodopi, 2001, p. 24.

Le Centre d'accueil et de recherche des Archives nationales (CARAN) was the starting point of the archival research for this thesis even though it holds only two small specific collections of mixed medically-related correspondence in manuscript; these cover the period 1655-1759 to the extent that they are dated.⁸ There is no rationale provided as to why this particular collection was made or by whom. Of those addressed to *M. Falconet Médecin à Paris* it is unclear which member of the family was involved; there were four generations of physician Falconets, a Lyon family, all of whom studied at Montpellier.⁹ This set includes eleven *mémoires* requesting an opinion, and one is a reply, presumably a copy of what had been sent, responding to such a request. The *mémoires* are frequently side-noted with comments in Greek and Latin, which probably represent the consultant's thoughts on reading the letter. There is also a *mémoire* to, and reply from, physician François Quesnay (1694-1774).¹⁰ The collection also includes accounts of two autopsies and other miscellaneous letters about the publication of medical texts.

The 400 or so letters in the collected consultations of Parisian physician Etienne-François Geoffroy are in the Bibliothèque interuniversitaire de médecine et d'ontologie, Paris. As has been noted in the introduction to this thesis, these manuscripts have been studied by other historians. Also at this location is a collection of eighteenth-century manuscripts by a number of physicians most of whom were associated with the Montpellier University of Medicine.¹¹

In Metz there is a substantial collection of eighteenth-century consultations, some surgical, some medical, by the Paris-based surgeon

⁸ Le Centre d'accueil et de recherche des Archives nationales (CARAN), Séries H, MSS 852 and 2307, *Correspondances médicales*.

⁹ *Dictionnaire des sciences médicales: biographie médicale*, Paris, Panckoucke, vol. 4, 1822, p.108. The origin of this collection is unknown but the dates would suggest it likely that they were collected by Camille Falconet (1671-1762).

¹⁰ François Quesnay trained originally as a surgeon but later obtained a doctoral bonnet in medicine at Pont-à-Mousson and through Court connections became a recognised part of the Paris medical scene.

¹¹ Bibliothèque interuniversitaire de médecine et d'ontologie, Paris, MS 5425 Recueil de consultations médicales ... d'après Sidobre, Chirac, Barbeirac, Vergne, ... On y trouve une consultation d'une autre écriture datée du 1er août 1728, signée de Chirac, etc. -s.l.n.d. [Ecriture du XVIIIe siècle-le manuscrit porte de nom de Jean-Antoine Fatio – 1850]

Antoine Louis totalling 172 letters.¹² Most are dated and cover the period 1743 to 1792, of which five were written in the period after the commencement of the Revolution and are therefore outside the scope of this thesis. In addition to these manuscripts the collection includes twenty-three printed medico-legal consultations by Louis or by other physicians and surgeons on cases in which Louis was involved.¹³ Whilst the majority pertain to surgically related ailments, a significant proportion refer to matters which the physician would have considered as properly belonging to his domain, not that of a surgeon. In such cases, the consultations are indistinguishable from those of physicians in terms of their construction, use of medical theory and therapies. Original letters from patients are very rarely encountered in this collection; they are almost all from referring surgeons.¹⁴ Louis' replies take two forms. Firstly there are what appear to be drafted replies replete with alterations, and secondly, it appears that Louis copied some of his responses, in which situation alterations are far less common. On the other hand, his legal opinions were printed, presumably because of their perceived public significance. A second collection of Louis' papers including twenty-five manuscript consultations purchased by the author of this thesis were written for surgeons and physicians.¹⁵ Apart from consultations in this collection are manuscript copies of public presentations made by Louis to the *Académie royale de chirurgie*, including one giving his views on charlatans.

The archives of the Bibliothèque municipale d'Avignon holds a mixed collection of manuscripts of which fifty-one are letters that relate to consultations, mostly in French with some written in Latin.¹⁶ The majority are

¹² Bibliothèque municipale de Metz, MS 1308-1326. Manuscrits du docteur Antoine Louis, né à Metz, secrétaire perpétuel de l'Académie de Chirurgie de Paris, chirurgien en chef de la Salpêtrière (1723-1792).

¹³ Ibid., MS 1313. Louis obtained a degree in law at the Paris Faculty. When he obtained this degree is uncertain, but in a consultation in 1773 he described himself as 'docteur de faculté de droit en l'université de Paris'. See Antoine Louis, *Sur les causes de la mort de Demoiselle Gallia*, Paris, le Breton, 1773, p. 1.

¹⁴ An exception is Antoine Louis, Bibliothèque de Metz MS 1317A, unsigned, from a male suffering 'chaudepisse'. No response from Louis is included.

¹⁵ Antoine Louis, *Manuscrits, mémoires diverses, correspondance scientifique, etc.*, 2 vols, 1749-1792. Private collection.

¹⁶ In addition the Avignon archives hold consultations by the physician Éspirit-Claude-François Calvet. These have been employed by Laurence Brockliss in his study of Calvet. Laurence Brockliss, *Calvet's Web: Enlightenment and the Republic of Letters in Eighteenth-Century France*, Oxford, Oxford University Press, 2002. This set of consultations has not been employed

between Montpellier and Avignon physicians.¹⁷ The consulting letters cover the period 1635-1741, mainly 1680-1700. The consultants involved with these manuscripts, MS 3192, include some who were to become pre-eminent physicians of the period such as Pierre Chirac (1650-1732), and Gui-Crescent Fagon (1638-1718), both later *premier médecins du Roi*. Fourteen of the letters were addressed to Charles Barbeyrac (1629-1699) who has been described as one of the most brilliant practitioners of the seventeenth century. As these documents are amongst the papers of the Athenosy family it is unsurprising that the dominant name amongst the referring physicians was M. Athenosy (or Athenosis); to the extent that his letters are dated, they cover the period 1689-1713.¹⁸ One of the responses was written jointly with Pierre Barancy (1653-1748) a high-profile Montpellier surgeon.¹⁹ Barancy also contributed to four cases in *Consultations choisies de plusieurs médecins célèbres de l'Université de Montpellier sur des maladies aiguës et chroniques*.²⁰

Other notable personalities in the field of Montpellier medicine whose names appeared as authors in the Athenosy collection were Antoine Fizes, Henri Haguenot (1687-1775) and André Falconet (1612-1691). Unusually these letters differ from most of the other groups of manuscripts in that in the majority of cases the patient's names are given. The reason for this difference cannot be

in this thesis; apart from Brockliss having completed a thorough analysis of Calvet's medical practice, Avignon was technically not in France but was a papal enclave.

¹⁷ Bibliothèque-Médiathèque Municipale d'Avignon - Ceccano, MS 3192. *Archives de la famille d'Athénosy. Recueil de recettes de médecine et de consultations médicales provenant de François Athénosy et Normandeau, médecins à Avignon. Les consultations sont signées des personnes suivantes: F. Athénosy, Barbeyrac, de Montpellier; Brun, d'Avignon; Chirac; Cruès, de Nyons; Dassy, de Montpellier; Fagon, premier médecin de la Dauphine; Falconet, Marcellin, de Rhodes et Falconet fils, de Lyon; Pierre Favier; J. Gautier, d'Avignon; Grès; Haguenot, de Montpellier; Antoine Montagnier, de Lambesc; Nissolle, de Montpellier; Raymond, de Cavaillon; Raymond fils, de Marseille; Saint-Yves, de Paris. XVIIe-XVIIIe siècle.*

[This manuscript number covers the complete collection]. Thirteen letters are illegible and seventeen are in Latin. The collection also includes a number of miscellaneous medical documents such as individual prescriptions and treatises on particular diseases.

¹⁸ Identifying which of the Athenosy family was the recipient of the various letters is difficult as the letters do not give Christian names and there were several members of the family associated with the Avignon faculty of medicine in the seventeenth and eighteenth centuries. One request for a consultation was for a Mademoiselle Athenosis. Bibliothèque-Médiathèque municipale d'Avignon, MS 3192, fol. 108. There is a further collection of fourteen manuscript consultations at Avignon, MS 5084, but none are apparently by correspondence.

¹⁹ Bibliothèque-Médiathèque municipale d'Avignon, MS 3192, fol 36.

²⁰ Barancy wrote consultations in conjunction with other Montpellier physicians published in *Consultations choisies de plusieurs médecins célèbres de l'Université de Montpellier sur des maladies aiguës et chroniques*, vols 1-10, Paris, Durand et Pissot, 1750-1757. ['Selected consultations of the most celebrated physicians of the University of Montpellier on acute and chronic diseases'].

stated with certainty; however they are dated earlier than the bulk of the consultations that have been examined, and the elimination of patients' names appears to have become entrenched in the eighteenth century. Nine of the letters are written in Latin and have been excluded from this analysis. The remainder involve consultations that deal with ailments typical of the period such as rheumatism, vascular problems, syphilis and stone.

A substantial collection of 122 consultations attributed to twenty-nine named Montpellier physicians and three surgeons is held at the Bibliothèque municipale Méjanès d'Aix-en-Provence. These are bound and in one hand, so it can be presumed that they were copies. The majority are dated and cover the period 1720-1751. Many, though not all of the named physicians, were also authors in *Consultations choisies*.²¹

The Médiathèque de Lille-Jean-Lévy holds two collections of manuscripts. Apart from the immediate content of the consultations they contain, they are interesting in terms of their origin. The first comprises a set of lecture notes collected by a Claude Gonse, a former student at Montpellier, which includes six consultations, *mémoires* and *réponses*, by Antoine Fizes.²² The whole is dated 1746. As these are bound in with the lecture notes, it seems probable that Gonse copied them during lectures, or as a private student to Fizes, and indicates one of the ways consultations were employed by their authors. The second eighteenth-century collection in this library was the property of Lille physician M. Dehenne.²³ These forty consultations which cover the period 1728-1745 were all the work of the Montpellier physicians Jean Bézac (1676-1738), Claude Chaptal (fl 18th C.), Pierre Chirac, François

²¹ Bibliothèque municipale d'Aix-en-Provence - Méjanès, MS 129. *Recueil des consultations les plus choisies par M^{rs} les médecins de Montpellier*.

²² Médiathèque de Lille-Jean-Lévy, MS 27. Claude Gonse, *Extrait des leçons de matière médicales de Mr Fizes, Professeur Royale dans l'Université de Montpellier: écrire par C. Gonse, étudiant de la même Université en l'année 1746*. None of these consultations appear in *Consultations choisies*.

²³ Médiathèque de Lille-Jean-Lévy, MS 38. Recueil de consultations réunies par le D^r Dehenne. All the physicians involved, apart from M. Vergnes, contributed consultations in *Consultations choisies*, but none that are repeated in this MS. This was almost certainly 'Dehenne de Lille' mentioned by Paul Delaunay. Paul Delaunay, *La vie médicale au XVI^e, XVII^e et XVIII^e siècles*, Paris, Éditions Hippocrate, 1935, p. 301. See also chapter 2, p. 29. It is also probable that it was this Dr. Dehenne who was responsible for a series of reports on a 1756 epidemic at Seclin a small community outside Lille, published in *Recueil périodique d'observations de médecine, de chirurgie et de pharmacie*, Paris, Vincent, 1757, pp. 207-221.

Chicoyneau (1672-1752), Antoine Deidier (1691?-1746), Antoine Fizes, Nicolas Fournier (1703-1803), Antoine Gauteron (1666-1737), Hughes Gouragne (1689-1751), Henri Haguenot, Jacques Lazerme, Eustache Marcot (1686-1755), Jean-Jacques Montagne (d. 1757), Honoré Petiot (1715-?) and François Vergnes (fl. 18th C.). Whether Dehenne was also a student at Montpellier is not known, nor how he acquired this material. Unlike the Gonse material, they are not all written in a single hand, suggesting that even if he had been at Montpellier they do not represent copies he made as a student. In any case, the periods when the various consultants were teaching at Montpellier would not correspond to the sort of time a student would be studying for a doctorate. The *mémoires* are from patients and referring *ordinaires*. It will never be known if he collected them out of interest or as material for his own practice guidance. Neither these nor any of the other papers of Dr. Dehenne held at the Lille library suggest that he engaged in epistolary consulting. None of these consultations, as is also the case with those found at Aix-en-Provence, were included in *Consultations choisies* so they constitute another set of consultations contemporaneous with those printed in that work. The benefit that these collections offer is the similarity they bear in construction to those in *Consultations choisies*, adding to the credence of this printed work.

On the other hand, such practices in towns and cities other than Paris and Montpellier by physicians not a part of the medical elite certainly occurred. Seventy-three eighteenth-century consultations by the Paris-trained physician M. Demeure who practised in Rennes constitute a source by a Paris-trained doctor of medicine.²⁴ This provides an important set of material to compare with similar consultations from Montpellier-trained physicians. Consultations of the Beaune physician Vivant-Augustin Ganiare (1698-1781) are located at the Bibliothèque municipale de Dijon.²⁵ Totalling fifty-eight consultations, these include five instances where second opinions were sought from Paris or Lyon consultants. In seven instances the consultations were followed by a description of the disease outcomes. Another feature of this group of correspondence is

²⁴ Bibliothèques municipales de Rennes, MS 172. *Recueil de consultations médicales, signé par Demeure, D.M.P.* Demeure is described as M.D. de Paris.

²⁵ Bibliothèque municipale de Dijon, MS 433. *Dr. Ganiare de Beaune, Consultations médicales.* Ganiare received the diploma *Maitre ès Arts* in Besançon in 1725, where he quite probably gained his medical degree.

multiple letters between the consultant, the local practitioner and the patient in seven cases. A collection of eighteenth-century letters currently located in Colmar includes twenty-four consultations written variously in French, German and Latin of which only those in French have been employed.²⁶ The linguistic variation is undoubtedly a result of Colmar's geographic location.

The above are the larger collections of consultations in manuscript uncovered. Some isolated examples that were identified during the course of the research have also been employed. Most of the manuscripts identified offer material originating in Paris, Montpellier and country locations. In the case of copied material, it is impossible to be certain that they were made accurately or completely. The limitation of them is that many do not include the *mémoires* requesting consultations, a shortcoming Laurence Brockliss has recognised when he described the study of epistolary consultations as 'much more difficult than it might seem for the collections of printed consultations only tell one half of the story [the physician's]'.²⁷

Printed consultations

There were a number of possible reasons for practitioners choosing to have their consultations put into print. Why they did so is a question which recurs through this section. Printed consultations are by their nature copies, as were some of the manuscripts discussed above. Conceivably they were subject to additional errors or editing in going through the production process. This section examines their format, size, and why they were created. They were the work of physicians based in Montpellier and Paris, in country towns, and by surgeons. In print terms, the volumes were without exception printed in duodecimo format. The size of the printed sources employed indicates that all were intended as 'working' texts, easy to hold and read, rather than being for display purposes. A ten-volume collection like *Consultations choisies* was unlikely to grace the shelves of the pedestrian home. However, the number of surviving copies of all

²⁶ Bibliothèque municipale de Colmar, MS 484. *Recueil de remèdes et de recettes médicales. Consultations et correspondance diverses*. One of these consultations is from Antoine Louis.

²⁷ Laurence Brockliss, 'Consultations by Letter in Early Eighteenth-century Paris: The Medical Practice of Etienne-François Geoffroy', in Ann La Berge and Mordechai Feingold (eds), *French Medical Culture in the Nineteenth Century*, Amsterdam, Rodopi, 1994, p. 81.

ten volumes appears to be small perhaps indicating that printing runs were small.

What motivated the various physicians and surgeons to publish their consultations? Why did some practitioners decide to publish whilst others did not? Saul Jarcho translated into English and published the 329 manuscript consulting letters of the Italian Francesco Torti (1658-1741).²⁸ Ludovico Antonio Muratori (1672-1750), historian, and one of the foremost scholars of his age, had evidently been urging Torti to publish his consultations so that his accumulated knowledge was not lost; but Torti declined to do so. Among the reasons Torti gave for not printing was:

I think ... that a great many esteemed physicians have lost credit when they published their consultations ... My consultations even if reviewed and corrected, will certainly have the same fate ... More honour has been paid to the physician ... after his death by the men who have been cured by his consultation than by the publication of his consultation.²⁹

Torti continued: 'out of perhaps several hundred [consultations] I have not learned the result in more than ten or twelve'.³⁰ One can only conjecture whether or not Torti's pragmatic view of publishing consultations would have been held by French physicians. In the case of *Consultations choisies* it is known through comment in the preface, that some of the material in that work was printed without the consultants' permission. It may be that there was a demand among physicians and surgeons for the consultations of eminent practitioners to be available to which they could refer for guidance.

Whilst one can look at the various published consultations and search for clues as to the reasons for turning to print, there were other physicians with significant amounts of material which could have been printed, but were not.

²⁸ Francesco Torti, *The Clinical Consultations of Francesco Torti*, trans. with an introduction by Saul Jarcho, Malabar, Florida, Krieger Publishing Company, 2000. The manuscripts are either undated or Jarcho has omitted the dates in his translations from the Latin. Jarcho described them as 'holographs, apparently written by amanuenses and, in almost all cases initialled by Torti.'

²⁹ *Ibid.*, pp. 910- 911.

³⁰ *Ibid.*, p. 911.

Etienne-François Geoffroy's manuscript collection, for example, was not published notwithstanding the fact that he extensively published other medical material.³¹ Nor did anyone else put them to print after his death; perhaps had he had children this might have occurred. It may however simply be that he was not interested, or even disapproving, of such a notion and might be compared with the attempt by Claude Chaptal's nephew Jean-Antoine-Claude Chaptal (1756-1832), to publish his uncle's work.³² The difference might be a reflection of differences in attitudes to such matters between Paris, where Geoffroy practised and Chaptal's Montpellier.

Consultations choisies (1750-1757) is the largest single source drawn on in this thesis.³³ Its magnitude and the resulting number of variables permits more analysis than is the case with the other resources employed, concerning such factors as gender, disease of the patients and the identity of the different practitioners. Over the course of ten volumes, it comprises 739 consultations by physicians connected to the Montpellier University of Medicine, and Montpellier surgeons; 65 *mémoires* are included. Publication commenced in 1748 and the last volume was first published in 1755, although printing is known to have continued until 1767. It contains consultations written by at least fifty-four individuals, written individually or above the 'signatures' of two, three, four and in one case five practitioners.³⁴ Dates are given for 645 of the consultations (87%) and cover the period 1702-1751. The distribution over time is shown in figure 1.1.

³¹ For a list of Geoffroy's publications see *Dictionnaire des sciences médicales: biographie médicale*, vol. 4, 1822, pp. 385-386.

³² Compare Geoffroy's case with that of Claude Chaptal, whose nephew, Jean-Antoine-Claude Chaptal (1756-1832), sought permission, and financial assistance, from the Paris College of Physicians for publication of the *Observations de médecine et pratique suivies des l'histoire des epidemies de petite verole qui ont paru a Montpellier depuis 1746 jusqu'en 1770 par M^r Chaptal docteur en médecine de l'université Montpellier*. Académie de Chirurgie, Paris, MS 33, Folio 137, lettre 5. Claude Chaptal, long serving 'docteur ordinaire' and anatomy demonstrator at Montpellier. Permission was granted subject to the College verifying the dosages of proposed medicaments. However, no record of the publication of these observations has been found.

³³ *Consultations choisies*. The 10-volume version used is from this writer's collection and when examples are quoted throughout the thesis the specific dates for the relevant volume are quoted. The range of dates indicates that the 'set' was collected over time rather than being purchased as a whole. The authorship is not specifically claimed in the texts and is variously described as in library catalogues; it is probably correctly 'l'Université de médecine de Montpellier'.

³⁴ As some of the consultations are unsigned, the total number of physicians involved may be higher.

Figure 1.1: Number of consultations versus date in *Consultations choisies* (13% were undated)

It is impractical to devise a meaningful comparable chart for the manuscript sources because so many are undated. All that can be said is that there is a small cluster around the end of the seventeenth century and another in 1780s. The dominance of the decade in Figure 1.1 of the period 1740 to 1750 may have been a deliberate attempt to provide up to date material, bearing in mind publication began in 1748, or simply a reflection of the availability of material. Because of the lack of dating it is not possible to produce meaningful comparative data for consultations in manuscript.

As the title suggests, the consultant physicians were all associated with the Montpellier University of Medicine.³⁵ Perhaps surprisingly given the alleged antipathy at the time between physicians and surgeons, six master surgeons contributed to nine of the 739 consultations. This represents only a little over 1% of the total and all had a surgical component in the proposed therapy. However, there were other consultations which included surgical matters which did not result in the inclusion of a surgeon's contribution.³⁶ *Consultations choisies* is also interesting because, to date, it appears to have been largely

³⁵ Not all the consultations are marked as 'signed by', a fact acknowledged in the preface, but the majority are, and most of the individuals identified held or had held positions within the Montpellier school.

³⁶ For a discussion of the conflicts between physicians and surgeons see chapter 4. The surgeons involved were Pierre Barancy, Louis Lamorier (1696 -1777), Bégnine Lollier (1679-1734) Jacques Peyrat (1675-1719), Jean Serre (~1719 -1789) and Jean Soullier (1687-1749). *Consultations Choisies*, vol. 3, 1757, p. 78 and 195; vol. 4, 1757, p. 372; vol. 6, 1750, pp. 110 and 232; vol. 7, 1750, pp. 105 and 372; vol. 8, 1750, p. 295; vol. 10, 1755, p. 103.

ignored by scholars. The work's existence was noted by Louis Dulieu but with little comment.³⁷ In 1956 French physician Édouard Rist referred to a four-volume version of *Consultations choisies* in an article in a literary journal with little analysis.³⁸ The forty-eight physicians and six surgeons credited with writing the consultations in *Consultations choisies* is too great a number to provide even potted biographies of all of them; indeed, information on some of them is scant or non-existent. Nine of the authors of *Consultations choisies* held positions as physicians to members of the royal family and eleven held chairs at one time or another at the Montpellier University of Medicine; others held positions as *médecins consultants du Roi*. By the time of the work's publication some were dead, others were still practising medicine.

It was earlier noted that Francesco Torti considered a lack of knowledge of the outcome of his consultations as a justification for not publishing them. In contrast to this the authors of the preface to *Consultations choisies*, despite making a similar admission about not knowing how successful their consultations were, wrote the following:

That which is missing then in the consultations to be true observations of physicians is the outcomes of the illness, but there is reason to presume of them, of those at least that are not essentially fatal, that the outcome has been successful when one was not obliged to resort again to the illustrious consulting physician.³⁹

Evidently they did not think that such a shortcoming was a serious impediment to turning to print nor that it would cast doubt on the validity of their claims to

³⁷ Louis Dulieu, *La Médecine à Montpellier*, Avignon, Les Presses Universelles, vol. 3, 'L'Époque classique', 1983, pp. 267-268. Dulieu after naming some of the authors commented, 'Ces consultations montrent les très vif succès qu'elles connaissaient alors puisqu'elles ne comportent pas moins de dix volumes.'

³⁸ Édouard Rist, 'Une consultation médicale au XVIII^e siècle', *Revue de Paris*, vol. 63, Jan. 1956, pp. 112–125. Rist was employing an earlier version of *Consultations choisies* which comprised 280 consultations as opposed to the 740 in the full version that has been used in this thesis. He described this set as being in 160 and dated 1748, p. 119.

³⁹ Preface to *Consultations choisies*, vol.1, 1757, pp. ix-x. 'Ce qui manque donc aux Consultations pour être de vrais observations de Médecine c'est l'événement de la maladie; mais il y a lieu de présumer, de celles au moins qui ne sont pas essentiellement mortelles, qu'il a été heureux, quand on n'a pas été obligé de recourir de nouveau aux lumières du Médecin consulté.'

effect appropriate diagnoses and treatments, or on the value of the consultations to the readership.

Parisian physicians are represented in this genre by Louis–Jean-Baptiste le Thieullier (d.1751). This work contains minor amounts of the work of physicians other than the principal author. Le Thieullier's *Consultations de médecine* constitutes a significant resource. Its eighty-seven consultations are arranged roughly chronologically and cover the period 1735–1741 with the majority dated in the 1730s.⁴⁰ Of these, eighty-four are by Le Thieullier, one is unattributed but is probably by Le Thieullier; one is by Jean-Claude-Adrien Helvetius in response to a request from Le Thieullier and another by physician Jean Astruc (1684-1766).⁴¹ The majority of the *mémoires* included are from *ordinaires*, twenty-three are from patients, and two from patients' relatives.⁴² This is a fairly typical mix of correspondents encountered in the collections examined.

Another collection which includes the work of more than one physician is *Dissertations et consultations médicales* by Pierre Chirac (1650-1732) and Jean-Baptiste Silva (1682-1742). Volume one of this work contains thirty-four medical consultations.⁴³ Only nine are directly attributed to Chirac. One is attributed to Jean Astruc, four by Jacques Molin (1666-1765) one jointly by Silva and Jean-Baptiste Nicolas Boyer (1693-1768), and six by Silva alone. All these physicians were Montpellier-trained, but equally all were practising in Paris at the time of the consultations. Thirteen are unattributed and post-date Chirac's and Silva's deaths. These consultations cover a smaller but similar range of internal disorders to that found in *Consultations choisies* and cover the period 1720-1746. The *mémoire* is included in all but two of these consultations making them more complete from a historian's standpoint and three have

⁴⁰ Louis-Jean-Baptiste le Thieullier, *Consultations de médecine*, 2 vols, Paris, Charles Osmont, 1739.

⁴¹ Jean-Claude-Adrien Helvetius obtained his doctorate in Paris, was a member of the *Académie des sciences de Paris* and the Royal Society in London, was a Counsellor of State and held various court positions as a physician.

⁴² This enumeration is on a case by case basis although some involve multiple letters.

⁴³ Pierre Chirac and Jean-Baptiste Silva, *Dissertations et consultations médicales, de messieurs Chirac, conseiller d'Etat, et Silva médecin consultant du Roi, et premier médecin de S.A.S. monseigneur le Duc*, Paris, Durand, vol. 2, 1744.

footnotes on the outcome of medication. What is demonstrated by this group of letters is collaboration between physicians in Paris. *Consultations de Médecine, de M. Barthez* includes forty consultations by the Montpellier-trained physician Paul-Joseph Barthez (1734-1806). This text was published posthumously in 1810 by his student Jacques Lordat (1783-1870) and covers the period 1773-1774 during which time Barthez was in Paris and had been given the position of medical counsellor to Louis XV.⁴⁴

Antoine Deidier obtained his doctorate at Montpellier and later was a professor of medicine at Marseilles. *Consultations et observations médicales de M. Antoine Deidier* (1754) was published after Deidier's death and includes 168 consultations.⁴⁵ Like several other such collections, in some instances it is clear that the consultation was remote, whereas in others Deidier had seen the patient. Acknowledging that this work is posthumous, it is unusual in that in the 'Avertissement' which acts as a preface, Deidier is criticised instead of being the subject of the more usual panegyric.⁴⁶ This was firstly for inconsistencies between his medical practice and principles and secondly for the manner in which he prescribed medicinal waters for therapy.⁴⁷ The nature of these criticisms appears to indicate that the anonymous editor was a fellow medical practitioner. It could be that this was a part of a dialectic dispute between professionals, which is an issue raised later in this chapter over the publication of *Consultations choisies*. Thirty-seven consultations by Montpellier professor of surgery and pharmacy François Broussonet (1726-1792) cover the period 1766 to 1778. They thus provide a slightly later period for study than most of the others by Montpellier physicians. This was a time when medical vitalism, a concept created to a large extent in Montpellier, was being presented as an alternative to iatromechanics. The impact of such changing medical theories on the content of consultations is explored further in chapter five.

⁴⁴ Paul-Joseph Barthez, *Consultations de médecine, de M. Barthez ouvrage posthume de Paul-Joseph Barthez/publ. par J. Lordat*, Paris, Michaud frères, 1810.

⁴⁵ Antoine Deidier, *Consultations et observations médicales de M. Antoine Deidier*, 3 vols, Paris, chez Jean-Thomas Hérissant, 1754.

⁴⁶ The compiler of these volumes is unknown.

⁴⁷ Deidier, vol. 1, p. iv, 'On s'appcevra en les lisant que la pratique de l'Auteur, et ses principes de Physiologie et. de Pathologie ne sont point toujours les mêmes.' and at p. v, 'Quand il s'agit de l'usage des eaux minerales, l'Auteur conseille d'en prendre des douze ou quinze verres, et prescrit à ses malades de se conformer aux coutumes des lieux. Cette pratique routinière ... est contraire à tous les principes.'

Consultations médicales et mémoire sur l'air de Gemenos by M. F. B. Ramel le fils (fl.18th C.) adds a slightly different perspective in that the author was evidently a country physician, located in the southern town of Aubagne.⁴⁸ Why he had a professional standing that drew people to seek his written opinions is unknown. Of the forty-seven published consultations, thirty-four were by correspondence and included letters coming from patients, their relatives or *chirurgiens ordinaires*. Chest complaints are the most commonly occurring disease in this work, perhaps reflecting the local environment. The *mémoire* on the air of Gemenos which is included in this publication includes comments on why the air in that particular location contributed to the incidence of such disorders. The reasons Ramel gave for publishing are somewhat complex. In his dedication to M. le Marquis de Suffren de St. Tropez he claimed that 'this medical text will be no stranger to him, if this text can work towards to the progress of a useful science to humanity, and lift a single victim from pain or death.'⁴⁹ In the introduction, however, Ramel described in a rambling manner the inadequacies of the written consultations of many physicians. He suggested his would be useful for young physicians, and castigated practising physicians who were not fully qualified as well as some surgeons, apothecaries and empirics.⁵⁰ This was all by way of justifying his publication. It would appear that the author has pursued publication himself although there is no indication as to who paid for it.

'*The Universal body of Physick in five Books; exactly containing five hundred and thirteen observations, or histories, of famous or rare cures*' (1657) is a posthumously published work by the Montpellier professor Lazare Rivière (1589-1655).⁵¹ Some of the cases had been dealt with by letter, but in many instances it is unclear whether he had seen the patient or not. They provide

⁴⁸ Ramel, le fils, *Consultations médicales et mémoire sur l'air de Gemenos*, La Hayes, chez les libraires associés, 1785.

⁴⁹ Ibid., p. vi, 'cet ouvrage de Médecine, ne lui sera pas étranger, si cet ouvrage peut concourir aux progrès d'une science utile à l'humanité, et enlever une seule victime à la douleur ou à la mort.'

⁵⁰ Ibid., Introduction, pp. vii-xiii.

⁵¹ Lazare Rivière, *The Universal body of Physick in five Books; Exactly Containing Five Hundred and Thirteen Observations, or Histories, of Famous or Rare Cures*, London, Carr, 1657.

material from an earlier era to the period covered by the majority of consultations examined in this thesis, enabling some chronological comparisons to be made. The immediate difference noted is that in many of Rivière's cases, patients' names are included. This was also the case in the still earlier consultations of Jean Fernel (1497-1558).⁵² It appears that the omitting of names became something of a convention during the eighteenth century in most such texts irrespective of the nature of the disease.

Rouen-born Henri-François Le Dran was posthumously described as a 'justly celebrated surgeon' who practised in Paris.⁵³ In 1765 he published a series of 129 consultations, *Consultations sur la pluspart des maladies qui sont de la chirurgie*.⁵⁴ These consultations were described glowingly in Panckoucke's 1822 *Biographie médicale* as offering 'some positive concepts founded on a judicious experience that one looks for in vain in the consultations of the most celebrated physicians'.⁵⁵ Although the majority of these letters are of a surgical nature as will be discussed in Chapter 2, some would have been defined by physicians as falling within their purview, rather than that of a surgeon, making this collection particularly interesting to include in the analysis.

Louis-Bernard-Bréchillet Jourdain (1734-1816) was well-known as a dental surgeon. He published a major work on dentistry, *Traité des maladies et des opérations réellement chirurgicales de la bouche* which included some consultations by letter.⁵⁶ The majority of the cases discussed involved Jourdain in face-to-face consultations with the patient, and his use of the first person enables easy recognition of the five instances of distance consultations scattered through the work. It also differs from most other collections in that in most instances he refers to patients, referring surgeons and collaborators by

⁵² Jean Fernel, 'Select Medicinal Counsels of the Renowned Johannes Fernelius', In Nicholas Culpeper, Abdia Cole and William Rowland, *The Practice of Physick in Two Volumes, Very Much Enlarged*, London, Printed by Peter Cole, n.p., 1658

⁵³ *Dictionnaire des sciences médicales: biographie médicale*, vol. 3, 1821, p. 525. 'chirurgien justement célèbre.'

⁵⁴ Henri-François le Dran, *Consultations sur la plupart des maladies qui sont du ressort de la chirurgie*, Paris, chez P. Fr. Didot le Jeune, 1765.

⁵⁵ *Dictionnaire des sciences médicales: biographie médicale*, p. 526, 'Ces consultations offrent des notions positives fondée sur un pratique judicieuse, qu'on chercherait en vain dans les consultations des plus célèbres médecins.'

⁵⁶ Louis-Bernard-Bréchillet Jourdain, *Traité des maladies et de opérations réellement chirurgicales de la bouche*, 2 vols, Paris, Valleyre, 1778.

name and place which was unconventional for the period. The work as a whole also demonstrates a degree of collaboration between Jourdain and his fellow surgeons and physicians from the Paris faculty. This work also provides some examples of correspondence between surgeons involved in cases where he was due to see, or had seen the patient as well as some records of family involvement in treatment proposals.

Arguably the best known French dental surgeon of the eighteenth century was Pierre Fauchard (1678-1761) whose *Le Chirurgien dentiste ou Traité des Dents* led him to be called the father of modern dentistry.⁵⁷ This work contains a number of individual cases, some of which he was reporting rather than having dealt with himself. Unfortunately he did not record whether he received the information by letter and whether his observations on what had occurred were face-to-face consultations.

A variety of minor sources have also been identified and drawn upon when appropriate such as letters of the Paris surgeon Jacques Daviel (1696-1749) who specialised in ophthalmology.⁵⁸ Others are isolated examples which have been encountered during the search process such as a reproduction of a consultation by Antoine Fizes and Jean-Jacques Montagne held at the Bibliothèque municipale de Montpellier.⁵⁹

The printed consultations thus provide a resource which includes the work of at least seventy practitioners over a considerable part of the eighteenth century, and lesser numbers from the seventeenth. There are fewer printed works involving surgeons than for physicians, but there is sufficient to enable

⁵⁷ Pierre Fauchard, *Le Chirurgien dentiste, ou traité des dents*, 2 vols, Paris, Pierre Jean Mariette, 1728. For a biography of Fauchard see C.D. Lynch, K.R O'Sullivan and C.T. McGillicuddy, 'Pierre Fauchard: the 'Father of Modern Dentistry'', *British Dental Journal*, vol. 201, no. 12, 2006, pp. 779-781.

⁵⁸ Jacques Daviel, Lettre de M. Daviel à M. de Joyeuse, Paris, 1748, [extract from *Mercure de France*, September 1748, page 198, and *ibid.*, Jacques Daviel, Lettre à M. le marquis de *** sur les opérations de la cataracte. See Chapter 2. Daviel's date of birth has been the subject of dispute among biographers. See Ernst Veuden, *Illustrations du pays d'Ouche: Jacques Daviel et sa famille, mémoire présenté au congrès des savants à la Sorbonne en 1891*, Paris, Bernay, 1891, p. 2.

⁵⁹ Edouard Bonderand, 'Une consultation de médecine au XVIIIe siècle. Consultations et ordonnance de MM Fizes et Montagne, médecins de Montpellier 2 septembre 1742, Montpellier', *Nemausa*, 1^{ière} ed., No.1, août, 1883, pp. 120-123.

comparative analysis of consulting by letter *vis-à-vis* the two sets of practitioner. As has been shown, publication could be at the instigation of a former student, on the consultant's own initiative, or perhaps driven by the desire of printer/publishers who saw an opportunity to make money.

The structure of medical correspondence

The ideal record from the historian's viewpoint comprises the letter requesting advice, the *mémoire*, the consultant's response including his diagnosis, therapeutic recommendations and a prognosis, and finally some information on the success or otherwise of the treatment. Such an ideal is however seldom found. In many of the cases examined in this thesis, both halves of the correspondence are available; what is lacking is knowledge in the majority of cases of the outcomes of the consultations. However this type of letter is at times problematic in that it is not always easy to distinguish it from the other related documentary form when the consultant and patient had met and the record is one of what was said at the time.⁶⁰ Alternatively the written consultation could have been formulated after the physician had reflected on the matter.⁶¹ This is known to have been the case in some instances from the content of the consultation.⁶² For example Antoine Fizes recorded seeing a patient suffering from partial paralysis of the left arm for whom he wrote a report in October 1736. Fizes saw the patient again in December of that year as the patient returned home via Montpellier after taking the 'curative waters' at Balaruc. In a second letter Fizes wrote: 'Having reflected on his present condition ... and all ... that I pointed out in my first consultation, I feel that he

⁶⁰ That the patient had been seen was apparent for example in a consultation given in 1742 by the Montpellier physicians Antoine Fizes and Jean-Jacques Montagne. Whilst for the most part the consultation followed the format of many epistolary consultations, at one point, the patient was advised to rest for a couple of days after arriving home before commencing treatment. This was from an archive uncovered in 1883 in Aimargues a village some twenty-five kilometres from Montpellier, a day's horse-ride. The remark makes sense if the patient had been seen in Montpellier, even though such a meeting is not mentioned. Bondurand, pp. 120-123.

⁶¹ Herman Boerhaave, *Des Maladies des yeux par M. Herman Boerhaave le tout traduit du Latin*, Paris, chez Huart et Morceau fils, 1749, p. 272. Herman Boerhaave instructed physicians on how they should behave when dealing with patients, advising them to retire and reflect on the illness before committing to any conclusions; and that the patient should not witness any hesitancy.

⁶² *Consultations choisies*, vol. 6, 1750,, pp. 290-299, particularly p. 296. 'Faisant réflexion à son état présent ... et à tout ... de ce que j'ai remarqué dans ma première Consultation, j'estime qu'il doit se conduire comme il suit.'

must conduct himself as follows'. It is noticeable that even when it is evident that the patient has been physically seen, the structure and key contents of the consultation were, with very few exceptions, no different to when the whole exercise was conducted by letter.⁶³

The majority of the material located in this search is written in French. A small number of *mémoires* and consultations have been encountered in Latin; in printed form, a French translation was always included. One collection is an English translation from Latin, and a few of the *mémoires* from the border region were written in German.⁶⁴ Given at least that physicians, whether consulting or *ordinaire*, were Latin literate, the choice of the vulgar language is perhaps surprising. This may be in the case of consultants' replies because it was presumed that even when a reply was sent to another physician, the patient would expect to see it.

In general terms the arrangement of printed consultations appears to be somewhat haphazard. In the preface to Antoine Deidier's *Consultations et observations médicales* It is stated that it was intended to be organised chronologically but that was not achieved because many of the dates were missing.⁶⁵ In *Consultations choisies* it is stated that the intention had been to use a chronological order, but the manner of compiling several individual collections had prevented this.⁶⁶ None of the other printed works comment on the intended ordering; there is no sequencing by disease or bodily order. It is as if a bundle of manuscripts had been handed to the publisher who printed them as he saw fit.

Nonetheless the whole identified resource contains a number of

⁶³ The kind of situation that would be different was when the patient was suspected of suffering from leprosy, when an examination in the nude was always carried out. See for example *Consultations choisies*, vol. 2, 1757, p. 52.

⁶⁴ The material in German has not been employed in this thesis.

⁶⁵ Deidier, vol. 1, p. v, 'Les dattes manquoient à la plupart, et la collation a été faite par différentes personnes; ce qui a obligé d'imprimer selon l'ordre suivi dans les différens manuscrits.'

⁶⁶ *Consultations choisies*, Preface to vol. 1, pp. xxviii-xxix. 'On s'étoit d'abord proposé de ranger les Consultations suivant l'ordre chronologiques...mais cette collection générale est formée de plusieurs collections particulières qui ont été recouvrées successivement.' Close examination of the dating of all ten volumes reveals the intent although only in one volume, nine, was chronological order maintained.

variables worth comparing. There are consultations written by surgeons and physicians; the physicians were based mostly in the two major centres medicine, Paris and Montpellier, but also some in regional cities and towns. There is an extant mix of printed and manuscript documents for historical analysis. This thesis employs materials which provide a time span of over 100 years. There are consultations for males and females from infancy to old age, suffering a broad range of disorders, though mostly of a chronic nature. With this diversity of information it has been possible in this thesis to look at how practitioners with different training approached their patients and the kind of treatments they proposed.

Although consultations were for the most part written by either physicians or surgeons, in some instances, the consultations were produced jointly by the two. The extent to which the number of consultations involving surgeons is outweighed by the number written solely by physicians is shown in Table 1.1.

Table 1.1: Number of consultations written by physicians and surgeons*

Physicians	Surgeons	Joint
2220	336	15
86%	13%	~1%
(* of all consultations identified)		

The identification of consultations written by both physicians and surgeons has provided the opportunity in this thesis to compare a variable not encountered in other historians' analyses of epistolary consultations which have been concerned only with those of physicians.⁶⁷ Moreover it should be added that

⁶⁷ Michael Stolberg in his study of how the ideas, theories and practices of medical elite were disseminated to a lay public wrote, 'I will disregard the many letter consultations written by local physicians and surgeons' without explaining why he came to that decision. Thus he also missed an opportunity; he apparently did not look to see if elite surgeons also wrote consulting letters. Michael Stolberg, 'Medical Popularization and the Patient in the Eighteenth Century', in Willem de Blécourt and Conelie Osborne (eds), *Cultural Approaches to the History of Medicine; Mediating Medicine in Early Modern and Modern Europe*, Basingstoke, Palgrave Macmillan, 2004, endnote 9. Other historians who have worked on epistolary consultations by physicians have not mentioned that consultations could be provided by surgeons are Gilles Barroux, Laurence Brockliss, Barbara Duden, Desmond King-Hele, Saul Jarcho, Micheline Louis-

printed sources in this field appear to have been largely ignored to date by historians. Perhaps there has been a pre-occupation with manuscript sources, particularly large collections such as those of Samuel Tissot, Hans Sloane (1660-1753) and James Jurin (1684-1750). It may be because those undertaking historical research have habitually sought out manuscripts but also perhaps historians doubt the veracity of the printed text, even if subconsciously.

The veracity of printed sources

Manuscript letters from patients and *ordinaires* can reasonably be assumed to be originals. A number of these carry residue of seals. Consultations on the other hand, even in collections of manuscript may be drafts or copies and therefore not necessarily exactly representative of what was sent. It has to be assumed that these surviving archives are for the most part unedited, and they have not been retained selectively, rather they exist today by chance. Printed material is different, the *mémoires* and consultations presented in any particular work have quite possibly been through some selection process and may have been edited. Selection and editing could have taken place prior to material being given to the publisher, been carried out by the publisher, or both. Despite this caveat, it has to be noted that no obvious breaks in continuity of script have been observed and the content of individual items appear to be complete with respect to content and when compared with manuscript equivalents.

The idea that in the printed form consultations may have been fictitiously concocted has been raised in the scholarly literature. The influential historian Fielding Garrison claimed that some consultations published by well-known physicians constituted letters of advice to imaginary patients and were created for the benefit of students, although he provided no supporting evidence.⁶⁸ More recently Laurence Brockliss has raised similar concerns when he wrote: 'it is always hard to tell whether the consultations are literary fictions.'⁶⁹ Amy Smith has discussed the familiar letter form used in what she described as 'non-fiction

Courvoisier, Séverine Pilloud, et al, Philip Reider, Lisa Smith, Wayne Wild and Alfons Zarsosa. Refer to the bibliography for details.

⁶⁸ Fielding Garrison, *An Introduction to the History of Medicine*, 4th ed., Philadelphia and London, W.B Saunders Company, 1929, pp. 166-167.

⁶⁹ Laurence Brockliss, 'Consultations by Letter', p. 81.

eighteenth-century texts'.⁷⁰ She has examined Tobias Smollett's 1766 *Travels through France and Italy*.⁷¹ Whilst she does not specifically discuss the sequence of letters discussed in the introduction to this thesis between Smollett and Antoine Fizes, she made the point that it is generally unknown if letters were actually posted or received, as the originals are not known to exist, and that even if they were, they may have been edited for publication.⁷² Proving a subterfuge by producing fictitious material would be difficult to establish but the possibility demands that the historian treat printed consultations with caution. However, taking as a prime example *Consultations choisies*, it is difficult to believe that such a deception on such a scale could be successfully perpetrated. This is a ten-volume work, containing 739 consultations written by 54 consultants, many high-profile individuals within the medical world and most alive at the time of publication. Another argument in favour of authenticity lies in the works being quoted by other contemporary authors.⁷³ Furthermore it was introduced to the libraries of well-known physicians. Finally one small but significant piece of evidence adds a degree of authenticity to this work in the form of a correlation between one of its consultations and an Italian manuscript consultation.⁷⁴ Francesco Torti criticised a Montpellier physician who had consulted to a patient who had previously contracted cholera and was now suffering from diabetes. The Montpellier physician was attributing both illnesses to a common cause. In *Consultations choisies*, there is a consultation which matches that described by Torti.⁷⁵ This entry is unsigned but is dated 8 March 1739, two years before Torti died. As it is located within a block of consultations all written by Jean-Jacques Montagne; it seems likely that Montagne wrote this particular consultation. Whether the same degree of confidence can be

⁷⁰ Amy Smith, 'Tobias Smollett and the Malevolent Philip Thicknesse: Travel Narratives, Public Rhetoric and Private Letters', *The Huntingdon Library Quarterly*, vol. 66, no. 3/4, 2003, pp. 349-373.

⁷¹ Tobias Smollett, *Travels Through France and Italy*, 1766, World Classics Edition, Frank Felsenstein (ed.), Oxford, Oxford University Press, 1981, pp. 88-102.

⁷² Amy Smith, p. 350. In which she contends that a revised letter is still a letter. Smollett was more than a novelist. He qualified as a surgeon in Glasgow, and supposedly was awarded a doctorate of medicine by Aberdeen University. Whether this was by examination or the degree was purchased is unknown. He had practised medicine in England. It has been contended by Francesco Cordasco that he obtained a degree from Geissen University. The basis for this claim is probably spurious. See Francesco Cordasco, 'Correspondence', *Modern Language Notes*, vol. 65, no. 2, 1950, pp. 117-119 and Lewis Knapp and Lillian Thorpe, 'Correspondence', *Modern Language Notes*, vol. 67, no.1, 1952, pp. 69-71.

⁷³ For example, Jourdain, vol. 1, p. 340.

⁷⁴ Francesco Torti, *The Clinical Consultations of Francesco Torti*, pp. 836-839.

⁷⁵ *Consultations choisies*, vol. 4, 1757, pp. 71-78.

expressed over the other printed collections of consultations is moot.

Nonetheless having worked with these sources for a lengthy period, this author is of the view that they are authentic.

The *mémoires*, that is, the instigating pieces of the correspondence, can be divided into three categories. There are those which were written by patients or an immediate family member. There are those which were written about the patients, or on their behalf, by local physicians and surgeons. Finally, there is a substantial group when it is unclear to which of the first two groups the writer belonged. This is a situation made more difficult because the *mémoires* were for the most part written in the third rather than the first person and in a style which often mimicked the consultations. This is further complicated by the omission of names in the printed material; this appears to be a convention which developed in the late seventeenth century. Later chapters will address in greater detail the patients, gender patterns, their social standing, and their reasons for seeking consultations. For the moment it is sufficient to note that they predominantly came from the more elite sections of society; that they were for the most part suffering from chronic rather than acute diseases, and in many instances had been ill for long periods of time. In manuscript it is usually known to whom the *mémoire* was sent. In printed form it has been assumed that the request was addressed to whoever wrote the consultation unless it is indicated otherwise. For example, occasionally, *mémoires* were addressed to a collegiate group of physicians.

Those *mémoires* which are known to have come from local physicians and surgeons were of the same format and contained the same sort of information as those written by patients themselves. The *mémoire*, whether from the patient or a *médecin* or *chirurgien ordinaire*, typically provided all or part of details regarding the age, sex, and disposition of the patient, description of the present and past symptoms, and steps that had been taken to restore health. The names of patients were almost always omitted, particularly in printed sources, as were their occupations in most cases. The age was generally given, ranging from infant to over ninety years of age. The ratio of male to female patients was 60:40 in both published and manuscript sources.

The same ratio applies to letters written by patients, that is 60:40, male to female. This is somewhat different to the 50:50 ratio found by Lisa Smith in her analysis of the epistolary consultations of Geoffroy.⁷⁶

Comment on lifestyle was usually limited and most commonly was made by *ordinaires* and when the *mode de vie* was considered to be harmful. A shortcoming of the records, whether printed or in manuscript, is that seldom is any indication given when a *mémoire* came from a local practitioner, as to whether he or the patient had initiated such a step.

Whether a *mémoire* is now available or not, the responding consultation invariably opened with a repetition of the key points from what was actually or apparently supplied information. The consultation comprised a discussion of the nature of the causes of both the symptoms and the underlying disease, and then details of remedial actions that were to be followed and therapeutics to be taken. Recommendations on changes to lifestyle that the patient should undertake were a common part of regaining health.

A noticeable feature of letters written by physicians, more so than by surgeons, is that whatever differences in content appear in individual consultations, there is sameness in style and format that appears ritualised. This is probably derived from practice developed in the Italian universities, where in the thirteenth and fourteenth centuries the format of 'distance consultations' had become standardised.⁷⁷ Another characteristic is that the majority of the consultations are written in the third person whether printed or manuscript. This impersonal style very often is in patient-written *mémoires* as well, suggesting that they had learned to ape the fashion.

Impersonal was not the case when in 1771 Guillaume-François Laënnec (1748-1822) whilst a medical student in Paris, fell ill with diarrhoea which lasted for three months. At that time he had been studying medicine for two years and

⁷⁶ Lisa Smith, *Women's Health Care in England and France (1650-1755)*, University of Essex, Ph. D. thesis, 2001, pp.137 and 140.

⁷⁷ Roberto Cardini and Mariangela Regoliosi, *Umanesimo e Medicina; Il Problema dell'Individuale*, Rome, Bulzoni Editore, 1996, p. 11. 'il *consilium* [della distanza] acquista un carattere *standard* e la scrittura assume uno stile schematico'.

wrote to his father relating his condition:

Would you believe it my dear Théophile [Laënnec's father], that the fever, the cough, the corruption, the tightness of the chest,... that the illness at last had dared to approach me ... oh my art! O Hippocrates ... without remission ten days in bed, two bleedings, the emetic, purgings, eggnog, the hydromel* ... Scarcely, with all this procession [of medication], have I been able to drive them out ... I have left for fear of it and today I find myself in a quiet place.⁷⁸

Perhaps Laënnec was more inclined to verbal extravagance because of his youth, or because he was writing to his father rather than to a physician. His description makes a striking comparison to the more formal style of expression encountered in most of the correspondence examined. Thus wrote one patient: 'I have the honour of writing to you on an illness more disagreeable than incommodious' then continued to simply describe, at some length, the circumstances in which his complaint arose, changed over time, and the treatments he had employed, all in a reporting style.⁷⁹ He terminated his description as follows:

There, Sir, the circumstances that I have feared, I will be pleased if you would indicate to me the means of regaining my health and that you would confer with some of your colleagues as skilled and prudent as you.⁸⁰

In 1677 Madame de Sévigné wrote to her daughter who had been in the country for two years:

⁷⁸ Guillaume-François Laënnec, *Lettres*, cited in Alfred Rouxeau, *Un étudiant en médecine quimperrois (Guillaume-François Laënnec), aux derniers jours de l'ancien régime (Quimper-Paris-Montpellier-Londres, 1768-1774)*, Nantes, n.p., 1926, pp. 56-58. 'le croiriez-vous, mon cher Théophile [Laënnec's father], que la fièvre, la toux, le devoyement, l'oppression de la poitrine, ... que la maladie enfin eût osé m'approcher ... O mon art ! ... O Hippocrate! ... Sans remission, dix jours au lit, deux saignées, l'émetique, les purgations, le lait de poule, l'hydromel ... A peine, avec tout ce cortège, ai-je pu les chasser ... J'en ai été quitte pour la peur et je me trouve aujourd'hui dans une assiette tranquille.' [*Hydromel was a honey and water mixture sometimes with other added ingredients.]

⁷⁹ Le Thieullier, vol. 2, p. 291. 'J'ai l'honneur de vous écrire sur un mal plus désagréable qu'incommode'.

⁸⁰ Ibid, pp. 295-296. 'Voilà, Monsieur ... les circonstancié que j'ai pû; je serois bienaise que vous m'indiquassiez le moyen de me guérir et que vous en conferassiez avec quelques-uns de Messieurs vos Confreres aussi habiles et aussi prudens que vous'.

Your cold and dead legs, which you make fun of, at least in front of me, cause me unbelievable pain. I do not think that this is to be ignored, and if I was in your place, I would follow the advice of Guisoni, who does not treat that trivial illness ... I would not leave my poor legs cold and devoid of spirit ... And you talk about my health!⁸¹

Such a personal style of writing on the part of patients is only rarely encountered in the consultations. There are exceptions, particularly in the seventeenth century in both halves of the correspondence where the grammatical first person was more often employed. The letters written by surgeons, whether requesting or giving advice, followed a similar format to that of the contemporary physicians, but the stylisation is not as marked.

Giora Sternberg has examined the formalities encountered in correspondence in seventeenth- and eighteenth- century France and how they were used to signify the relative status of writer and addressee.⁸² Sternberg's analysis is concerned with the higher echelons of the French court rather than the level of person of concern in this thesis. Because in general the name and standing of the patients is unknown, it is not possible to make the fine distinctions in address and subscription which Sternberg has demonstrated. The majority open with *Monsieur* or *Madame* and the most common subscription is *votre très humble et très obéissant serviteur*. When the same form was used in both directions any distinction seems irrelevant. However it is not infrequent, in both published and in manuscript surprisingly, to find no subscription, simply a signature. Non-verbal signifiers such as paper quality,

⁸¹ Marie de Rabutin-Chantal, marquise de Sévigné, *Lettres de Madame de Sévigné, 1676-1684*, texte établi et annoté par Gerard-Gailly, Paris, Éditions Gallimard, 1978. Texte établi et annoté par Gerard-Gailly, vol. 2, p. 468. 'Vos jambes froides et mortes, dont vous vous moquez, au moins devant moi, me font une peine incroyable. Je ne trouve point que cela soit à négliger, et si j'étais à votre place, je suivrais l'avis de Guisoni, qui ne traite pas ce mal de bagatelle ... Je ne laisserais point mes pauvres jambes froides et dénuées d'esprit. ... Et vous parlez de ma santé!' The Guisoini referred to was probably the French physician Pierre Guisony (fl. 17th C.).

⁸² Giora Sternberg, 'Epistolary Ceremonial: Corresponding Status at the Time of Louis XIV', *Past and Present*, 2008, vol. 204, no. 1, pp. 33-88.

seals and crests (not encountered) can only be considered in manuscripts and no significant variation has been noted.⁸³

Sometimes multiple consultants were involved in writing a consultation. The consultations examined for this thesis include not only multiple physicians appending their name to a single consultation, but in some instances, several physicians giving separate opinions in response to a single *mémoire*. Thus, three physicians and two surgeons attached their names to one consultation, in contrast to the five physicians who wrote individual consultations for another.⁸⁴ This raises the question of who was regarded as the primary author, if indeed there was one. In the context of face-to-face consultations Brockliss and Jones are unequivocal as to who had the prime responsibility stating: 'There can be no doubt that the original physician was always in charge', by which they presumably mean the physician first called in.⁸⁵ There is no indication in the correspondence examined in this thesis where this particular authority lay within epistolary consultations. It would be unsafe to assume that it was the first name that appeared at the end of a document where multiple names appear.

When multiple physicians produced differing reports, how would a patient, or referring physician or surgeon, decide which report to follow? The issue of potential conflict was recognised well before the period being considered here. The fourteenth-century surgeon Henri de Mondeville advised that when several practitioners saw a patient, they should retire to agree what should be told to him or her.⁸⁶ To some extent, the patient could be blamed for

⁸³ Line spacing is another variable which was considered at the time to be significant and whilst variability of this factor is evident in the correspondence, no analysis of this has been undertaken.

⁸⁴ For an example of multiple physicians signing one consultation see *Consultations choisies*, vol. 7, 1750, pp. 372-377, for an example of multiple responses see *Consultations choisies*, vol. 6, pp. 150-181. There is no *mémoire*, although reading the text it is apparent that one was received to which separate consultations were given by MM. Serane (1714-56?), Lazerme, Fizes, Haguenot and Montagne. All these physicians gave the same diagnosis, based on similar interpretation of the signs, but differed in the detail of prescribed therapy they proposed; and see Bibliothèque municipale d'Avignon, MS 3192, f. 291-297.

⁸⁵ Laurence Brockliss and Colin Jones, *The Medical World of Early Modern France*, Oxford, Clarendon Press, 1997, pp. 302-303. There may be however some contradiction when they continue that, 'the written report was to be left to the senior physician present', what would have constituted the senior physician in the letters of concern here is unclear.

⁸⁶ Henri de Mondeville, *Chirurgie de maître: chirurgien de Philippe le Bel, Composée de 1306-1320*, in É. Nicaise, *Les Consultations entre médecins au XIV^e siècle*, Bureaux de la Revue Scientifique, Paris, Chamerot et Renouard, 1894. p. 8.

such situations arising, when for instance a patient asked for a consultation by 'the great physicians of Montpellier' rather than addressing a specific consultant.⁸⁷ Another patient writing to the faculty in Paris sought the opinions of 'a famous physician or two'.⁸⁸ It would seem reasonable in such cases for each consultant to expect to be rewarded for his input, so that in making such a request, one can only assume that the patient was aware of the cost implications.⁸⁹ The patient would also have to decide for him/herself which advice to take if there was conflict between them.

The possibility that printed consultations could be artificially concocted has been canvassed and rejected. There is of course no reason why the same critique should not be applied to manuscripts, particularly when they are evidently copies. It seems unlikely that such a large number of examples from a diversity of authors would have been deliberately created over a one-hundred-year period purely for demonstration purposes. At least some of the letters still bear broken seals indicating that they had been delivered.

Where do written consultations sit in the wider epistolary genre of the period? In the eighteenth century letter writing between men of learning developed as a significant means of communication. Dena Goodman has pointed out:

Though correspondence, men of letters overcame distance that would otherwise have kept them from fruitful discussion and access to scholarly resources ... epistolary relations based as they are in written, formalised, and therefore highly controlled discourse, could transcend the difficulties of personal interaction in a society where direct verbal acts were always potential challenges.⁹⁰

The sources which have been employed can be described as conforming to this broad genre. The letters were used to bridge distance, to transmit knowledge and were highly formalised. What is more they were perhaps a means of

⁸⁷ See for example *Consultations choisies*, vol. 10, 1755, p. 147.

⁸⁸ Le Thieullier, vol. 2, p. 285. 'un fameux Médecin ou deux'.

⁸⁹ On the cost of consulting by letter see Chapter 2.

⁹⁰ Dena Goodman, *The Republic of Letters: a Cultural History of the French Enlightenment*, Ithaca, Cornell University Press, 1994, pp. 96-97.

avoiding social inequalities between consultants, *ordinaires* and patients as Goodman has suggested. On the other hand, they differ in that they were essentially utilitarian. Smollet clearly had no difficulty in publishing his correspondence with Antoine Fizes in what was a collection of letters which Amy Smith described as 'familiar epistles'.⁹¹

The practitioners of medical correspondence

Around 100 individuals were responsible for the consultations which have been examined for this thesis and it would be impractical to give even brief biographical details for more than a few of them. There are examples of a single manuscript by an untraced though named physician or surgeon. Another whose name is known, Jean-Jacques Montagne, but of whom little has been traced, appended his name to over 100 of the consultations employed here. However it is clear that most of the authors enjoyed a high profile within the eighteenth-century French medical establishment and a number held positions within the Court. There were holders of the office of *premier médecin du Roi* such as Gui-Crescent Fagon, Pierre Chirac and François Chicoyneau who was also Chancellor at the Montpellier University of Medicine. Many held professorial chairs, such as Antoine Fizes and Antoine Deidier. Jean Astruc, a professor at Toulouse and Montpellier before moving to Paris, was highly regarded for his published books.⁹² Others were less well-known outside their country practices, physicians M.F.B. Ramel in Aubagne and Vivant-Augustin Ganiere in Beaune for example and the Carpentras surgeon M. Roland. In short, it appears that the practice of consulting was mainly undertaken by individuals from the cream of French medicine. But this did not prevent a range of other, or less well-known or rural practitioners from participating or from having their work published.

Then there were the consultant surgeons. Antoine Louis, for example,

⁹¹ Amy Smith, p.353.

⁹² Jean Astruc, with an M.D. from Montpellier also obtained a Paris degree in 1743. See Brockliss and Jones, p. 631. His best known works were on venereal diseases and the illnesses which were particular to women and children, both of which are referenced in this thesis.

was the most renowned French surgeon of the eighteenth century.⁹³ His activities included the roles of military surgeon, hospital surgeon, professor of physiology, permanent secretary of the *Académie royale de chirurgie*, author and lawyer.⁹⁴ His published works covered a wide variety of topics from straightforward surgery to his medico-legal opinions and he was a significant contributor to Diderot and D'Alembert's *Encyclopédie*.⁹⁵ Although Louis clearly had a thorough knowledge of medicine, despite extensive searching of his writings and biographical material, contemporaneous and modern, no concrete evidence has been uncovered to substantiate Louis having been awarded a degree in medicine. Henri-François le Dran's background and career was similar to Louis'; he originally trained in Rouen, where Louis trained initially in Metz, Le Dran rose to become chief surgeon at the *Hôpital de la Charité* in Paris, consultant surgeon to the French army, member of the *Académie royale de chirurgie*, and author of a number of surgical publications.⁹⁶ Anselme-Louis-Bréchillet Jourdain trained initially as a surgeon before specialising in dentistry. He has been described as one of the most important French dentists of the eighteenth century.⁹⁷ Henri Grandjean (1735-1802) who was *chirurgien oculiste* to Louis XV and many other members of the royal family and was author of a number of manuscript consultations examined. It is clear that the surgeons whose consultations have been relied in this thesis could not be described as *ordinaires*. They held significant positions within the field of surgery and were well-known in French medical circles.

⁹³ For a biography of Louis see Bégin Émile-Auguste Bégin, *Biographie de la Moselle ou histoire par ordre alphabétique des toutes personnes nées dans ces département*, Metz, Verronais, vol. 2, 1830, pp. 554-576.

⁹⁴ It is unclear when Louis obtained his status as a lawyer, but by 1773 he was signing himself as *Docteur en Droit de la Faculté de Paris et avocat en parlemen*. Antoine Louis, *Sur les causes de la mort de Demoiselle Gallia*, Paris, le Breton, 1773, p. 1.

⁹⁵ *Encyclopédie, ou dictionnaire raisonnée des sciences, des arts et des métiers, par une société de gens de lettres. Recueil de planches sur les sciences, les arts libéraux, et les arts mécaniques, avec leur explication*. Paris, Briasson, 1762-1772.

⁹⁶ For a biography of Le Dran see *Dictionnaire des sciences médicales: biographie médicale*, vol. 3, Paris, Panckoucke, 1821, pp. 525-526. For brief biographical details of Anselme Jourdain see Jean-Eugène Dezeimeris, *Dictionnaire historique de la médecine ancienne et moderne, ou précis de l'histoire générale, technologique et littéraire de la médecine [texte imprimé] ; suivi de la bibliographie médicale du dix-neuvième siècle ; et d'un répertoire bibliographique par ordre de matières / par MM. Dezeimeris, Ollivier (d'Angers) et Raige-Delorme, ...*, vol. 3, Hagenbut-Robbi, Paris, Béchét jeune, 1836, pp. 286-287.

⁹⁷ Pierre Baron, 'Dental Practice in Paris', in Christine Hallam (ed.), *Dental Practice in Europe at the End of the 18th Century*, Amsterdam, Rodopi, Clio Medical, The Wellcome Series in the History of Medicine, vol. 72, 2003, p. 127.

How a physician or surgeon became involved in consultancy can only be conjectured. Presumably reputation was a primary factor. It is likely that former students at universities would have referred to their professors when they sought advice. In some cases as has been shown, patients sought the advice from a school of medicine rather than from a specific individual. Brockliss and Jones describe Members of Faculty as being 'coy about promoting themselves too shamelessly' but continue that Antoine Fizes was 'said to have staffed the inns of Montpellier with his agents singing his praises'.⁹⁸ Perhaps Fizes was exceptional in this respect.

The vast majority of *médecins and chirurgiens ordinaires* involved in the composition of the *mémoires* remain anonymous. Even on the occasions where a name appears it has rarely been possible to obtain information on them apart from perhaps where they were writing from. A further omission, or even deliberate obfuscation, is that the location from which *mémoires* were being sent is absent in all but a handful of printed consultations. Where Laurence Brockliss was able to create a map of Éspirit Calvet's clientele around Avignon it is not possible to do this in a meaningful way with the sources drawn on in this thesis because of the lack of data.⁹⁹ Certainly there was a degree of localisation; the Montpellier consultants in *Consultations choisies* for instance received many requests from across the southern region of France. But patients were also drawn from a wider sphere, with a number of requests from outside France - Flanders, Luxembourg, Malta, Spain and Switzerland.

Some idea of the distribution of contacts from which consultations were drawn can be gained for Montpellier professor François Broussonnet.

⁹⁸ Brockliss and Jones, p. 665. They are not specific about which Faculty they were referring to, but probably intended at least those of Paris and Montpellier.

⁹⁹ Brockliss, *Calvet's Web*, p. 157.

Figure 1.2: Map of François Broussonnet's contacts in France

(Base map: William R. Shepherd, "The Gouvernements" in *The Historical Atlas*, New York, Henry Holt and Company, 1923. Used by permission of the University of Texas Libraries, The University of Texas at Austin.)

The archives of the Montpellier School of Medicine contain an address list of his correspondents from which Figure 1.2 has been constructed.¹⁰⁰ This shows clearly that the preponderance of his contacts are below a line drawn from St. Malo to Geneva, a distinction sometimes used by historians to divide the north and south of France (the *Midi*).¹⁰¹ In addition Broussonnet's consultations

¹⁰⁰ Bibliothèque universitaire de médecine Montpellier, MS H55G. *Registre des consultations médicales de François Broussonnet*, Université de Montpellier, XVIII siècle. Broussonnet was not a contributor to *Consultations choisies*. In contemporary and modern literature various spellings are used for Broussonnet. I have followed that on the manuscript.

¹⁰¹ This divide appears to be commonly used, and its source is referenced by Roger Chartier in Roger Chartier (ed.), trans. Arthur Goldhammer. 'The Practical Impact of Writing' in *A History of Private Life*, vol. 3, 'Passions of the Renaissance', Cambridge, Mass, The Belknap Press of Harvard University Press, 1989, pp. 117-118, quoting Joseph Ruwet and Yves Wellemans,

extended outside France, to patients in England, Spain, Italy, and Greece. Whilst the majority of the addresses can be associated with consultations this may not apply to them all, particularly those in Paris.

This map serves to highlight the importance that postal services may have had on this genre of letters. Improvements in postal services in France during the eighteenth century were perhaps an encouragement to using letters as a way of obtaining expert medical advice.¹⁰² Information about the postal services is insufficiently detailed to be suitable for inclusion in this thesis. It is known that some of the *mémoires* were hand delivered by persons associated with the patient.

No attempt has been made to describe all the practitioners supplying epistolary consultations. The credentials of a sufficient number have been described, even if briefly, to show that for the most part they fit the description of elite in their field.

Epistolary consultations as reflections of medical practice

What then can these various sources reveal about seventeenth- and eighteenth-century medical practice? They reveal much about the ways in which physicians and surgeons set about healing the sick. They provide insight into perceptions and understandings by patients and practitioners of what constituted health, illness and specific diseases. They give a clear picture of the therapies that were considered most appropriate at the time. To a limited extent, to the latter can be added some insight into how effective the treatment regimes were. All these issues will be explored in the following chapters. But the value of the correspondence is not limited to analysis of what might be termed their technical content. Analysis can give insight into the relationships between the parties and the influence of families.

A further aspect for investigation derives from where the consultants were trained, principally Montpellier or Paris. There are sufficient source

L'Analphabétisme en Belgique (XVIII-XIXe siècle), Louvain, Université Catholique de Louvain, 1978, p. 22.

¹⁰² Goodman, pp. 140-145.

materials to enable comparisons to be made of the work of practitioners at and/or from these cities, the locations of the pre-eminent schools of medicine in early modern France. The two were often at loggerheads over issues of medical theory and the authority of their graduates to practise. The nature and consequences of their disputes, including their different attitudes towards surgeons, and their impact on epistolary consultations and their publication is considered throughout this thesis.

There is no indication as to who was responsible for bringing a text such as *Consultations choisies* together, within the text, or in other archives researched, or how the manuscripts from which it was compiled were collated. The preface is unsigned. The complete collection was not brought together at one time, as is acknowledged in its preface, which goes some way to explaining the publication dates being spread over a number of years. Perhaps this indicates that it was initially a trial-publication venture that was deemed successful, and consequently expanded upon; on the other hand the cost of a ten volume publication may have been a deterrent to some would-be purchasers.¹⁰³ Louis Dulieu in his extensive history of the medical school at Montpellier mentioned the work and named some of the principal contributors, but failed to identify who might have been behind its publication.¹⁰⁴

The surgeon Henri-François le Dran had a number of things in mind when publishing his observations and consultations. As stated in the preface to this work, it was firstly for the education of his students or the inexperienced surgeon. Secondly it was for the benefit of surgeons practising in villages and the countryside, who might not frequently be confronted with the some of the cases he drew on and who could not readily obtain advice from colleagues.¹⁰⁵ His objective in publishing was described by physician Étienne-Jean-Pierre

¹⁰³ If this is correct, a surprisingly small number appear to have survived; only a few of the complete series are preserved in the world's libraries. It has not been possible to locate a price at which *Consultations choisies* was sold. By way of comparison, in *Recueil periodique d'observations de médecine, de chirurgie et de pharmacie*, no. 5, Paris, Vincent, 1756, at p. 82, a two volume set of Hoffman's 'Consultationes et responsa, 1744, in 12o', was offered for sale by Chez Vincent for 2 livres. Judging by the prices quoted for medical books in this publication through the 1750s a price of 1-2 livres for a 12o. volume appears to be normal, on which basis one might expect 10 volumes of *Consultations choisies* to have cost 10-20 livres.

¹⁰⁴ Louis Dulieu, *La Médecine à Montpellier*, vol. 3, pp. 267-268.

¹⁰⁵ Le Dran, pp. i-xi.

Housset (1733-1810) as being principally for the instruction of surgeons and their journeymen, although this may have been simply paraphrasing what Le Dran had already written.¹⁰⁶ What is different about Le Dran's consultations is that in many instances, he recorded what was actually done to treat the patient, even if the final outcome was not always noted. In the case of Antoine Deidier's *Consultations and Observations* it appears that the book was expected to be read by a wider readership than just the medically trained as the introduction claimed: 'There is every good reason to believe that the public will receive [this work] with pleasure'.¹⁰⁷ The authors of *Consultations choisies* claimed their motive for publishing to be for the practical guidance of doctors, particularly those who were young. It specifically said it was not an academic discourse.¹⁰⁸ It seems likely that it was expected to be of practical value to a wider readership than the academy.

For those consultants who had decided to publish, how and why were decisions made as to what might be included or excluded? Henri-François le Dran in introducing his surgical consultations declared that in making his selection, he had chosen only those illnesses which were common and rejected those which one only struck once in a lifetime.¹⁰⁹ There is no indication in *Consultations choisies* for the basis the compilers used in making their selection of material. Possibly it was simply a matter of using all that could be obtained. Louis-Jean-Baptiste le Thieullier likewise gave no explanation for his choice of material. This book covers the period 1735-1741 arranged largely chronologically and one would have to suppose that his practice yielded a much larger number of epistolary consultations than were included.

The anthology *Consultations choisies* as a whole can be regarded as a piece of propaganda. In order to understand this claim it is necessary to briefly look at the history of the medical schools in Montpellier and Paris. The earliest

¹⁰⁶ Bibliothèque de l'Académie de médecine, Paris. MS ARC 61, no. 38, 1763. Approbation by M. Housset for Henri-François Le Dran.

¹⁰⁷ Deidier, Avertissement to vol. 1, p. ii, 'il y a tout lieu de croire que le Public recevra avec plaisir les Consultations et Observations Médicales.'

¹⁰⁸ Preface to *Consultations choisies*, vol. 1, p. xxiii. 'des Consultations de Médecine ne sont pas des discours académiques.'

¹⁰⁹ Le Dran, p. x. 'Je ne me suis pas attaché à décrire de ces maladies rares qu'on ne voit qu'une fois en la vie'.

formally recognised medical school in France was as at Montpellier. Nancy Siraisi describes Montpellier as being known as a centre of medical activity by about the middle of the twelfth century and that a University of Medicine was established by 1220.¹¹⁰ Originally described as a school of medicine, it acquired the title of University of Medicine with its own statutes and had a formally separate existence from the University of Montpellier with its faculties of Arts, Theology and Law. It acquired an international reputation.¹¹¹ In Paris on the other hand, the school of medicine which was established in 1270, always sat as a faculty within the University of Paris. Whilst medicine along with theology and law was regarded as one of the higher faculties, in Paris it never enjoyed the prestige of the other faculties, nor did it have as large a student base.¹¹²

These two institutions developed in their own ways, but by the early modern period became increasingly embroiled in disputes over authority, a situation exacerbated by religious differences.¹¹³ The two faculties each saw themselves 'as creators and guardians of medical tradition'.¹¹⁴ The level of disputation waxed and waned. Arguably it was at its most intense in the seventeenth century during the so-called 'antimony wars' when the two schools disputed the use of antimonial compounds as therapeutic agents.¹¹⁵ Apart from disagreements on theoretical grounds, there was always an undercurrent of dissent based on who had authority to practise medicine where. Montpellier graduates claimed on the basis of the University's charter that once licensed by

¹¹⁰ Nancy Siraisi, 'The Faculty of medicine', in Hilde de Ridder-Symoens (ed.), *A History of the University in Europe, The Middle Ages*, vol. 1, Cambridge, Cambridge University Press, 1996, p.367. Stephen Lock, James Last, George Dunea, *The Oxford Illustrated Companion to Medicine*, Oxford, Oxford University Press, 2001, p. 319. Lock et al say that 'St Bernard reported that from 1153, people went to Montpellier for healthcare'.

¹¹¹ Louis Dulieu, *La Médecine à Montpellier*, vol. 1 'Le Moyen Age', 1975, p. 13. The first report of a 'congregation of médecins' at Montpellier was in 1137. In 1180 there was mention of teaching medicine there. In 1220, the school of medicine received statutes at the hand of Cardinal Conrad. For a description of the early history of the institution see Louis Dulieu, *La Médecine à Montpellier*, vol. 1, p. 16 *et seq.*

¹¹² Laurence Brockliss, *French Higher Education in the Seventeenth and Eighteenth Centuries: A Cultural History*, Oxford, Clarendon Press, 1987, p. 443.

¹¹³ For a description of the impact of Catholic-Protestant attitudes as they affected medicine in the Paris and Montpellier faculties see Laurence Brockliss, 'The Rise and Fall of the Huguenot Physician in Early Modern France', *Proceedings of the Huguenot Society*, vol. 28, no.1, 2003, pp. 36-55 and Brockliss and Jones, pp. 122-128

¹¹⁴ Brockliss, 'Consultations by Letter', p. 92.

¹¹⁵ These battles were largely, though not entirely, settled by the period of primary concern to this thesis. See for example Ian McCullum, *The Use of Antimony in Medicine*, Edinburgh, The Pentland Press, 1999, pp. 16-24 and Louis Dulieu, *La Médecine à Montpellier*, vol. 3, pp. 444-448 and 609.

a bishop or his representative, they were able to practise *hic et unique terrarium* - throughout the world.¹¹⁶ This claim was disputed by the Paris College of Physicians which claimed rights to practise anywhere in France, but the exclusive right to practise in the capital for its members.¹¹⁷ This particular confrontation was exacerbated by the fact that the Paris claims did not extend to practitioners attached to the Court. Not only did these claims not reach into the Court, but Court physicians could practise in Paris itself.¹¹⁸ Through its provision of successive holders of official medical personnel to the King and other members of the Court, the influence of a Montpellier *mentalité* was ensured.¹¹⁹ The result of this presence for the Montpellier physicians involved was their freedom to take on private practice in Paris, infuriating the local medical establishment.

Nanci Siraisi has shown that at the turn of the sixteenth century, in total, nearly three times as many medical practitioners had trained in Paris as had in Montpellier.¹²⁰ This imbalance was to be reversed in the eighteenth century. Laurence Brockliss and Colin Jones have extracted a more comprehensive break-down of graduating physicians over a longer period than Siraisi had documented.¹²¹ Their data shows that from the end of the sixteenth century to the end of the seventeenth century, Montpellier awarded four to five times as many doctorates in medicine than as did Paris. In the eighteenth century the number of physicians graduating from Paris stagnated; the annual 'output' between 1700 and 1790 averaged around four. There appears to have been a deliberate policy to restrict the number who could practise in Paris, by limiting the number of individuals graduating with doctorates in medicine from the

¹¹⁶ See Dulieu, *La Médecine à Montpellier*, vol. 1, pp. 35-36. A privilege granted by the Bull of Nicolas IV in 1289.

¹¹⁷ See Brockliss and Jones, p. 173. Demands for exclusivity in the seventeenth and eighteenth centuries were as much aimed at what were deemed to be 'non-professional' practitioners as they were at those holding medical doctorates from universities outside Paris.

¹¹⁸ See Brockliss and Jones, p.241.

¹¹⁹ See Dulieu, *La Médecine à Montpellier*, vol. 3, pp. 644-654. Colin Jones quotes Bibliothèque municipale de Montpellier MS 142, as the source of a claimed comment by Louis XIV that Montpellier was 'une pépinière d'archiâtres'. Colin Jones, 'The 'Médecins de Roi and the French Revolution', in Vivian Nutton (ed.), *Medicine in the Courts of Europe 1500-1837*, Routledge, London, 1990, p. 228. Jones has shown that in 1789, the royal retinue comprised 88 physicians and 96 surgeons. Ibid. pp. 213-214.

¹²⁰ Nancy Siraisi, 'The Faculty of Medicine', p. 372. Siraisi whilst admitting the figures are somewhat approximate contends that up until 1500, of the 1681 practitioners in France 1008 graduated from Paris and 376 to Montpellier.

¹²¹ Brockliss and Jones, p. 199.

faculty.¹²² Individuals holding doctorates in medicine from outside Paris were required by its College of Physicians to qualify through the Paris faculty, a process not only time-consuming, but expensive.¹²³ In contrast at Montpellier there was a rapidly increasing number, from around eleven per annum in 1710 to sixty-five in 1780.¹²⁴ Hélène Berlan, in describing the output of the Montpellier Faculty, used the phrase ‘veritable machine à délivrer’, claiming that it developed a policy to deliberately impose [its influence] on the south of the country.¹²⁵ Montpellier itself, with a population of only around 30,000 in the eighteenth century, was clearly not capable of absorbing such large numbers within its own medical fraternity. The significance of Montpellier’s graduate output can be appreciated from data collated by Berlan who has shown that Montpellier graduates dominated the Colleges of Medicine of Clermont-Ferrand, Dieppe, La Rochelle, Limoges, Nîmes, Béziers, Grenobles and Troyes and constituted the majority of members at Lyon and Moulins.¹²⁶ Whether or not it was this diaspora of Montpellier physicians who were responsible for many of the requests for consultations which were published in *Consultations choisies* cannot be ascertained with certainty, but it has to be regarded as probable.

What then is the significance of this contestation to the topic of consulting letters? It could well be that one of the prime reasons for the publication of *Consultations choisies* was to promote the standing of the Montpellier school. Simultaneously it provided a vehicle for the ongoing education of its graduates, and those from other medical schools, as well as encouraging practitioners seeking consultations to address their letters to the Montpellier elite rather than that of Paris. The southern establishment was highly regarded by physicians and the service-buying public. In a letter to his father, Guillaume-Francois Laënnec, explaining why he was moving from the Paris school to Montpellier,

¹²² Membership of the Paris College of Physicians was restricted to those who had obtained their doctorates at the Paris faculty.

¹²³ Paul Delaunay, *La Vie médicale aux XVI^e, XVII^e, et XVIII^e siècles*, Paris, Éditions Hippocrate, 1935, p. 37. N.A.J.B. Chesneau acquired a doctorate in Paris in 1746 at a cost of 8000 livres.

¹²⁴ Ibid., p. 517.

¹²⁵ Hélène Berlan, *Faire sa médecine au XVIII^e siècle (1707-1789). Recrutement et devenir professionnel des étudiants montpelliérains*, Thèse de Université Montpellier III (Paul Valéry), Montpellier, 2000. vol. 1, p. 11. Berlan went further to claim that holders of Montpellier medical diplomas accounted for fifty percent of French practitioners.

¹²⁶ Ibid., p. 15. On the other hand, she notes they were not represented in the northern colleges of physicians of Tours, Orléans or Rennes.

said the public had a preference for those with a doctorate from the latter.¹²⁷

Through the eighteenth century Paris had become the more powerful as a source of influence on medical policies and regulation in France, largely because in the capital was the Paris parliament and physical proximity to the politics of the French court at Versailles.¹²⁸ As the Montpellier school's standing came under threat, there was a strong incentive to attempt to reverse this trend. This author suggests that the publication of *Consultations choisies* could well have been a move towards this end. It can also be conjectured that it was a case of showing the Paris reading public the significant work that came from Montpellier.¹²⁹ Given the main contributors would have been near the end of their careers, it seems more probable that university prestige was at stake than was personal kudos.¹³⁰

The objective in publishing and the target audience may not have been stated, but was it intended to do more than simply provide technical advice to its readers? The very title of the series provides clues as to a purpose beyond its medical content. It was a selection: *Consultations choisies*. Thus the reader was led to expect examples. It was not encyclopaedic, there were many common illnesses encountered in the eighteenth century which were not covered. However it did state that the examples were of chronic and acute diseases. Whilst it may be argued that it was only chronic diseases that lent themselves to epistolary treatment, the inclusion of one instance of an acute epidemic is of itself probably a rhetorical device. The implication in this instance is that 'we the consultants' are engaged in dealing with acute diseases, and furthermore in this

¹²⁷ Laënnec, p. 74.

¹²⁸ Brockliss and Jones, pp. 515 -525.

¹²⁹ Elizabeth Williams, *A Cultural History of Medical Vitalism in Enlightenment Montpellier*, Aldershot, Ashgate, 2003, p. 16. Another difference between Paris and Montpellier was that Montpellier lacked publishing capacity. Limited by statute to only two publishers and those not exceptionally competent medical texts written at the university were usually sent elsewhere for publication. The main French centres for publication were Paris and Lyon and assuming the printers had a role to play in getting works distributed, Paris with a much larger medical fraternity than Lyon, would make that city the obvious location to choose for a work such as *Consultation choisies*.

¹³⁰ See Dulieu, *La Médecine à Montpellier*, vol. 3, pp. 609-615, for a broad description of the disputes between the two schools

instance as *Conseillers du Roi*.¹³¹ *Consultations choisies* was a selection of consultations by *plusieurs médecins célèbres*, not just one famous physician but many, and not any physicians but famous ones, they were *médecins célèbres de l'Université de Montpellier*; that is they were specifically related to the school of medicine at Montpellier.¹³² The point is reinforced by the remark: 'One must look at it as the treasure of the clinical practice of one the famous schools of Europe.' Perhaps this contention was genuinely believed, but it was puffery nonetheless.¹³³

The extent to which material for publication was selected from what was possibly a larger base is of course unknown. However, there is no difference evident in the nature of the diseases covered or the treatments proposed between published and manuscript sources. On the contrary, the structure and content of the two types of source are essentially identical. Similarly there is no way of knowing whether or not published patients' letters have been the subject of selection or editing. As a number contain criticisms of the diagnoses and treatments proposed or employed suggests that censorship was not being practised.'

Publishing for profit through book sales does not seem likely to have been a primary motivating factor for the physicians and surgeons. Lucien Febvre and Henri-Jean Martin, historians of the print industry, claimed that French writers were not well rewarded, and generally did not share in the printer's profits.¹³⁴ Robert Darnton in his analysis of the policing of printed literary works has claimed that authors were never paid, but rather sold manuscripts to publishers for lump sums or a certain number of copies, and even then got little for the manuscripts.¹³⁵ Such promotion of course could have brought increased revenue through yet more consultations; for those still alive, it

¹³¹ How chronic and acute diseases were differentiated in the eighteenth century is discussed in Chapter 5. As will be shown, few acute diseases, by their own definition, were included.

¹³² Whilst they may all have been Montpellier trained, they were not all practising there at the time the consultations were published, a number having moved for instance to Paris and Versailles.

¹³³ Preface to *Consultations choisies*, vol. 1, p. x. 'On doit le regarder comme le trésor de la Pratique Clinique d'une des plus célèbres Ecoles de l'Europe'.

¹³⁴ Lucien Febvre and Henri-Jean Martin, *The Coming of the Book*, trans. David Gerard, Geoffrey Nowell-Smith and David Wootton (eds), London, NLB, 1976, pp. 159-166.

¹³⁵ Robert Darnton, 'Policing Writers in Paris, Circa 1750', *Representations*, vol. 5, 1984, p. 17.

could have increased their vanity. Publication of *Consultations choisies* is slightly more complicated. It commenced in 1748 and covered volumes one to six. The additional volumes seven to ten were published through to 1755, although printing is known to have continued until 1767.

Some specific entries in Deidier's printed consultations also appear in *Consultations choisies*. This leads to the question of what kind of influence on material inclusion and exclusion might printer-publishers have had? Both of these works were published in Paris, though by different publishing houses, with production of *Consultations choisies* commencing before Deidier's work, although not in its entirety. How this duplication came about is unknown, perhaps plagiarism, or perhaps through copies of the individual consultations being sent to two publishers.

The truth of Amy Smith's comments on the editing of 'published letters', that private letters may have been edited for publication but that they nonetheless remain letters, is apparent in many of the consultations. In much of the correspondence the usual polite opening and closing formulae to letters are as a rule missing. An exception was a consultation by François Chicoyneau when he was clearly writing to another physician as it concerned three separate patients. The published letter opened: 'My very dear Sir' and closed 'Farewell my dear friend [may] you be as much to me as I am to you'.¹³⁶ The relationship was obviously more than a professional one. In the majority of published cases the names of the patient are omitted except for very rare instances. It is even common in manuscript form when the consultant was writing to *médecins* or *chirurgiens ordinaires* whose names were usually also omitted.¹³⁷

The introduction of private correspondence into the public domain raises issues related to expectations that privacy would be maintained when publishing.¹³⁸ Would patients or their families have expected matters of their

¹³⁶ *Consultations choisies*, vol. 7, pp. 7 and 13. This correspondence opened with 'Mon très-cher Monsieur ...' and closed, 'Adieu, mon cher ami, soyez autant à moi que je suis à vous.'

¹³⁷ For example, Bibliothèque interuniversitaire de médecine et d'ontologie, Paris, MS 5242 *Correspondance de Geoffroy, médecin parisien*, f. 260.

¹³⁸ Candice Delisle, 'The Letter: Private Text or Public Place? The Mattioli-Gesner Controversy about *aconitium primum*', *Gesnerus*, vol. 61, 2004, pp. 161-176. Candice Delisle has written on

health to be kept out of the public domain? The almost blanket omission of names leads one to conclude that practitioners took the view that they should not identify their patients. Would publishers have been so sensitive to such matters? If one considers, for example, *Consultations choisies* which was printed in Paris, it is hard to believe that the printers would have been overly concerned at identifying individuals from the *Midi* which leads to the suspicion that it is probable that copies of manuscripts were employed.

Consideration has been given to the possible reasons for publishing these consultations. In the particular case of *Consultations choisies* publication might be related to contestation for recognition between the Paris and Montpellier schools of medicine. Others were clearly intended as educational tools for those deemed less experienced than the authors.

Whilst not as numerous as printed consultations, the number of manuscript examples is sufficient to make valid comparisons of content between these two formats. The selection of material for analysis has been dictated by availability, but has been aimed at identifying material from surgeons as well as physicians, from the two significant centres of Paris and Montpellier and in manuscript and printed forms. This will enable these variables to be explored in the chapters that follow. The volume of material identified also allows the significance of interpersonal relationships, of gender, and of changes in medical theory over the period, to be analysed. On the other hand, the individual identification of the patients, even their geographical location, is mostly unknown.

The reasons for engaging in publication, when stated, are educational, either for students or ostensibly, for inexperienced practitioners. However it is reasonable to assume that a broader readership was probably intended, that is, to include educated patients. The purported reasons for publishing a number of works have been given through this chapter. When publishing posthumously

the sixteenth-century controversy that arose between the Swiss physician Conrad Gesner (1516-1565) and the Italian professor Pietro Andrea Mattioli (1500-1577). The argument in this case was about scholarship and reputation, which is somewhat different to the more intimate nature of personal illness, however letters by the two antagonists became public and the dispute went to print.

selections of the *consilia* of Jean Fernel, its collator Iuliano Palmario (fl. 16th C.) proposed that in addition to being of value to teachers and students, *praeceptoris et alumni*, it was for the public good, *boni publici amorem*.¹³⁹ As has been shown these claimed benefits were echoed through the succeeding two centuries. It seems that in the case of *Consultations choisies*, another purpose may have been intended, that of maintaining the esteem of the Montpellier University of medicine *vis-à-vis* its Paris counterpart. The structural style employed in the *mémoires* and the responses is very much the same in printed and manuscript material, suggesting that it was a well-known structure which had been in place for a long period.

Limitations of the sources

Mention has already been made of the lack of identity of patients and *ordinaires*. This has imposed limitations on locating the patients in French society, and on identifying the level of qualification of the *ordinaires*. Acute diseases such as smallpox, dysentery, or influenza, were important from theoretical and practical standpoints, but the lack of cases of an acute nature in the correspondence prevents consideration of these matters. *Consultations choisies* does include a 1744 report when two Montpellier professors visited the nearby town of Aiguemortes to investigate an outbreak of a malign fever, but this is an isolated case.¹⁴⁰

The environment was considered to be a significant factor affecting individual well-being and is an issue which is addressed at various points in this thesis, particularly in chapter 7. As the clientele is relatively elite, it is perhaps not surprising that that work-related disorders, which can be considered as environmental, are very rarely encountered in the sources, the clear exception is that of a wigmaker whose condition was worsened by continually inhaling powder noted in chapter 7.¹⁴¹

¹³⁹ Jean Fernel [Johannes Fernelius], Introduction to *Consiliorum medicinalium liber: ex ejus adversariis quadringentum consultationum selectus*. Paris, apud Aegidium Beys, 1582. n.p. The phrase *boni publici amorem* could have been simply a publisher's promotional device.

¹⁴⁰ *Consultations choisies*, vol. 2, pp. 23-31.

¹⁴¹ See chapter 7, p. 268

When dealing face-to-face with a patient the physician could observe symptoms which might not be described in a *mémoire*, things which he might have noted in a casebook. For example, the patient's skin-tone and colour, or whether breathless might be factors he would take account of in making a diagnosis, but would be unable to employ if the information was not provided. The sources include the occasional consultation where it is evident that the patient has been seen, such items do not constitute distant consultations. For example in 1744 Jean-Jacques Montagne reported that he 'had visited and examined with every possible attention the entire body of the young man in the nude... confirming that the illness was leprosy.' In this case Montagne was able to describe features which might not have been given in a *mémoire*, but seem likely to have occurred. Instances such as this are infrequent and therefore it is not possible to a fair comparison between them and written consultations.

With only the occasional exception, such as dental surgeon Anselme-Louis-Bernard-Bréchillet Jourdain, the names of patients and referring practitioners are not recorded; this is more evident in the eighteenth- than the seventeenth-century material published and in manuscript. It is possible that the consultant was not given the name in case it would influence diagnosis or recommended therapy, notwithstanding the individualised nature of medical practice of the period. The majority of the consultants were high profile within the medical community, although material has been located which derives from physicians consulting in areas remote from the medical school locations of Paris and Montpellier, such as Colmar, Beaune, and Rennes and even the small country town like Aubagne. How the physicians involved in these locations became known as sources of advice can only be surmised. Why the Aubagne physician should turn to publishing is even more difficult to understand.¹⁴² Only two copies of this book have been identified, one in Paris and the other in the vicinity of Aubagne, which probably means it was not overly successful. The following chapter explores the medical marketplace revealed by such letters.

¹⁴² Ramel's book included commentary on the climate-health relationship for nearby Geminos, but this was tied into his consultations and this was a period when many physicians were recording any connections they discerned between local weather and illness.

THE DYNAMIC MEDICAL MARKETPLACE

This chapter examines the activities of the various providers of medical help and advice, physicians, surgeons, apothecaries, and midwives, and then a varied group of men and women providing health-care mostly without any form of official recognition. It argues that although it was physicians and surgeons who were providing written consultations, the activities of others are revealed through these consultations. What were the roles of these alternative providers of medical help as they appear in the letters?

The dominant practitioner from the standpoint of written consultations was without question the learned physician. He provided the majority of the cases examined in this thesis, 86%, as was shown in Table 1.1. His position at the top of the medical hierarchy was established by custom and backed up by a variety of regulations derived from the crown, municipal arrangements and sometimes the Church. He claimed an authority over all other medical providers, an unstable status that is analysed in detail in chapter four. For the moment it is sufficient to note his authority stemmed from those regulations which in turn were justified, at least as he saw it, on the basis of a knowledge superior to all other competitors gained through a university education.

The *médecin ordinaire* who was responsible for many of the *mémoires* seeking advice was also university-trained. Whilst not many may have been Paris-trained, some undoubtedly were. The majority would almost certainly have trained at Montpellier and the other provincial schools of medicine. Yet those physicians working in the provinces have received little scholarly attention as a group. To a degree the correspondence allows this space to be filled both when they are seeking consultations and when they are acting as consultants.

In terms of numbers of consulting physicians examined in this thesis the majority are known to have been trained in Montpellier. There are two major possible explanations for this. Firstly that a higher proportion of correspondence involving 'Montpellier physicians' has survived, or secondly that they were more inclined to engage in the practice of providing written consultations than physicians whose training was in other French medical schools. Whilst other scholars have focussed on the written consultations of individual physicians, and have suggested that it was a widespread practice, they do not appear to have generated numbers to substantiate the claim with respect to France. What the present research has shown is that there were significant numbers of individuals engaged in this practice. There is no reason to believe that archival survival would account for the distinction, and one is drawn to the probability that physicians whose education was Montpellier-rooted were more likely to engage in this form of consulting. There may have been an element of tradition in this, which in turn was economically driven. The city of Montpellier compared to Paris had a small catchment of potential clients which could have resulted in its elite physicians looking beyond the city boundaries than was the case in the capital. Equally, Montpellier graduates may have located themselves in French provincial cities by force of being precluded from practising in Paris and may have been inclined to write back to their former professors for advice. It appears that Montpellier consultants were more inclined to print their consultations than were their Paris counterparts.

As to the consulting physicians in smaller locations like M.B.F. Ramel le fils (fl. 18th C.) in Aubagne and Vivant-Augustin Ganiere in Beaune it is unknown where they took their doctorates. Of the consulting surgeons, Henri-François le Dran trained in Rouen and practised in Rouen and Paris, and Antoine Louis trained in Metz and Paris and practised in the latter. The reasons for engaging in the practice of consulting by letter are discussed elsewhere in this thesis, but it can reasonably be attributed to income generation. The referring *médecins* and *chirurgiens ordinaires* are generally unidentified so their location and place of training is with few exceptions an unknown.

The number of found written consultations by surgeons as has already been indicated was much smaller than by physicians. In addition to those consulting in their own right, many of the *mémoires* requesting consultations came from surgeons. This chapter asks, therefore, just what roles did surgeons play in the late seventeenth and eighteenth centuries that are evident in the correspondence? Were they limited to using their manual skills in dealing with broken bones or wielding a knife or did their other traditional role of dealing with external complaints transgress onto the claimed physicians' territory? Examples are given throughout this thesis of co-operation and conflict between surgeons and physicians, as well as reference made to 'unofficial' suppliers of medical services such as empirics and charlatans. To what extent were these operators seen to be trespassing into what the physician regarded as his territory?

The analysis then turns to other major participants in the early modern French medical scene. Apothecaries and midwives had regulated official status, the former partly from the crown but more importantly through municipally organised corporations. Apothecaries were keen to maintain their privileges. Most towns and cities had statutes to regulate the manufacture and dispensing of medicaments which according to historian of French pharmacy Olivier Lafont they defended 'with pugnacity against men without quality, spicers, surgeons or lesser apothecaries'.¹

Midwifery was one area of medicine where women had traditionally played an accepted role. In the period of concern here, their dominance of this territory was challenged by men, particularly surgeons.² Midwives were, provided with training, a responsibility the surgeons shared with the Church.³

¹ Olivier Lafont, 'Médicaments des villes, médicaments des champs. Réglementation stricte contre pragmatisme', *Acta congressus historiae pharmaciae*, 2001, [1]. 'avec pugnacité contre les gens sans qualité, les épiciers, les chirurgiens ou les moins apothicaires.'

² Lianne McTavish, *Childbirth and the Display of Authority in Early Modern France*, Aldershot, Ashgate, 2005, pp. 57-59.

³ For a description of the regulation of midwives see Richard Petrelli, 'The Regulation of Midwifery during the *Ancien Régime*', *Journal of the History of Medicine and Allied Sciences*, vol. 71, no. 3, 1971, pp. 276-292. See also Matthew Ramsey, *Professional and Popular Medicine in France, 1770-1830: The Social World of Medical Practice*, Cambridge, Cambridge University Press, 1988, pp. 53-54.

Physicians only really began to take an interest in midwifery in the second half of the eighteenth century and then were more interested in providing an advisory role.⁴ Cases involving midwifery in the correspondence are rare but will be considered.

Empirics and charlatans were also supplying medical advice and were often referred to in the correspondence. But just what did those terms mean? Was the physician prescribing medicaments so different to those promoted by these medical fringe-dwellers? Each and every contender to medical practice claimed to base his treatment and advice-provision on knowledge and experience, whether that knowledge (like the physician's) was acquired through university training, or whether it was handed down through the generations in a domestic setting. As this chapter will demonstrate there were thus many disparate health provider options that patients could choose from.

Consideration will be given to the costs involved in obtaining medical advice. What order of fees did the various purveyors of health care charge? Was money a consideration for patients in selecting with whom they consulted? When considering the range of service suppliers to whom an ill person could turn it has become almost commonplace to refer to the situation as a medical marketplace. This term was first employed in the context of early modern medical history by Lucinda Beier in a 1984 Ph D thesis. Katherine Park used it in 1985 to describe the social and cultural framework of physicians in Renaissance Florence.⁵ It was taken up by Harold Cook in 1986 and has since been employed by historians as a way of characterising the milieu of medical help available, particularly in the early

⁴ Laurence Brockliss and Colin Jones, *The Medical World of Early Modern France*, Oxford, Clarendon Press, 1997, p. 550.

⁵ Lucinda Beier, 'Sufferers and Healers, Ph.D. thesis, University of Lancaster, 1984. Mark Jenner and Patrick Wallis (eds), *Medicine and the Market in England and its Colonies, c. 1450-c. 1850*, Basingstoke, Palgrave Macmillan, 2007, p.1. Jenner and Wallis discuss the concept of a medical marketplace in an English context. Katherine Park, *Doctors and Medicine in Early Renaissance Florence*, Princeton, Princeton University Press, 1985, p. 88. Harold J. Cook, *The Decline of the Old Medical Regime in Stuart London*, Ithaca, Cornell University Press, 1986, pp. 19-22 and 28-69. Park and Cook are quoted by Philip Rieder, 'Médecins et patients à Genève: offre et consommations thérapeutiques à l'époque moderne', *Revue d'histoire moderne et contemporaine*, vol. 52, no. 1, 2005, p. 40. Jenner and Wallis discuss the concept of a medical marketplace in an English context.

modern period. The concept implies buyers and sellers of goods and services, arguably in a commercially contested arena. The buyers were the patients, whether directly or through an intermediary.⁶ The sellers have tended to be divided into those who had some form of official recognition, physicians, surgeons and apothecaries; and those who were outside this privileged group, charlatans, dentists, druggists, empirics, priests, the *accoucheurs*, wise men and wise women. Laurence Brockliss and Colin Jones described the zone of overlap between 'official' participants in medicine, physicians, surgeons and apothecaries, prescribed by law, and the unofficial suppliers of medical services, as a medical penumbra.⁷ The correspondence appears to demonstrate that the irregulars' services were called upon before or during the time the 'regular' practitioners were involved, suggesting that it was a patient-driven open marketplace. Roger French has contended that even amongst physicians themselves, the patient chose between physicians offering competing theories of medicine.⁸ In Matthew Ramsey's view 'it is important to consider medicine as an economic activity. Regulars and irregulars competed for a limited and relatively inelastic market for medical services.'⁹ Of the irregulars, it is empirics and charlatans who were referred to most often in consulting letters.

Philip Rieder has set out a case that accepts the usefulness of the medical marketplace model, but argues that it is complex. He contends that decision-making by the patients, and importantly with the involvement of their families, was as much dictated by tradition as it was by regulatory strictures.¹⁰ Mary Lindemann has similarly argued the view that decisions were not necessarily made on a cost basis.¹¹ As is shown in many examples

⁶ There is only limited evidence to suggest that *médecins or chirurgiens ordinaires* sought consultations on their own account rather than acting directly on behalf of the patient. One exception was the *médecin ordinaire* who requested advice in the alleged poisoning which will be described in chapter 3, p. 8.

⁷ Brockliss and Jones, pp. 230-283.

⁸ Roger French, *Medicine before Science: The Business of Medicine from the Middle Ages to the Enlightenment*, Cambridge, Cambridge University Press, 2003, pp. 245-246. French also claims that there was competition for the medical fee between physicians who were following different theories.

⁹ Ramsey, *Professional and Popular Medicine*, p. 12.

¹⁰ Philip Rieder, 'Médecins et patients à Genève', pp. 40-42.

¹¹ Mary Lindemann, *Medicine and Society in Early Modern Europe*, Cambridge, Cambridge University Press, 1999, p. 199.

in this thesis, various sources of advice were sought and taken, either simultaneously or consecutively. This obviously would increase the cost to the patient compared with going to a single source of advice.

Defining the boundaries between physicians and surgeons

Notwithstanding the Molièresque parodies to which physicians were subjected, they, at least in terms of official status, were at the pinnacle of French corporate medicine. Beneath them were surgeons, apothecaries and a variety of other practitioners. Some surgeons, qualified and unqualified, had acquired a degree of recognition in the community for particular skills, such as oculists, lithotomists and dentists; they might be regarded as the forerunner of today's medical specialist. At the bottom of the pile was deemed the charlatan.

Physicians and surgeons sought to have their position in society backed by the State, whether through the law by way of the parliaments or through the royal Court. Surgeons and apothecaries were often supported by guilds formed at municipal levels. In practice, these potential sources of authority led at times to division within the medical community. For instance, whilst the physicians of Paris, Montpellier and Avignon claimed the right to practise medicine anywhere, these rights were contested. The *docteurs-régent*s of Paris claimed sole right to practise in the capital. Court physicians were not subject to these statutes and many of them came from Montpellier.¹² The desire of physicians to control the provision of medical services was driven by ideological and economic factors. Any threat to their privileges affected their status as well as their income. The Paris faculty sought with varying degrees of success to control who could serve the sick, or at least the wealthier part of the city's population. If physicians could obtain control over the provision of health care, then, subject to the ability of clients to pay, their financial well-being could be assured and with it their

¹² See Louis Dulieu, *La Médecine à Montpellier*, Avignon, Les Presses Universelles, vol. 3 'L'Époque classique', 1983, pp. 611-613.

status.¹³ Attempts at enforcing a monopoly, or at least rigid controls over competitors, were often contested on the basis of traditional, economic and crown-granted privileges, and policing was difficult and sporadic. Physicians attached to the Court could practise in Paris despite the claimed monopoly of the Paris College of Physicians. Outside the capital, it was generally local corporations of physicians, surgeons and apothecaries alike who would endeavour to maintain monopoly rights.¹⁴ According to Matthew Ramsey, 'virtually anyone might sell drugs ... and outside the jurisdiction of the guilds they usually went unchallenged'.¹⁵ This potentially put the apothecaries' business in a precarious position.

The most publicised contest was between physicians and surgeons on which Laurence Brockliss and Colin Jones expressed the view that

[t]he clash between physicians and surgeons ... has been seen in terms of the so-called rise in surgery. The latter was a phenomenon at once technical ... institutional, and educational. ... It was also a propaganda triumph; the surgeons took on the Paris physicians in a polemical battle, which raged especially fiercely in the 1740s, and won hands down.¹⁶

This was a conflict fought largely in Paris, but which had a broader audience across France.¹⁷ Whilst the contention that they were at verbal loggerheads

¹³ Very few physicians were honoured with the standing of *noblesse*. See Paul Delaunay, *La Vie médicale aux XVI^e, XVII^e, et XVIII^e siècles*, Paris, Éditions Hippocrate, 1935, p. 385. Pierre Chirac, François Chicoyneau and Jean-Baptiste Silva were the only physicians whose consultations appear in this thesis to receive *Lettres de Noblesse*. Guy Chauspinand-Nogaret, 'Nobles médecins et médecins de cour au XVIII^e siècle', *Annales*, vol. 32, No. 5, 1977, p. 852 notes that 'Between 1724 and 1786 thirty-five *lettres de noblesse* were accorded to physicians registered with the *Cours des comptes de Paris*.'

¹⁴ Towards the end of the period of interest to this thesis, the Royal College of Medicine was charged with policing proprietary remedies (1778), although it had to contend with substantial numbers of existing legitimised products. See Brockliss and Jones, pp. 765 and 771-774 and Ramsey, *Professional and Popular*, p. 30.

¹⁵ Ramsey, *Professional and Popular*, p. 30.

¹⁶ Brockliss and Jones, p. 22.

¹⁷ One area where the two co-operated extensively was in the military sphere and the *chirurgien majeur* was on an equal footing with a physician. Philippe Hudon and Othmar Keel, 'La pratique clinique et thérapeutique dans les armées françaises: Le développement de la collaboration entre les médecins, chirurgiens et pharmaciens (1750-1800)', in Olivier Faure and Opinal Annick (eds), *Les Thérapeutiques: savoirs et usages*, Lyon, Collection Fondation Marcel Merieux, 1999, p. 209.

is easy to sustain, it will be shown throughout this thesis that there was also a considerable degree of co-operation between the two. Disputation between physicians and surgeons had a long history. The acerbic Guy Patin (1601-1672) was unequivocal about his view of the superiority of the physicians from the Paris school claiming in a letter to a Monsieur C.M.C. that surgeons were the cause of death of patients and termed them *L'Halbardiers de St Côme*.¹⁸ The interdisciplinary conflict arguably peaked between 1724 and 1750 in what has been termed a 'pamphlet war'.¹⁹ Modern historians agree that in Paris the dispute was vituperative but differ to some extent on the extent of the feuding in Montpellier. Historian Elizabeth Williams claimed that in the early 1740s antagonism between surgeons and physicians in Montpellier became 'unrelenting'.²⁰ Montpellier historian Louis Dulieu gave a contrary view, arguing that, 'relations between physicians and surgeons were good, if not to say excellent whereas an unprecedented acuity was experienced in Paris'.²¹ The evidence uncovered in my research would suggest that Dulieu's analysis is a better reflection of the relationship between the two groups of practitioners than Williams'. As is shown in this chapter there was a considerable degree of co-operation between the two disciplines.

At the level of formal recognition by the State and through local regulations the status of the two protagonists was fairly clear. Jean Verdier (b. 1735) a physician and lawyer, provided an extensive review of the legal status of the surgeon *vis-a-vis* the physician as he saw it. Verdier was promoting the case in favour of physicians' prerogatives at the height of the

¹⁸ G. Patin, *Lettres choisies de feu Mr Guy Patin*, Cologne, chez Pierre de Laurens, vol. 3, 1691, p. 515. Patin was quick to place the blame for patient deaths on apothecaries as well. See also pp. 511-512. The College of St Côme was the name given to the Paris guild of surgeons.

¹⁹ Kathleen Wellman has given a very readable description of this battle between the two sides. Kathleen Wellman, *La Mettrie, Medicine, Philosophy and Enlightenment*, Durham and London, Duke University Press, 1992, pp. 9-23.

²⁰ Elizabeth Williams, *A Cultural History of Medical Vitalism in Enlightenment Montpellier*, Aldershot, Ashgate, 2003, p. 114.

²¹ Louis Dulieu, *La Médecine à Montpellier*, vol. 3, p. 524. 'les relations entre médecins et chirurgiens étaient bonnes pour ne pas dire excellentes alors qu'elles connaissent à Paris une acuité sans précédent !'

dispute between them and surgeons.²² He defined surgery as ‘the art of treating illnesses by manual operation, and the application of exterior remedies.’²³ The arguments he employed were essentially about regulated status but these did not necessarily reflect the practicalities of the two roles, or perhaps what surgeons thought their roles were. In 1350 the Paris medical faculty forbade its students from engaging in surgery and Montpellier followed 150 years later.²⁴ The Hippocratic Oath states in part: ‘I will not use the knife, not even on sufferers from stone, but will withdraw in favour of such men as are engaged in this work’.²⁵ Thus there was a long-standing tradition for physicians to refrain from surgery. There is however ample evidence, as will be shown in this chapter, that some physicians did engage in surgical procedures. On the other side, surgeons were expected by physicians to limit themselves to treating external diseases and performing manual work such as operations, dealing with cuts and broken bones and the like.

One of the problems with Verdier’s definition was that it covered only external remedies, not as was generally accepted, external conditions. The renowned Italian surgeon Giovanni Alessandro Brambilla (1728-1800), *membre agrégé du Collège Saint-Côme de Montpellier* wrote that ‘external and internal illnesses have essentially the same causes ... and that they differ only by the formal cause.’²⁶ What likely lay behind the physicians’ position was that they did not want surgeons to have access to their knowledge; that would have resulted in dilution of their privileged position. Nowhere was the anomaly more evident than in the case of venereal

²² Jean Verdier, *La Jurisprudence particuliere de la chirurgie en France, ou traite historique et juridique*, Paris, chez D’Houry et Didot, 1764, pp. 533-672.

²³ *Ibid.*, p.2. ‘La chirurgie ... est l’Art de traiter les maladies par l’operation de la main, et l’application da remèdes extérieurs’.

²⁴ Brockliss and Jones, pp. 90 and 171.

²⁵ Owsei Temkin and Lilian Temkin, ‘The Hippocratic Oath’, in Owsei Temkin and Lilian Temkin (eds), *Ancient Medicine: Selected Papers of Ludvig Edelstein*, Baltimore, The Johns Hopkins Press, 1967, reproduced in Peter Elmer and Peter Grell (eds), *Health, Disease and Society in Europe 1500-1800: A Source Book*, Manchester, Manchester University Press, 2004, pp. 12-13.

²⁶ Giovanni Alessandro Brambilla, *Discours sur la prééminence et l’utilité de la chirurgie*, Bruxelles, chez Emmanuel Flon, 1738, p. 16. ‘les maladies externes et internes ont les mêmes causes essentielles, ... elles ne diffèrent que par la cause formelle.’

disease, which surgeons had the right to prescribe for and treat.²⁷ Jean Astruc, one of the physicians most vociferously engaged in the conflict with the surgeons, made the comparison between the pox, and measles, scarlet fever and the *peste* and other diseases all of which carried external signs but which were due to an internal cause that he attributed to a corruption of the blood and the humours.²⁸ They were all as far as he was concerned *ipso facto* within the ambit of the physician, not the surgeon.

If the domain of the surgeon was to be treatment by manual operation as Verdier contended, what would he have made of the reverse, physicians performing surgery? Irrespective of the dicta of the medical schools noted above, many physicians did carry out operations. *Premier médecin du Roi* Pierre Chirac advised a woman by letter who was suffering from a swelling in the breast:

as there are neither topical nor internal remedies that one can hope to cure this swelling. My advice is therefore that madam has this swelling removed as soon as the season will permit it. It is only a question of choice for her of a skilful, and an experienced surgeon, and to undertake this operation with courage and confidence. I have done this operation so often with success.²⁹

Chirac was responsible for the introduction of a joint medical and surgical doctorate at Montpellier.³⁰ Théophile de Bordeu (1722-1776), a Chirac

²⁷ Ramsey, *Professional and Popular*, p. 29.

²⁸ Jean Astruc, 'Seconde lettre de M. Astruc, 1717', *Sur un écrit intitulé, seconde mémoire pour les chirurgiens, lettre de M. Astruc*, Paris, n.p., 1737: p. 6, 'La verole, and reugeole, la fièvre peupre, la peste.'

²⁹ Pierre Chirac and Jean-Baptiste Silva, *Dissertations et consultations médicales de messieurs Chirac, conseiller d'Etat, et Silva médecin consultant du Roi, et premier médecin de S.A.S. monseigneur le Duc*, Paris, Durand, vol. 2, 1744, pp. 403-404. '[une tumeur indolente au sein] ... comme ce n'est ni de topiques, ni des remèdes internes qu'on peut espérer la guérison de cette tumeur, le meilleur parti qu'il y est à prendre de cette occasion c'est de la faire extirper ... Mon avis est que donc Madame fasse emporter cette tumeur aussi-tôt que la saison pourra le permettre. Il n'est question pour elle que du choix d'un adroit, et d'un habile Chirurgien, et d'entreprendre cette opération avec courage, et confiance. J'ai fait pratiquer cette opération si souvent, avec succès'.

³⁰ Louis Dulieu, *La Chirurgie à Montpellier de ses origines au début du XIX^e siècle*, Avignon, Les Presses Universelles, 1975, pp. 174-177. Nancy Siraisi notes that degrees in surgery were awarded in Bologna in the fifteenth century. Nancy Siraisi, 'The Faculty of Medicine', in Hilde de Ridder-Symoens (ed.), *A History of the University in Europe*,

protégé, took the joint degree and who was using the title *médecin chirurgien* at least by May 1747.³¹ Bordeu clearly practised surgery, as he wrote in a 1748 letter to surgeon A.M. Ferrier: 'I have done minor surgery, some abscesses, some bleeding, some operations'.³² His name was appended, with four others, to a report on surgery undertaken on Monseigneur le Cardinal de Lavanès in 1759.³³ With his joint degree this is hardly surprising.

In a letter to his father in the summer of 1746, Bordeu wrote about the surgeon/physician dispute and the various parties involved and said he was not going to get involved.³⁴ Yet his position on the topic was clear, 'one was fighting the idea that medicine and surgery could be separated.'³⁵ Not all Montpellier-trained physicians agreed with this view. François de Paule Combalusier (1713-1762) who obtained his doctorate at Montpellier and became Professor of Medicine at Valence defended the separation of physicians from surgeons yet predicted the eventual combining of the two professions.³⁶ On the other hand the Parisian physician Louis-Jean-Baptiste le Thieullier believed the two should come together. Writing on a case of a patient whose ailments included a fistula, a condition normally dealt with by a surgeon he wrote 'It is necessary that medicine and surgery quickly bring together the most helpful methods.'³⁷ Le Thieullier went further, adding: 'The fundamental precepts of surgery do not differ from those of medicine; their

Universities in the Middle Ages, Cambridge, Cambridge University Press, vol.1, 1996, p. 372.

³¹ Théophile de Bordeu, *Correspondance*, éd. Martha Fletcher, Centre d'étude du XVIII^e siècle de l'Université Paul Valéry, Montpellier, vol.1, 1977-1979, p. 165. This degree was slow to take off but in the middle of the eighteenth century the number of students taking it rose considerably. See Louis Dulieu, *La Médecine à Montpellier*, vol. 3, p. 113.

³² Bordeu, *Correspondance*, vol. 1, p. 217. 'j'opere la petite chirurgie, quelque abcès, quelque saignée, quelque operations'.

³³ Le Centre d'accueil et de recherche des Archives nationales (CARAN) series H, MS 852 no.11-3.), *Correspondances médicales*. I have been unable to decipher the other signatories.

³⁴ Bordeu, *Correspondance*, p. 126. Bordeu wrote about the physician-surgeon dispute in a letter to his father 28 April 1749.

³⁵ Ibid., p. 126. 'il combattait l'idée que le medecine et la chirurgie pouvaient être séparées.'

³⁶ *Dictionnaire des science médicales: biographie médicales*, Paris, Panckoucke, vol. 3, 1822, pp. 307-308. Combalusier obtained his doctoral bonnet at Montpellier and held a chair at the University of Valence before moving to Paris.

³⁷ Louis-Jean-Baptiste le Thieullier, *Consultations de Médecine*, Paris, Charles Osmont, vol.2, 1739, p. 133. 'Il faut que la Médecine et la Chirurgie réunissent les moyens les plus promptement utiles.'

rules and their proofs are the same.'³⁸ The evidence of the sources suggests that there was not unanimity amongst physicians over the separations between medicine and surgery, nor could the issue be simply ascribed to a point of difference between the Montpellier and Paris faculties; opinions were divided and probably in flux.

There was clearly a place for the surgeon in day-to-day patient care, even if the physicians claimed authority over the whole subject of medicine. In rural areas the surgeon was often a major, if not the only, source of 'official' medical advice, as physicians seldom were to be found in the *pays*.³⁹ Their fees may also have been substantially lower. This may have been one reason why patients resorted to obtaining advice by letter from physicians in the major centres. Eighteenth-century France was well-serviced by surgeons. Laurence Brockliss and Colin Jones' estimates of the numbers of surgeons in France were 6350 from 1700 -1709 and 15,048 from 1780 -1789.⁴⁰ Perhaps inevitably, the spread of physicians, surgeons and apothecaries was uneven across the country.⁴¹

From a practical point of view, the consultant physician was well aware of the role the surgeon played in providing medical assistance in particular in smaller towns and country areas. The many letters examined in this study where surgeons requested the opinions of physicians indicate not only the formers' willingness to seek advice, but also the latter's willingness to provide it. In addition, notwithstanding the occasional criticism of surgeon's capabilities, the physician acknowledged in their letters that the implementation of their advice would often be in a surgeon's hands.

³⁸ Ibid., vol. 2, p. 463. 'Les preceptes fondamentaux de la Chirurgie ne different point de ceux la Médecine; leur lois et leur preuves sont la même.'

³⁹ See Brockliss and Jones, p. 524.

⁴⁰ Brockliss and Jones, pp. 516-534. Their estimates utilised a ratio of physicians to surgeons of 1: 4.8. By comparison, in 1783 provincial England a ratio of 1:5.8 has been calculated from the *Medical Register 1783*. W. Bynum and Roy Porter (eds), *William Hunter and the Eighteenth-century Medical World*, Cambridge, Cambridge University Press, 1985, pp. 80-81.

⁴¹ Brockliss and Jones, in particular pp. 522-523.

Disorders of the eyes were the subject of written consultations. Physicians studied the topic as part of their training, but the most common disorders, glaucoma and cataract, were generally treated surgically. It appears that physicians encountering eye disorders were unlikely to refer them to a surgeon. In the twelve consultations recorded in *Consultations choisies* that addressed ophthalmic problems in only one instance was it suggested that surgical intervention might be of benefit.⁴² In this instance a group of four Montpellier physicians wrote a consultation for a young woman who had been tormented for five years with a viscous discharge from the eyes.⁴³ In two replies surgery was specifically discounted as a potential cure.⁴⁴ Apart from bathing her eyes they offered the purges and laxatives which arose in practically every ailment. The single additional treatment offered in seven instances was the use of a *collyre*, a blend of medicaments in the form of a pessary, which was to be positioned over the eye and held in place with a small bandage, an external treatment and therefore one within the competence of a surgeon, although in none of these cases was the patient recommended to engage a surgeon.

The correction of ocular ailments was an area in which some surgeons became skilled and consequently specialised in the field. Despite surgical advances through the eighteenth century to deal with some of the problems, the lack of referral to individuals with specific expertise in the field is noticeable. Le Thieullier received a request for consultation from a Carmelite nun suffering from glaucoma in her right eye.⁴⁵ Having advised her that it was incurable, Le Thieullier consoled her with the view that it was unlikely that the other eye would be affected. Treatment apart from the seemingly inevitable evacuations was for drops to be instilled into the affected eye. As for surgeons, Le Dran's consultations did not include ophthalmology although he observed or assisted in ophthalmic cases.⁴⁶ The

⁴² *Consultation choisies de plusieurs médecins célèbres de l'Université de Montpellier sur des maladies aiguës et chroniques*, Paris, Durand et Pissot, vol. 2, 1757, pp. 450-455.

⁴³ *Ibid.*, p. 450, 'est tourmentée depuis environs cinq ans ... un épanchement de sérosités assez visqueuses.'

⁴⁴ *Consultations choisies*, vol. 3, 1757, pp. 311-317 and vol. 9, 1751, pp. 95-101. In both of these cases the primary cause of the disorder was attributed to smallpox.

⁴⁵ Le Thieullier, pp. 41-45.

⁴⁶ Le Dran assisted in or observed a number of cataract operations. See Jacques Daviel, *Lettre à M. le marquis de *** sur les opérations de la cataracte*, Paris, n.p., 1751.

Antoine Louis records include one case, a 1765 request for advice requested by the Troyes surgeon M. Bergerats for a patient suffering from cataracts.⁴⁷ In this instance Louis did not suggest surgery, proposing only medication. Jacques Daviel was a surgeon who gained a considerable reputation for his skills in treating eye disorders. In a letter to a Parisian physician Louis de Joyeuse and published in the *Mercure de France* in 1748, he claimed that he had consulted 400 patients and done 200 operations since arriving in Paris in 1746.⁴⁸ Another letter was written in 1751 to the Marquis de *** who had evidently written to Daviel on the topic of operating for cataract for his wife, La Marquise.⁴⁹ Daviel's response was largely devoted to acknowledging the success of a surgeon M. Pallucci in the treatment of cataract and he recommended the treatment for La Marquise, although pointing out that this condition was extremely difficult to cure. Thus although surgery was extensively employed in dealing with diseases of the eye, physicians also addressed these problems, and as with some cases dealt with by surgeons, proposed medication rather than surgery.⁵⁰

The dichotomy becomes murkier when one examines how the areas of medical and surgical practice were defined, notwithstanding Verdier's comments. For example, Jean-Philippe Verduc (b 17th C., d 18th C.), a physician and surgeon, claimed that inflammation was an illness of the external parts.⁵¹ Yet inflammation was seen by both professions as being essentially a symptom of derangement of the blood, thus internal.⁵² Was inflammation an external condition and therefore treatable by a surgeon, or was it a symptom of an internal cause and therefore to be dealt with by a physician? This distinction drew into the discussion the differentiation between signs and symptoms, a subject which is analysed in chapter 5, an

⁴⁷ Bibliothèque municipale de Metz, *Manuscrits du docteur Antoine Louis*, MS 1371A, Folio U 47.

⁴⁸ Jacques Daviel, *Lettre de M. Daviel à M. de Joyeuse*, Paris, n.p., 1748. [extract from *Le Mercure de France*, September 1748, p. 198.]

⁴⁹ Jacques Daviel, *Lettre à M. le marquis*.

⁵⁰ There were also oculists who claimed specialist manipulative skills in treating eye problems.

See Ramsey, *Professional and Popular*, p. 185.

⁵¹ Jean-Philippe Verduc, *Pathologie de chirurgie*, Paris, chez Laurant d'Houry, vol. 1, 1720, p. 1 'L'inflammation est une maladie des parties externes.'

⁵² *Encyclopédie méthodique, chirurgie, par une société de médecins*, Paris, H. Agassi, An VII, pp. 686-687.

area which physicians would claim, through their training, they alone understood.

Overall, whilst lines were ostensibly drawn as to which areas physicians and surgeons were considered competent to deal with the lines in fact were blurred. Eventually the Revolution was to see the demise of all corporate bodies, theoretically at least the closure of the universities, albeit very briefly, and ultimately the resolution of the dispute between the two groups.

Surgeons and their roles

This section provides a detailed examination of the various roles surgeons played in medical practice through correspondence. The surgeon served a major function in French medicine. Brockliss and Jones described the surgeon as acting as 'a general practitioner'.⁵³ This is apparent in the consultations when a *chirurgien ordinaire* writing to a consultant was dealing in physic, a situation which is encountered repeatedly. The number of consulting letters by surgeons uncovered to date is comparatively small, 14%, when compared to those of physicians; yet even this limited resource has enabled the practice to be contextualised in the changing medical scene in pre-revolutionary France.

As has been seen already, there were surgeons who were asked to act as consultants, in matters surgical and in matters which physicians would have regarded as their domain. Antoine Louis engaged in consulting from the start of his career, some of which was by letter. For example, in January 1745, Louis replied to a request from a surgeon for advice about a woman suffering from scurvy. This was a disorder commonly addressed by surgeons because of its external symptoms, but equally was treated by physicians.⁵⁴

⁵³ Brockliss and Jones, p. 605.

⁵⁴ Bibliothèque municipale de Metz, MS 1317A, *Manuscrits du docteur Antoine Louis, né à Metz, secrétaire perpétuel de l'Académie de Chirurgie de Paris, chirurgien en chef de la Salpêtrière (1723-1792)*. At that time, Louis was only 23-years-old and serving in the army in Flanders.

Louis' proposed treatment was much the same as a physician would have offered; that is, internal.⁵⁵

In 1756, Louis was asked to give an opinion by the surgeon Sauveur Morand (1697-1773) for M. d'Aucerville suffering from deafness (*la surdité*). An opinion had already been sought from the physician Jean Astruc. This case is particularly interesting because of Astruc's vehement belief in the separation of the two professions. Presumably the cures proposed by Astruc and Morand had been unsuccessful. Louis critiqued these other opinions, but whether his proposals were any more successful is unknown.⁵⁶ He rejected Moran's and Astruc's solutions - bleeding, purging, laxatives, footbaths and the like - declaring that they failed to account for the patient's problems with balance; preferring washing the ears with a disinfectant, putting hot towels on the patient's head and injecting the ears with a balm.

Another activity of surgeons was to conduct autopsies with or without the presence of a physician. An autopsy would not normally be regarded as coming within the ambit of an epistolary consultation. However, leading Paris surgeon Henri le Dran concluded one of his consultations with details for the autopsy carried out which had been agreed to by the patient and his family before he died.⁵⁷

Antoine Louis, with the authority of both surgeon and lawyer, was involved in a case in which dissolution of a marriage was sought on grounds which, apart from the legal issues, were argued on matters which at the time would have been considered medical rather than surgical. On the 25 April 1770 the marriage took place between Anne-Marie D*** and M. de la P... Nineteen months later Anne-Marie was seeking annulment of the marriage on the grounds of her husband's impotence and that in consequence the marriage had not been consummated. M. de la P ... was examined by two physicians and two surgeons in Séez in the Savoie. These 'experts'

⁵⁵ For examples of physicians treating this disorder see *Consultations choisies* vol. 2, pp. 75-81, vol. 3, pp. 438-441 and 442-446.

⁵⁶ Bibliothèque municipale de Metz, MS 1317b *Manuscrits du docteur Antoine Louis*.

⁵⁷ Henri-François le Dran, *Consultations sur les pluspart des maladies qui sont du ressort de la Chirurgie*, Paris, P. Fr. Diderot le jeune, 1765, pp. 413-427.

interviewed him and prepared a court-ordered report on a physical examination of his genitals. They concluded that his inability to produce an ejaculate could be corrected by a surgical procedure and found in his favour despite the fact that they had been unable to see if he could obtain an erection. On 20 August 1772, Louis provided a report in which he demolished the earlier report, castigated the medical theorising of the erstwhile 'experts' and was categorical that without the ability to obtain an erection consummation could not occur.⁵⁸ He also pointed out that the man had a shrill and effeminate voice, large thighs and thin legs which were marks more characteristic of the feminine sex. Louis found in favour of the woman's cause.⁵⁹

Whether the court accepted Louis' opinions over that of the earlier report is unknown.

Letters concerned with the treatment of burns, cuts and firearm injuries, the latter ranging from pistols to canon, seemed to be standard fare for surgeons. Henri-François le Dran's 1765 *Consultations sur les pluspart des maladies qui sont du ressort de la chirurgie* contains many cases where he expressed his views on the treatment of such problems.⁶⁰ Of course patients were not always successfully treated. In a case where one had suffered gun-shot wounds to the chest, Le Dran said that an operation had to be carried out if the patient was to survive; it wasn't, and the patient died.⁶¹

When Le Dran was consulting on illnesses outside the strictly surgical, his proposed remedies were usually surgical. For instance, when he addressed the case of a woman suffering from 'vapeurs convulsives hystériques' a disorder that could not traditionally be counted as lying within the surgeon's domain, he only recommended bleeding.⁶² In this instance he was conforming to what the physicians would regard as practice appropriate

⁵⁸ Bibliothèque municipale de Metz, *Manuscrits du docteur Antoine Louis*, MS 1313. No folio, This quote is a synopsis as the whole case covers some twelve pages.

⁵⁹ Ibid. p.10, 'ce qui marque une conformation qui tient beaucoup du sexe féminin.'

⁶⁰ Le Dran. See for example pp. 54-134.

⁶¹ Ibid., p. 123.

⁶² Ibid., pp. 409-412. Physicians typically included bleeding for this disorder along with evacuative medications and lifestyle changes. See Chapter 7.

to his standing, even if they might have considered this treatment alone as deficient.

On the other hand, in a case of a patient suffering gangrene in a toe, Le Dran advised the use of internal medication, as the cause was believed to be internal and surgery was not required.⁶³ It is cases such as this that negate the accusation commonly made by physicians that surgeons turned to the knife at any opportunity.⁶⁴ In another instance he was asked his views on a twelve-year-old girl suffering from curved legs, wanting to know what was the cure and could one remedy this deformity that made her limp?⁶⁵ Le Dran's response was that it was rickets and that he had not seen these bones return to their natural curvature.⁶⁶ It was best treated internally, by the use of *antiscorbutiques* and the use of boots.⁶⁷ Thus he was advocating internal and external treatments.

The external-internal differentiation, claimed mainly by physicians, between the functions of the two professions made reducing sense in the light of changes to the theoretical training with which surgeons were increasingly being provided in the eighteenth century and advances in anatomy. *La vérole* as will be explored in chapter 3 makes a good example. Initial external symptoms placed it firmly in the surgeon's ambit. The remedies propounded by the physician and the surgeons, were internal and external. The physicians also had to deal with the fact that *la vérole* was recognised as being contagious, a situation which according to historians Jon Arrizabalaga, John Henderson and Roger French did not readily fit into the physicians' *modus cogniti*.⁶⁸

⁶³ Ibid., pp. 248-250. He prescribed quinquina and unspecified antiscorbutics four times a day. Because he regarded the cause as internal - a fault in the fluids, he did not recommend amputation even if the gangrene spread to the other toes

⁶⁴ Toby Gelfand, 'Empiricism and Eighteenth-Century French Surgery', *Bulletin of the History of Medicine*, vol. 44, no.1, 1970, p. 51.

⁶⁵ Le Dran, pp. 273-274. 'Peut-on remédier à cette difformité qui la fait boiter?'

⁶⁶ Ibid., p. 274, 'un véritable richitis, et je n'ai vu aucun de ces os reprendre leur rondelle naturelle.'

⁶⁷ Ibid., p. 274. 'Il faudra employer les remèdes internes les plus capables de corriger le vice des liqueurs nourricières. J'ai vu les antiscorbutiques réussir avec les bottines.'

⁶⁸ See Jon Arrizabalaga, John Henderson and Roger French (eds), *The Great Pox; The French Disease in Renaissance Europe*, New Haven and London, Yale University Press, 1997, particularly chapter ten, pp. 252-277.

The external-internal debate was a significant distraction to everyday practice when surgeons and physicians often had to work together. In some cases they were in agreement, in others not. A *mémoire* records that a fifty-one-year-old woman had suffered continual headaches and ringing in the ears for five years.⁶⁹ In response Jean Astruc described the condition as very obstinate and one in which he could not 'flatter' the patient with the hope of a cure, but that one must not await nature taking its course. His proposed treatment includes the use of ear-drops of oil of lily. This consultation was followed up with a note from a *médecin ordinaire* (Monsieur S... of T...) who describes various internal treatments which the patient had taken, different to those proposed by Astruc. A further letter followed from two surgeons, who claimed the condition to be undoubtedly due to an abscess in the ear, and whilst approving the treatments of the *médecin ordinaire*, they criticised the Astruc's proposed use of oil of lily and also criticised Astruc's purges because the patient was also suffering from 'the vapours'. In making these criticisms the surgeons were clearly entering the ground claimed to be the territory of physicians.⁷⁰ To the surgeons' advice the patient had added a footnote which clearly expressed her feelings of frustration.⁷¹ This series of letters concluded with Le Thieullier showing some sympathy to the patient, but without comment neither on the surgeons engaging in matters medical nor on Astruc's proposed ear drops.

Disagreement between 'professionals' could simply confound a patient, or in the following case, a patient's family. In January 1741 a man wrote on behalf of himself and his wife, to his brother-in-law and asked him to obtain a consultation from a famous *médecin* for their son, and to have the consultation in writing sent to him. He described the boy's condition and stated that surgeons had given different opinions as to the cause, and in any case could not offer a cure. Le Thieullier criticised the surgeons for trying to

⁶⁹ Le Thieullier, vol. 1, pp. 277-287.

⁷⁰ Ibid., p. 282. These surgeons provided one of the few examples of astrology entering into the consultations, when they recommended that one proposed remedy should be taken twice weekly for two months, eight hours before the new moon. 'en prendre tous les deux mois deux fois dans une semaine, huit heures devant la nouvelle lune.'

⁷¹ Ibid., p. 283

make a diagnosis on symptoms with which they were not very familiar.⁷² The following August another letter was sent to Le Thieullier complaining that the child's condition had if anything worsened and that the surgeon had not followed the instructions given by Le Thieullier. This time Le Thieullier supported the local surgeon excusing his actions because the medicaments prescribed were difficult to obtain in the provinces.⁷³ The need to be pragmatic when confronted with access to remedies must have been a regular feature of medication, particularly when many substances were only seasonally available. Whilst overall the relationships between physicians and surgeons appeared to be amicable, differences did arise. Sometimes the consultant, be he surgeon or physician, would simply ignore the differences, but would comment adversely if he thought there was a need.

In those cases where consultations had been written jointly by physicians and surgeons in *Consultations choisies*, for the most part the surgeons appear to have played, or been credited with, a junior role. In the various appendices which give listings of practitioner's consultations and of dates, only the names of the physicians are included; even if there are several to an entry, the names of the surgeons involved are totally omitted. A patient suffering from a stiff neck was given the typical internal treatments of bleeding, purging and laxatives. The advice of the surgeon probably lay in the comment that the only external treatment was to stir up the muscles with *eau de Barèges*.⁷⁴ In another where the left cheek was swollen due to caries, surgery was said to be too dangerous, and the recommended treatment was limited to frequent washing with a disinfectant, *baume terbentine* and the use of oil of cloves (*huile de gérofle*) to reduce the pain.⁷⁵ In a case of a five-year-old girl suffering from the skin disorder 'tumeurs scrophuleuses' she was to be purged, given a sedative, and to take laxatives and a diaphoretic. The surgeon's role in this instance was limited to suggesting the abscesses should not be opened, instead they were to be

⁷² Le Thieullier, vol. 2, pp. 285-291.

⁷³ Ibid., pp. 378-385. Le Thieullier suggested some revised treatments be used and which were readily available in Paris.

⁷⁴ *Consultations choisies*, vol. 4, 1757, pp. 378-382. For a description of Eau de Barèges see *Encyclopédie méthodique, médecine, par une société de médecins*, Paris, Panckoucke, ANG-BLU, 1790, pp. 595-596.

⁷⁵ *Consultations choisies*, vol. 3, p. 120. Chirac and Silva, vol. 2, 1744, p. 398.

covered with a bandage soaked in *eau de Barèges* or *Althea* and a mucilage plaster.⁷⁶ The surgeon appeared to have had a greater role in prescribing in a joint consultation for a fifty-four-year-old male with kidney and urinary tract problems when daily injections of *eau de Barèges* into the bladder were ordered for ten days.⁷⁷ Surgeons also had a more proactive input for a woman who had suffered from ‘anchilose de le jambe’ for 17 years.⁷⁸ In addition to the ever prescribed evacuations, the patient was told to apply liniments and to add a pound of lead to the heel of the affected leg.⁷⁹ The consultants commented that the condition was invariably incurable.⁸⁰ The consultations involving physicians and surgeons leave the reader in little doubt that it was the former who were primarily in control of deciding treatments.

Many of Antoine Louis’ consultations were for ailments which bore no relation to areas traditionally deemed to be the field for surgery, and in his replies proposed treatment recommendations were typical of those given by physicians for the same conditions. In the first instance this indicates, on the part of the person seeking the consultation, a confidence in Louis’ ability to provide expert advice. Secondly, Louis clearly felt confident in responding on non-surgical matters. Louis had demonstrated from an early age a willingness to publicly debate issues which were contentious and which were within medicine’s domain. According to Pierre Sue (1760-1830) he studied physiology in Paris for four years which would have provided him with a sound, for the times, knowledge base to draw on beyond his practical skills. Being Latin literate he would have been able to read available medical works.⁸¹ One might also conjecture that Louis was unconcerned by the

⁷⁶ Antoine Deidier, *Consultations et observations médicales de M. Antoine Deidier*, Paris, Chez Jean-Thomas Hérissant, vol. 3, 1754, p. 11. Eau de Barèges was water from a Pyrenean hot spring. Althea belongs to the mallow family.

⁷⁷ *Consultations choisies*, vol. 10, 1755, pp. 97-103.

⁷⁸ *Anchilose* or *ankilose* is a stiffening of the joint. It is unclear in this case which joint, whether the knee or the ankle.

⁷⁹ *Consultations choisies*, vol. 7, 1750, pp. 372-377. On the lead, p. 373, ‘on attachera un morceau de plomb, pesant environ une livre au talon de la jambe malade’.

⁸⁰ *Ibid.*, p. 373, ‘cette maladie est pour l’ordinaire incurable’. The surgeon Henri le Dran in a similar case regarded this condition as incurable and recommended amputation. Le Dran, pp. 23-26.

⁸¹ Pierre Sue, *Notice sur M. Louis*, Paris, n.p., 1792, 8 pp. Sue states that this eulogy was inserted in *le Journal de Paris*. Sean Quinlan has stated that Louis had a degree in

prospect of being attacked by physicians over his engagement in internal medicine, as he had been prepared to take on the establishment since his earliest days.⁸²

According to Louis Dulieu, dentistry by contrast, was largely the province of *chirurgiens ambulants*, peripatetic surgeons, often unqualified, some of whom who roamed the countryside in search of work.⁸³ There were individuals who had acquired recognised expertise. Louis-Bernard-Bréchillet Jourdain (1734-1816) was one to whom a Dijon surgeon, M. Enaux, wrote in June 1773 concerning a fifty-year-old woman suffering from numbness in her mouth. Her physician had attempted to provide a cure through the use of purgatives and laxatives.⁸⁴ A large swelling developed where an upper molar had been extracted. The physician concluded she had an abscess and ‘un dentiste’ had cut the swelling, with a large loss of blood, but diminution of the swelling. Her surgeon subsequently found that she had a ‘fungus’, a growth that was affecting her sinus and other parts of her mouth. Jourdain wrote back that he could offer the patient little hope, only that soporifics might be used to ease her pain and that surgery might make the patient worse. Dentistry was an area of surgery where some surgeons who had acquired particular skills in the field engaged in written consultations.

Jourdain’s comment is another example that contradicts physicians’ contention that surgeons always looked to perform operations, whereas in fact, in these cases at least, they regarded an operation as a last resort.⁸⁵ This was demonstrated by Le Dran in a case of a woman who had

medicine, but I have been unable to find any substantiation for this claim. Sean Quinlan, ‘Inheriting Vice, Acquiring Virtue: Hereditary Disease and Moral Hygiene in Eighteenth-century France’, *Bulletin of the History of Medicine*, vol. 80, no. 4, 2006, pp. 649-676.

⁸² At the age of only twenty-five a dissertation he submitted in 1748 for the annual prize of *l’Académie royale de Dijon* on the subject of hereditary diseases was rejected because it did not conform to the academy’s belief that iatromechanics was the correct basis of medical thinking. Émile-Auguste Bégin, *Biographie de la Moselle, ou histoire par ordre alphabétique des toutes personnes nées dans ces Département*, Metz, Verronais, vol. 2, 1730, p. 567.

⁸³ Dulieu, *La Médecine à Montpellier*, vol. 3, p. 386.

⁸⁴ Anselme-Louis-Bernard-Bréchillet Jourdain, *Traité des maladies et de opérations réellement chirurgicales de la bouche*, Paris, Valleyre, vol. 1, 1778, pp. 255-258.

⁸⁵ Toby Gelfand, ‘Empiricism and Eighteenth-century French Surgery’, *Bulletin of the History of Medicine*, vol. 44, no. 1, 1970, p. 51.

developed a stone following a miscarriage.⁸⁶ He advised that whilst surgery might be required, dilation might suffice to effect a cure.⁸⁷ Physician and surgeon Bordeu was expressing a similar sentiment when writing to a M. Bertier regarding a patient, M. Gassion, who thought he had a stone.⁸⁸ He was tentative in his diagnoses and considered surgery a second choice to medication:

[h]ere is my idea on the illness, he may have the stone; but also he may only have some haemorrhoidal growths in the bladder, and in the latter case, I only know two men in the world who can cure him as necessary. He is well placed to use medicinal remedies without offering himself up to the knife.⁸⁹

Perhaps these comments by Le Dran and Bordeu reflect the conclusion that it was those who had direct experience of surgery who were best informed on just what surgery entailed for the patient.

Although in general terms the surgeons' consultations had very much the same appearance and structure as those written by physicians, there were discernible differences. It is noticeable that surgeons' consultations contained less personal information about the patient than was the case with those written by physicians, even if the information had been provided to them. Whether this was because they placed less emphasis on the importance of personality factors than did the physicians, or because they were more concerned to deal with effecting a cure can only be surmised. On the other hand they more frequently contained references to 'published authorities', often in Latin with commentary on these textual extracts, than was the case with physicians. This demonstrates that some at least were

⁸⁶ Le Dran, pp. 335-341.

⁸⁷ Ibid., p.339. After receiving Le Dran's consultation, she went to Paris to enable him to carry out the dilation which was not a total success.

⁸⁸ Bordeu, *Correspondance*, pp. 109-111.

⁸⁹ Ibid. p.110. 'Voici mon idée sur la maladie; il peut avoir la pierre; mais il peut aussy, n'avoir que des carnosités des hemoroides, de la vessie, et dans ce dernier cas, je ne connais que deux hommes au monde qui puissent le guerir comme il faut. Il est bien lieu pour user des remedes medicinaux, sans se livrer au couteau'.

much more than mere manual workers and even that they were concerned to demonstrate that they were as learned as physicians.

Perhaps unsurprisingly, when surgical intervention was required, there was a greater degree of consideration for the patient's needs. Thus when Henri-François le Dran was asked about removing scar tissue from the hand of an eight-year-old, his response was that: 'This operation will not be possible today, because of the age of the child who is not given to patience who will necessarily suffer from the operation which will be long.'⁹⁰ Le Dran would have been well aware of the pain involved in what he evidently did not consider essential surgery.

In summary, just as physicians ventured into the surgical arena, so the high profile surgeon entered that of the physician. Certainly the bulk of his work was of a surgical nature and in cases when action was not urgently required his advice could be given by letter. Those individuals who specialised, be they oculists, dentists or lithotomists, were able to carve out a niche in the surgical market for themselves but it would appear seldom was advice sought or given by letter.

The roles of apothecaries and midwives

The roles of apothecaries and midwives might seem oddly placed in a thesis about epistolary consulting; as might be expected, no records of them providing written advice have been uncovered. Nonetheless there are references made to these occupations in the letters written by patients, physicians and surgeons.

Apothecaries formed the third leg of official medicine.⁹¹ The primary role of the apothecary was to supply medicaments including the preparation

⁹⁰ Le Dran, pp. 43-44. 'Cette opération ne seroit pas possible aujourd'hui, tant à cause de l'âge de l'enfant qui n'est pas susceptible de la patience qui seroit nécessaire pour souffrir l'opération qui seroit longue'.

⁹¹ Apothecaries were one exception to the 'rule' that excluded women from medical practice in that in some communities, widows were permitted to continue their former husband's business. See Brockliss and Jones, p. 175.

of mixtures ordered by physicians and surgeons. Like physicians, they were literate in Latin, which apart from their immediate needs in reading recipe books, pharmacopœia and physicians' prescriptions, meant that they could read the Latinate medical literature. In practice they also bled patients, supplied drugs without prescription and offered advice. Brockliss and Jones have described them acting as 'general practitioners' in the eighteenth century.⁹² As noted previously this was a role also taken on by surgeons in the absence of physicians, and perhaps for apothecaries when neither physician nor surgeon was available.⁹³ According to Matthew Ramsey such activities were, in theory, limited by regulation: 'Where there was no physician an apothecary might give advice and prescribe simple medicines but only "in case of necessity"'.⁹⁴ That they engaged in letting blood is shown by a 1786 reference quoted by Emile Bonnet to a fee of 6 *sol*s for this service.⁹⁵ They appear only peripherally in the consulting letters, usually where a particular apothecary has been recommended as a source of some cure or other.⁹⁶ For example, following a 1744 consultation for painful kidneys, the Montpellier physicians Jacques Montagne, Antoine Fizes and Honoré Petiot recommended a preparation of an apothecary, G. Teissonnier of Montpellier.⁹⁷

An additional role undertaken by the apothecary that can be seen in the letters was the analysis of samples taken from patients. For example in 1742 a M. Bel in Paris prepared analytical reports on liquids taken from the abdomen of patients who had been 'punctured' in cases of hydropsy.⁹⁸ The report was detailed in how the analysis was conducted but few conclusions

⁹² *Ibid.*, p. 608.

⁹³ *Ibid.*, pp. 522-523. Brockliss and Jones reproduce data on the number of physicians, surgeons and apothecaries in many French cities and towns. Almost without exception the data shows that there were more surgeons than apothecaries.

⁹⁴ Ramsey, *Professional and Popular*, p. 53, this is however from a regulatory standpoint, and no doubt even then the term of necessity was probably interpreted loosely. Louis Dulieu, *La Pharmacie à Montpellier de ses origines à nos jours*, Avignon, Les Presses Universelles, 1973 at pages 75-76 and 82-86 paints a picture of apothecaries and druggists being very tightly controlled in eighteenth-century Montpellier. Montpellier of course may not be typical of other French cities.

⁹⁵ Emile Bonnet, *Catalogue des manuscrits, par Emile Bonnet de la Société archéologique de Montpellier*, Paris, Nourrit et Cie, 1920, p. 17.

⁹⁶ See for examples *Consultations choisies*, vol. 2, pp. 143-145, vol.1, 1757, p. 35 and vol.10, p. 179.

⁹⁷ *Consultations choisies*, vol. 2, pp. 142-145.

⁹⁸ See for example Le Thieullier, vol. 2, pp. 473-480.

were drawn by the apothecary. The surgeon however concluded that: 'The analysis alone offered me an indication that I judged sufficient; and without daring to promise a cure, on which it would be unwise to count, I see that at least I will relieve my patient without loss of strength, by a food remedy.'⁹⁹ Thus he was able to be guided by the analysis to relieve his patient by a simple and non-intrusive manner.

During the seventeenth and particularly eighteenth centuries surgeons became increasingly involved in midwifery. Until then delivery of a child had been a matter largely for women, trained or otherwise. Female dominance of the occupation was maintained at least until the last part of the eighteenth century.¹⁰⁰ Officially midwives were trained and supervised by surgeons and licensed by a bishop, although many operated informally.¹⁰¹ The calling in of a physician or surgeon occurred only if there were complications and even then they might not be physically involved. Lianne McTavish contended that 'midwives controlled the birthing chamber, inviting men to assist in deliveries after days of unsuccessful labour, when the child was likely dead and the life of the mother in peril.'¹⁰² The relatively short time-frame within which birthing took place clearly would not have lent itself to consultation by letter. There are instances however where letters were written over *post-partum* complications.

There were also other obstetric issues which could involve the male practitioners who were engaged in epistolary consultations.¹⁰³ For example,

⁹⁹ Ibid., p. 492. 'L'analyse seule m'offrit une indication que je jugeai suffisant; et sans oser me promettre une guérison, sur laquelle il suroit imprudent de compter, je m'imaginai qu'au moins je soulagerois mon Malade sans déperdition de force, par un remède alimentaires'.

¹⁰⁰ Obstetrics had been traditionally been deemed, at least since the medieval period, a field where women practised. Men began to take an increasing role in the training and licensing of *midwives* and eventually entering the birthing chamber itself, either as adviser or actually being engaged in delivery. See McTavish, pp. 57-59 and Brockliss and Jones, pp. 262-271 and 737-743.

¹⁰¹ Ramsey, *Professional and Popular*, pp. 23-24. Ramsay contends that the certified midwives were a rarity particularly outside the north and north-east of France.

¹⁰² McTavish, p. 1.

¹⁰³ The first chair of obstetrics was in Strasbourg in 1728, and Paris followed in 1745; Montpellier, unusually, was the laggard as a chair was not created there until the 1780s. See Brockliss, *French Higher Education in the Seventeenth and Eighteenth Centuries: A Cultural History*, Oxford, Clarendon Press, 1987, p. 394. Montpellier's school of surgery established courses in midwifery for matrons and midwives in 1770. Mirielle Laget, 'Childbirth in Seventeenth- and Eighteenth-century France: Obstetrical Practices and

a consultation was requested of the Montpellier physicians in what was diagnosed as a residue of placenta after delivery. This was described by the responding consultant as being quite common. The initial treatment was to be followed by an intra-vaginal injection, but who was to perform this was not stated.¹⁰⁴ Henri-François le Dran was asked to provide advice for a patient who had an enflamed breast with low milk flow, eight to ten days after giving birth.¹⁰⁵ Le Dran's treatment was to apply external emollients, and if an abscess developed, minor surgery would have to be considered. Another consultation was sought for a young woman who had suffered a prolapsed womb after her first child.¹⁰⁶ A pessary had been used to address this but was causing much pain when she was walking. In this case, the *femme de chambre* had made a visual inspection for the local surgeon.¹⁰⁷ Le Dran's advice was to use forceps to remove it, and the surgeon followed up with a note to say that this had been successful and a small stone had also been removed from the urethra. These three cases were all matters which the surgeon might rightly claim to be within his domain rather than that of the physician. In none of these cases was it suggested that a midwife should be called in.

The dividing lines between the various sectors of authorised medicine became increasingly blurred with the passage of the eighteenth century. Even apothecaries, who had managed in the main to avoid major conflict with physicians and surgeons, nonetheless crossed the supposed

Collective Attitudes', in Robert Forster and Orest Ranum (eds), *Medicine and Society in France: Selections from the Annales, Économies, Sociétés, Civilisations*, vol. 6, trans. Elborg Forster and Patricia M. Ranum, Baltimore, The Johns Hopkins University Press, 1980, p. 169. There were however a variety of texts published, by physicians and others. In addition books were published such as Nicolas Chambon de Montaux's (active 18th C.) *Des Maladies des filles*, Paris 1785, which dealt specifically with women's diseases, and Jean Astruc, *Traité des maladies des femmes où l'on a tâché de joindre à une théorie solide la pratique la plus sûre et la mieux éprouvée. Avec un catalogue chronologique des médecins qui ont écrit sur ces maladies*, Paris, Cavalier, 1770.

¹⁰³ *Consultations choisies*, vol. 4, pp. 280-285.

¹⁰⁴ *Ibid.*, pp. 280-285. In this case the *mémoire* is missing, so it is unknown if the request came from a *médecin* or *chirurgien ordinaire*.

¹⁰⁵ Le Dran, pp. 275-277.

¹⁰⁶ *Ibid.*, p. 298. 'une descente de matrice'.

¹⁰⁷ *Ibid.*, p. 298, The use of a pessaire was a common procedure in this situation. See Une Société de médecins et de chirurgiens, *Dictionnaire des sciences médicales*, Paris, Panckoucke, vol. 41, 1820, pp. 61-72. The *pessaire* was described as about four fingers wide in diameter and made of cork.

boundaries without much problem. There were women with the experience and literary capabilities to have engaged in providing written consultations, Angélique Marguerite Le Boursier du Coudray (1712–1789) for instance.¹⁰⁸ However no examples of such consultations have been uncovered. Any difficulties which arose during pregnancy could be addressed by physicians and are occasionally encountered in their consultations. When it came to the time of birth, consulting by letter was not a viable method of offering advice, and in part explains the lack of comment on midwives in the letters.

The presence of empirics and charlatans

One cannot ignore the role of empirics and charlatans from this analysis as they are mentioned occasionally in physicians' and surgeons' letters, albeit always in a derogatory way. The sources employed here do not provide evidence of their providing written consultations.¹⁰⁹ Before examining their roles it is necessary to briefly examine how these terms were used and what they meant.

It can be argued that describing the patients' knowledge *vis-à-vis* that of physicians and surgeons, there was a common empiricism. What the learned physician did not want was to be labelled an empiric.¹¹⁰ This would have been anathema to his sense of status although the physician's theories as to disease causation could be verified only by observation and his therapies were experience based. Matthew Ramsey has noted that 'if he used dangerous or ineffective therapies the physician and the quack were interchangeable.' but added that '[t]he best medical practice, unlike that of empirics, was grounded in an excellent grasp of anatomy and improving

¹⁰⁸ Angélique Marguerite Le Boursier du Coudray, *L'Abrégé de l'art des accouchements*, Abbeville, Pintia, 1759. She was the King's Midwife and travelled extensively in France to raise the standards of midwifery.

¹⁰⁹ That empirics did on occasions engage in consulting by letter has been indicated by Matthew Ramsey who found in a note to The Royal Society of Medicine in Paris which referred to two Norman empirics charging 3 *livres* for written consultations. Ramsey, *Professional and Popular*, p. 155, quoting *Archives de la Société Royale de Médecine*, 1pp, d, 18, no.22, Graulaud et Langton, 19 May 1780.

¹¹⁰ French, *Medicine before Science*, p. 209

understanding of physiology and pharmacology' French historian Gilles Barroux entered this historiographical debate when he wrote:

Nevertheless the question arises of knowing who is empirical, or rather, who can avoid an empirical approach in the exercise of medicine in the eighteenth century. In effect, the meaning and the status of empiricism could hardly be confined to the coarse image of the charlatan. It is a matter of a question which goes through and problematises medical philosophy to the very end of the eighteenth century.¹¹¹

Dictionaries of the period make a clear distinction between the terms empiric and charlatan, yet state that they were confounded in everyday parlance.¹¹² It appears that the term empiric was used to describe

¹¹¹ Gilles Barroux, *Philosophie, maladie et médecine au XVIII^e siècle*, Paris, Honoré Champion Editeur, 2008, p. 116. 'Pourtant la question se pose de savoir qui est empirique, ou plutôt, qui peut éviter une démarche empirique dans l'exercice de la médecine au XVIII^e siècle. En effet, le sens et le statut de l'empirisme ne sauraient se cantonner à l'image grossière du charlatan. Il s'agit d'une question qui traverse et problématise la philosophie médicale de toute cette fin de XVIII^e siècle.'

¹¹² The *Dictionnaire de l'Académie française*, Paris, 1694, that is the first edition, defined empiric in the following terms,

Empiric: Who attaches more to some particular experiences in medicine, than to the ordinary method of the art. It has hardly any use in that phrase, empirical physician. ['Empirique: Qui s'attache plus à quelques experiences particulieres dans la Medecine, qu'à la methode ordinaire de l'art. Il n'a guere d'usage qu'en cette phrase, *Medecin empirique*.'] This definition remained unchanged in the fourth edition, 1762.

The same dictionaries defined charlatan in the first edition as follows:

Charlatan: Seller of drugs, of theriac, who sold in public places, on the stages. It is said also, of a physician who brags, who boasts of curing all sorts of illnesses. *Many say that to be a physician one must be a little charlatan*. ['Charlatan: Vendeur de drogues, de theriaque, qui debite dans les place publiques sur les theatres. Il se dit aussi, d'un Medecin qui est hableur, qui se vante de guerir toutes sortes de maladies. *Plusieurs disent que pour estre Medecin, il faut estre un peu charlatan*.']

This was modified slightly in the fourth edition:

Charlatan: Seller of drugs, of orvietan, and who sold in public places, on stages, on trestles. This is ordinarily a term of scorn. It is said also, of a physician who brags, who boasts of curing all sorts of illnesses. *Many say that to be a physician one must be a little charlatan*. It signifies figuratively that which coaxes by some beautiful words, by specious promises. *Don't listen to that man he is a charlatan*. ['Charlatan: Vendeur de drogues, d'orvietan, et qui les débites dans les places publiques sur des théâtres, sur des tréteaux. C'est ordinairement un terme de mépris. Il se dit aussi d'Un Médecin qui est hableur, qui se vante de guérir toutes sortes de maladies. *On dit que pour être Médecin, il faut un peu Charlatan*. Il signifie figurément Celui qui tâche d'amadouer par de belles paroles, par des promesses spécieuses. N'écoutez pas cet homme-là, c'est un charlatan.']

Dictionnaire de l'Académie française, Paris, 1694, and the fourth edition, 1762. The change from theriac to *orvietan* probably reflects the fact that the use of theriac was much diminished during the years between the two editions, to be replaced in popularity by *orvietan*, a polypharmaceutical decried by Roger Teyssou as a metamorphosis of theriac.

individuals who promoted their own 'proprietary medicines' without engaging in theatricals.

It seems that in medical correspondence and contemporary texts, the terms charlatan and empiric were used by physicians indiscriminately for anybody offering medical advice other than themselves, aside usually from surgeons, apothecaries and perhaps the midwife. It appears commonplace that today's historians also tend to use the terms interchangeably. As some of the examples below demonstrate the classifications under which various operators would have been placed were ambiguous at the best of times.

This ambiguity is exemplified by Dutch-born Jean-Adrien Helvétius (ca.1661-1727) who made a fortune from selling a proprietary specific for dysentery, based on ipecacuanha, despite the fact that this particular substance has been known for a considerable period before his 'invention'.¹¹³ The use of ipecacuanha does appear in physicians' consultations, but not as Helvétius' proprietary product. According to Yves Pouliquen he bought his doctorate in Reims in 1680.¹¹⁴ He was physician to the Duc d'Orleans and Louis XV awarded him *lettres de noblesse* in 1724.¹¹⁵ Brockliss and Jones describe him as being 'ceaselessly denounced as a charlatan'.¹¹⁶ Was Helvétius a physician, an empiric, a charlatan, or perhaps all three? The answer depended on the observer; Phillipe Duc d'Orleans (1674-1723) made him his personal physician, yet Louis de Rouvroy duc de Saint-Simon (1676-1755) called him an empiric.

Not all physicians were able to promote proprietary cures without coming into conflict with the authorities. Dr Dehenne of Lille was made to renounce in front of a Lille magistrate the sale, distribution, and promotion of

Roger Teyssou, *Dictionnaire mémorable des remèdes d'autrefois*, Paris, L'Harmattan, 2007, p. 207. However, no reference to this product has been encountered in any of the correspondence examined, whereas theriac has.

¹¹³ Wellman, p. 290, en.22. See also *Dictionnaire des sciences médicales : biographie*, vol. 5, 1822, pp. 152-153.

¹¹⁴ Yves Pouliquen, *Mme. de Sévigné et la médecine du grand siècle*, Paris, Odile Jacob, 2006, p. 76.

¹¹⁵ Ian Cumming, *Helvetius; His Life and Place in the History of Education*, London, Routledge, 2001, p. 3.

¹¹⁶ Brockliss and Jones, p. 233.

a panacea called *Esculpe*, having already been subjected to criticism by the Lille College of Physicians over the matter.¹¹⁷ Colin Jones has contended that *affiches*, provincial French journals, 'demonstrated that the division between "orthodox" medicine and "charlatanism" was becoming increasingly artificial.'¹¹⁸

A different example is that of a Madame Morel of 'le pont Notre-Dame de Paris'. A *médecin ordinaire* who wrote to Jean-Baptiste Silva in 1736 said that his patient had bought and been treated with five doses of Madame Morel's remedy.¹¹⁹ Silva was clearly familiar with the remedy as he described its composition and commented that: 'it never had the least reputation'.¹²⁰ Who was Madame Morel? Was she an apothecary's widow, continuing her former spouse's business, an empiric, a charlatan?¹²¹ Her treatments occur twice in the consultations analysed here and in neither instance is she called by the *ordinaires* or the consultants either an empiric or a charlatan, even though her cures were not regarded as suitable by the consultants for the conditions presented by the patients.¹²² Another well-known supplier of a proprietary remedy was Guillaume Arnault (1673-1744), a Parisian *marchant droguiste* who sold his *Sachets d'Arnault*, a proprietary

¹¹⁷ See Delaunay, p. 301. 'Dehenne, de Lille, qui pour avoir lancé une panacée dite l'Esculpe à grant renfort de prospectus, dut renoncer, devant le magistrat lillois, le 22 janvier 1778, à la vente, distribution et annonce de ce remède secret. ... Tandis qu'un collège médical ne pouvait que dénoncer les délinquants au bras séculier. Celui de Lille ayant directement vitupéré Dehenne, le magistrat y vit une méconnaissance des prérogatives qui lui réservaient la police de l'art, et rappela à l'ordre les déontologistes trop zélés.' (citing, E.M. Rolants, *Le collège des médecins de Lille*, 2e partie.). A college of medicine was created in Lille in 1681 by the city's magistrate more to watch over exercise of the medical profession than for teaching. 'l'existence d'un collège de médecine créé en 1681 par le Magistrat de la ville, plus pour surveiller l'exercice de la profession médicale que pour enseigner.' See the historical website of the Lille School of Medicine, *La Faculté de médecine de Lille*, <http://medecine.uni-lille2.fr/faculte/histoire1.htm>

¹¹⁸ Colin Jones, 'The Great Chain of Buying: Medical Advertisement, the Bourgeois Public Sphere, and the Origins of the French Revolution', *The American Historical Review*, vol. 101, No. 1, Feb., 1996, p. 33.

¹¹⁹ Chirac and Silva, vol. 2, pp. 264-265.

¹²⁰ *Ibid.*, p. 267. 'n'a jamais eu la moindre reputation'. Notwithstanding Silva's criticism he prescribed a diuretic, which was the major component of Morel's recipe.

¹²¹ In the mid-1750s Pont Notre-Dame was lined on both sides with buildings and it is probable that Mme. Morel operated from one of these.

¹²² Given the nature of what Madame Morel was providing, it seems more likely that she was an empiric than a charlatan. Curiously, or informatively, I have come across no specific references to women as 'charlatans' in the sense of engaging in theatricals as part of their sales pitch.

substance, for the treatment of apoplexy.¹²³ The precise nature of this 'cure' has apparently never been uncovered but it was widely promoted.¹²⁴

Jacques de Drouas records that the product was praised by Voltaire, the Cardinal de Poligne and was mentioned in the *Encyclopedie*.¹²⁵ In 1744 Guillaume Arnault's son, Louis Lanfranc Arnault, in what was almost certainly an act of self-promotion published a book extolling the virtues of the sachets.¹²⁶ This book consists largely of a series of panegyrics, that is to say, laudatory testimonials, praising the virtues of the product from a range of persons - physicians, surgeons, aristocrats and assorted prelates covering the period 1719 to 1768. A typical entry is:

Madame Molé marquise de Lenoncourt attests that Miss d'Arnoler fell ... in apoplexy and paralysis to the whole of her body, that deprived her of the use of her members, so that one was obliged to carry her; that having found useless all the most immediate remedies, M. le Marquis de Lenoncourt gave her the remedy of the druggist Mister Arnaud, since she used this remedy she has entirely obtained the freedom of all her paralysed members, to the point that she can walk without any support.¹²⁷

¹²³ Brockliss and Jones, pp. 627-628.

¹²⁴ For a history of this product to the end of the nineteenth century see Jacques de Drouas, 'Un Remède au XVIII^e siècle, le sachet antiapoplectique d'Arnoul', *Bulletin de la société de l'histoire de Paris et de l'Ile-de-France*, vols 113 and 114, 1986-1987, pp. 415-429. For the search for its composition see particularly pp. 420-429.

¹²⁵ *Ibid.*, p. 418.

¹²⁶ Guillaume Arnault, *Dissertation en forme de lettres sur l'effet des topiques dans les maladies internes, écrite par un médecin de Paris, à un médecin de Provence*, 7th edit., Paris, chez Moutard, 1769. Libraries catalogue this work under Guillaume Arnault, however according to de Drouas this book was published by Louis Lanfranc Arnault. In 1772 the Société royale de médecins set up a commission to investigate the claims of proprietary medicines, and one of their criteria was to examine 'les affirmations des auteurs concernant leurs remède'. See Pascale Kibleur, 'L'évaluation et la validation des remèdes par la société royale de médecine', in Olivier Faure (ed.), *Les Thérapeutiques: savoirs et usages*, Lyon, Collection Fondation Marcel Merieux, 1999, pp. 209-221.

¹²⁷ Arnault, *Dissertation*, p. 23, 'Madame Molé Marquise de Lenoncourt atteste que Mademoiselle d'Arnoler tomba ... en Apoplexie et paralysie sur toute la moitié du corps, ce qui la privoit de l'usage de ses membres, de façon qu'on étoit obligé de la porter; qu'ayant fait inutilement tous les remèdes les plus urgents, M. le Marquis de Lenoncourt lui donna le remède du sieur Arnault Droguiste, que depuis l'usage qu'elle a fait de ce remède, elle a acquis entièrement la liberté de tous ses membres paralysés, au point qu'elle marche sans aucun secours'. Arnault's patients were reputedly aged from five to eighty-four and the letters were written almost totally by men.

Since the patients wrote about receiving the sachets it would appear likely that Arnault operated a mail-order business. To the extent that they can be identified, the geographic distribution of the source of these letters from within France is shown in figure 2.1.

This distribution is not dissimilar to that shown by Brockliss and Jones of testimonials for the purgative powders of Carpentras-based Jean Ailhaud (1684-1756).¹²⁸ It is noticeable that none of the letters to Arnault came from the area immediately around Montpellier, whereas those to the more local Ailhaud did.

Figure 2.1: Approximate French locations from which published letters were received commending Arnault's anti-apoplectic sachets

(Base map "the Gouvernements" from The Historical Atlas by William R. Shepherd, 1936. Used by permission of the University of Texas Libraries, The University of Texas at Austin.)

Unlike the epistolary consultations, in nearly all cases the names of the patients, practitioners, their locations and the dates of writing are given in Arnault's tract. In some cases letters of verification of the signatures of the writers are also included. Presumably this was all deemed necessary for the sake of credibility. A number of the letters were from surgeons and physicians including one by Silva whose consulting letters have been

¹²⁸ Brockliss and Jones, pp. 652-654.

employed in this thesis. However, no reference to the use of this 'proprietary cure' for apoplexy or any other disorder has been encountered in any consulting letter.

The charlatan was perhaps the subject of even more derision than Molière's learned physician. Yet he survived, even prospered and was able to attract clients from those classes of society that used the physician, not solely the lower and less educated who might be deemed more gullible or needier. Nonetheless, there were those who saw in the sick an opportunity to sell some concoction of their own, usually a secret remedy, with little to back up their claims of efficacy.¹²⁹ At the same time the regular physician claimed legitimate cause for concern in terms of their patients' well-being. Thus Samuel Tissot wrote:

It remains for me to speak of a scourge, that makes more ravages, than all the ills that I have described, and which, so much as it remains, will render useless all the precautions that one takes for the conservation of people; these are the Charlatans. I will distinguish two types of them; the itinerant Charlatans, and those false village physicians, as much men as women, known in this country by the term *Maîges*, and who silently depopulate it.'¹³⁰

Tissot detailed the way in which these two types of charlatan presented a danger to the population in town and country, and the difficulties they presented to both physicians and surgeons.¹³¹ The Paris Faculty of Medicine was opposed to the activities of charlatans and Pearl Kibre has traced their antagonism back to the fourteenth century, including steps taken to outlaw

¹²⁹ Ibid., pp. 232-233.

¹³⁰ Samuel Auguste André David Tissot, *Avis au peuple*, 2nd ed., Lyon, Chez Jean-Marie Bruyset et Benoit Duplian, vol. 2, 1763, p. 667. 'Il me reste à parler d'un fléau, qui fait plus de ravages, que tous les maux que j'ai décrits, et qui, tant qu'il subsistera, rendra inutiles toutes les précautions qu'on prendra pour la conservation du peuple; ce sont les Charlatans. J'en distinguerai de deux especes; les Charlatans passants, et ces faux Médecins de villages, tant mâles que femelles, connus dans ce pays sous le nom de *Maîges*, et qui le dépeuplent sourdement.'

¹³¹ Ibid., pp. 667-695. There was concern in eighteenth-century France that depopulation would have a deleterious effect on the state's productivity

their activities.¹³² Not that they succeeded in ridding Paris let alone the rest of France, of these characters. Typically the charlatan was portrayed as a showman, touting his wares or services to a gullible public. The learned physician was inclined to label any service provider of whom he disapproved, as a charlatan. The charlatan was ostensibly a different character to the empiric.

It was not only in the large cities that charlatans came in for scathing criticism. Ramel, in a footnote following one of his consultations, gave the following description of a local charlatan:

[a] certain happy charlatan of that province, who on affecting to open in his granary lots of donkeys, dogs and cats, who on showing to the women some illuminated anatomical figures has achieved over time a great reputation; had made of cooked bread a universal panacea; he prescribed it for all chronic illnesses. He has retained the nickname of Doctor of the cooked breads. It is therefore from the circumstances where that bread soup may be useful as a blood thickener. But it soon fattens and engulfs the weak and feeble stomachs and moreover we have an infinity of blood thickening agents more powerful which are known to all physicians. This happy charlatan, who has sent to lots of great physicians of Europe some livers, some hearts, and other innards prepared in this way; that these physicians have never seen and never heard of, promise after more than 20 years a book on fine anatomy. I believe that he will never give anything to the public. Called one day in the country by someone suffering the phthisis of the third degree he prescribed for him a marrow tisane and some marrow soup.¹³³

¹³² Pearl Kibre, 'The Faculty of Medicine at Paris, Charlatanism, and Unlicensed Medical Practices in the Late Middle Ages', *Bulletin of the History of Medicine*, vol. 27, no. 1, Jan.-Feb., 1953, pp. 1-20. This is quite different to Italian practice, where charlatans were licensed. See David Gentilcore, *Medical Charlatanism in Early Modern Italy*, Oxford, Oxford University Press, 2006.

¹³³ M.F.B.Ramel, le fils, *Consultations médicales et mémoire sur l'air de Gemenos*, La Haye, Chez les libraires associés, 1785, pp. 270-271. 'Certain Charlatan heureux de cette Province, qui en affectant d'ouvrir dans l'on grenier beaucoup d'ânes, de chiens et de chats, qui en montrant aux Dames des figures anatomiques enluminées est parvenu à se faire pendant un temps une grande réputation, avoit fait du pain cuit une panacée universelle; il

Ramel's sarcasm is obvious and such detailed criticism is a rarity. The form of presentation suggests it was included as a warning to his readers rather than as a footnote to the actual consultation. The readership of his book is not known, but as was pointed out in the previous chapter, he promoted it to the young and inexperienced physician.

Notwithstanding the negative image of the charlatan and the empiric created by physicians and surgeons, it is obvious from the evidence of the letters that French people at large employed their services. The term charlatan was used by the physician to name almost any person offering cures other than himself. David Gentilcore has summed up the situation succinctly: 'When a physician labelled someone else a 'charlatan' he was saying as much about his view of self, and the prerogatives of the nascent profession to which he belonged - in a word, his identity - as about someone else.'¹³⁴ Whilst Gentilcore was concerned with charlatanism in Italy, this observation is equally valid in France. The activities of what physicians and surgeons considered to be interlopers, and dangerous ones at that, raised their ire yet patients continued to use their services. The patients were willing to move from one form of treatment to another. In March 1742, the surgeon M. Herauld (fl. 18th C.) wrote to Le Thieullier regarding a *Monsieur H ...* who was suffering from hydropsy and who had consulted with various physicians and surgeons: 'The patient disheartened by the little success, that he owed only to his bad management, decided eventually in favour of a Charlatan, and I withdrew for the time being. But recognising his haste he asked me to come back.'¹³⁵ But whose decision it was to seek the opinion of Le Thieullier

l'ordonnoit dans toutes les maladies chroniques. Il a retenu le sobriquet de Médecin aux pains cuits. Il est toutefois des circonstances où cette soupe au pain peut être utile comme incrassante. Mais elle empâte et englue bientôt les estomacs foibles et débiles; et d'ailleurs nous avons une infinité d'incrassans plus puissans qui font connus de tous les Médecins. Ce Charlatan heureux, qui a envoyé à plusieurs grands Médecins de l'Europe des foies, des coeurs, et d'autres visceres préparés de façon; que ces Médecins n'y ont rien vu et rien entendu, promet depuis plus de vingt ans un ouvrage sur la fine anatomie. Je crois qu'il ne donnera jamais rien au public. Appelle un jour dans ce pays auprès d'un pthysique au troisieme degré, il lui ordonna une tisane de courge et des soupes de courge.

¹³⁴ Gentilcore, p. 59.

¹³⁵ Le Thieullier, vol. 2, pp. 485. 'Le malade rebuté de peu de succès qu'il ne devoit qu'à son mauvais conduite, se détermina enfin en faveur de un Charlatan et je me reterai aussi-tôt pour quelque tems. Mais reconnoissant son égarement il me pria de revenir.'

is unknown. Perhaps, in view of what had gone before, Herauld made that decision, rather than get involved in any further conflict. This case exemplifies the point that patient decisions on choice of provider were not inhibited by regulations; recovery of their health was the prime driver.

Switching from provider to provider in search of a cure is demonstrated, perhaps *in extremis*, by a 'Madame la Comtesse' who in 1719 contracted *la vérole* from her husband.¹³⁶ She was successively treated by a country surgeon, experienced physicians in London, a Dr Radcliffe (probably the famous society practitioner John Radcliffe (1652-1714) and probably also in London), another surgeon and then a charlatan. In 1725 she journeyed to Leiden and was seen by the famous Dutch physician Herman Boerhaave (1668-1736), the next year Pierre Chirac provided a consultation from Paris and in 1727 Antoine Deidier was advising her from Montpellier. In this saga reported by Deidier, she was advised by five physicians, two surgeons and a charlatan over an eight-year-period. There may have been more that Deidier did not know of or record. The choice of which of any, or several, of the alternative suppliers, was of course in the hands of the patients, and they were almost certainly unconcerned with legalities or 'professional' claims to authority.

Physicians were not the only ones to have their diagnoses questioned. A male patient when writing to Antoine Deidier advised that en-route to Flanders he had called on a 'famous empiric' in Paris, M. Vinache, and also a famous surgeon at Douay. The surgeon had assured him the spots he had were not venereal, but Deidier was far from sure and, concerned that he might have a venereal disease, pointed out that the remedy given him by the empiric might ease the illness without destroying the cause and the condition might come back.¹³⁷ Evidently the patient saw little wrong in telling the consultant that they had engaged the services of practitioners other than the learned physician.

¹³⁶ Deidier, vol. 1, pp. 201-236.

¹³⁷ *Consultations choisies*, vol. 6, pp. 94-98.

One final fringe operator is to be considered, the urinoscopist. The practice of diagnosis by examination of a patient's urine, urinoscopy, had been a regular feature of medical practice since Greek times.¹³⁸ It was a method which, used as an end in itself, had not vanished in the eighteenth century, and the letters of the *médecins ordinaires* frequently made comment on a patient's urine as a part of the information supplied to a consultant.¹³⁹ Michael Stolberg has argued that this diagnostic tool lost favour with learned physicians from the sixteenth century onwards, but remained in favour with patients.¹⁴⁰ As late as 1821 a Parisian, M. Carré, who described himself as a *médecin consultant et Maître en Chirurgie*, was advertising consultations by the inspection of urine samples without needing to see the patient. He used the handbills promoting his service as pro-forma for his handwritten diagnoses.¹⁴¹

In summary physicians and surgeons denigrated empirics and charlatans alike, but the evidence of the letters suggest that patients, including the elite and with access to physicians, continued to consult them. The learned physician might rationalise his medicaments, but distinction between his therapeutics and those of the empiric was at best blurred.

The cost of medical treatment

The sources provide little direct evidence of what the medical services cost or how they were paid for but some clues can be gleaned, which supplemented by other sources, allows some idea of the cost of advice to be estimated. In 1742 a patient wrote from Bordeaux of his condition seeking

¹³⁸ See French, *Medicine Before Science*, p. 73.

¹³⁹ Matthew Ramsey has contended that 'every region of France at the end of the old regime had its network of urinoscopists. Ramsey, *Professional and Popular*, p. 190. Jean Davach de la Rivière's *Le Mirroir des Urines par l'inspection desquelles on connoît les différens temperamens, les humeurs dominantes, les sièges et les causes des maladies*, Paris, chez Laurent, chez D'Houry, 1763 ran to at least six editions in French. This work gave detailed how to interpret urine samples.

¹⁴⁰ Michael Stolberg, 'The Decline of Uroscopy in Early Modern Medicine (1500-1650)', *Early Science and Medicine*, vol. 12, no. 3, 2007, p. 36

¹⁴¹ Bibliothèque Municipale de Carpentras-Inguimbertaine, MS 1163. *Mélanges de matières médicales, consultations médicales, ordonnance parmi lesquelles figurent les noms des docteurs Calvet, Pamard, Chauffard, Biscarrat, etc.* No indication is given of the cost of these consultations.

the advice of Honoré Petiot at Montpellier who he described as ‘my old friend’.¹⁴² The patient declared that he had great confidence in his own surgeon, who had sold him some pills for three *louis d’ors* (72 *livres*), and given him a variety of other treatments. He related that a merchant had offered to cure him for 800 *livres* and he asked if this was *bon marché*.¹⁴³ His physicians had told him the man was an ignorant charlatan. The response from physicians Petiot and Antoine Fizes and the surgeon Charles Serane diagnosed *gonorrhée virulente* but they made no direct answer to his question as to whether the merchant’s offer was a good deal. Indeed, they made no comment at all on the use of empirics. The patient had also asked if he should go to Montpellier, to which the response was they would make no comment, it was up to the patient to decide whether to do so, or put himself in the hands of ‘a skilled physician in the town or somewhere else, who might choose for him a good surgeon.’¹⁴⁴ This is a curious response given that the patient regarded Petiot as a good friend and for the consultants to pass up an opportunity to make another paying consultation. It was even more remarkable that they should suggest a surgeon.

Whether consulting physician or charlatan, all the providers of advice or product had to make a living. The majority of the consultations employed in this thesis involved highly-trained and experienced individuals. Irrespective of fees they obtained through their various positions, the written consultation had the potential to provide a lucrative income stream. Payments for all consultations, whether by visit or letter, could however be erratic. One patient’s letter to Ramel included the comment, ‘[y]ou will receive with this letter your fees for the consultation that we are waiting for’.¹⁴⁵ Laurence Brockliss said that Esprit-Claude-François Calvet expected payment to accompany a request for a consultation.¹⁴⁶ Despite this, Brockliss has indicated that Calvet claimed quite large outstanding debts for

¹⁴² *Consultations choisies*, vol. 10, pp. 202-210.

¹⁴³ *Ibid.*, p. 205. ‘mon ancien ami’.

¹⁴⁴ *Ibid.*, p. 205, ‘un habile Médecin dans la ville, ou ailleurs, qui lui choisissè un bon Chirurgien.’ p.206.

¹⁴⁵ Ramel, p. 239. ‘Vous recevrez avec cette lettre vos honoraires pour la Consultation que nous attendons.’

¹⁴⁶ Laurence Brockliss, *Calvet’s Web; Enlightenment and the Republic of Letters in Eighteenth-Century France*, Oxford, Oxford University Press, 2002, p. 178.

his services after patients had died, some of which no doubt related to written consultations.¹⁴⁷ Members of the corps of university medical professors may have lacked somewhat in social status, but compared with their equivalents in other faculties, financially they did not fare badly.¹⁴⁸ Income data for surgeons is more difficult to uncover.¹⁴⁹ Brockliss and Jones have indicated that in rural areas surgeons' fees were low, whereas in larger cities they could be substantial.¹⁵⁰ Louis Dulieu noted that the town of Montpellier paid the sum of 8000 *livres* for the four chairs at the *Collège royal de chirurgie* on its foundation in 1741 because of the benefit it brought to Montpellier.¹⁵¹ How much of this was to go directly to the chair-holders is not stated. Nonetheless, professors were paid a salary and any consulting fees they obtained were additional income such that in total they were by no means impoverished.

¹⁴⁷ Ibid., p. 178.

¹⁴⁸ The faculty in Montpellier almost certainly enjoyed a higher status in that city than their counterparts in Paris. The importance of the school of medicine to Montpellier was well recognised. The university professor was not particularly well paid for holding his faculty position; according to Louis Dulieu the professorial stipend, *le salaire fixée*, in the eighteenth century at Montpellier was 600 *livres* per annum a figure that had stood since 1609. This however was not the whole story. By the eighteenth century, in addition to the fixed salary there could be a proportion paid by the students termed *le casuel*. In addition to *la salaire fixe*, by 1789 there was a further 2400 *livres* coming from students, given a total of 3000 *livres* per annum. A professor in the faculty of law at Montpellier could earn in the same year 1650 *livres* (850 *fixe* et 800 *casuel*), and in theology, where no *casuel* was forthcoming, the fixed *salaire* was 1000 *livres*. Roger Chartier *et al* have shown that a professor in the Paris faculty of arts received 2200-2400 *livres*, and in law, 7000-7800 *livres* (1000-1800 *fixe* et 6000 *casuel*) but do not provide a figure for the faculty of medicine. Roger Chartier, Dominique Julia et Marie-Madeleine Compère, *L'Éducation en France du XVI^e au XVIII^e siècle*, Paris, Société d'édition d'enseignement supérieur, 1976 pp. 256-260. Morrisson and Snyder have pointed out the lack of hard information for incomes in eighteenth-century France. Utilising the data they elicited that the average income for the groups which would include physicians to be in a range of 6352-7241 *livres* per annum, but as they point out, within the groups involved, nobles, clergy and bourgeois, there was huge variation. Christian Morrisson and Wayne Snyder, 'The Income Inequality of France in Historical Perspective', *European Review of Economic History*, vol. 4, no.1, 2000, p. 59-83. It is perhaps pertinent to note David Sturdy's observation that Etienne-François Geoffroy was unlikely to make as much money at the Paris Faculty when he abandoned his family's business as apothecaries to pursue a career in medicine. David Sturdy, *Science and Social Status; the Members of the Académie des sciences, 1660-1750*, Woodbridge, The Boydell Press, 1995, p. 329.

¹⁴⁹ Alison Lingo has provided some data on surgeons' incomes in the sixteenth century. Alison Lingo, *The Rise of Medical Practitioners in Sixteenth-century France: the Case of Lyons and Montpellier*, Ph. D. thesis, University of California, Berkeley, 1980. The crown first created an official position for a surgeon at Montpellier in 1574, *dissecteur anomatiste royale*, at a salary of 150 *livres*, half that of a physician's stipend. See Alison Lingo, *The Rise of Medical Practitioners*, p. 87.

¹⁵⁰ Brockliss and Jones, pp. 534-548.

¹⁵¹ Dulieu, *La Chirurgie à Montpellier*, p. 111. It appears, but is not spelt out by Dulieu, that this was an annual sum, not a once off payment. According to Alison Lingo, the first Montpellier official university position for a surgeon was made in 1595, at a salary of 200 *ecu* (67 *livres*) per annum. Alison Lingo, *The Rise of Medical Practitioners*, p. 87, note 19.

Whichever sort of health provider was involved, there was an expectation that the service provided would be exchanged for financial reward; they would be paid. Only a single case has been encountered suggesting payment only for success.¹⁵² The correspondence generally does not inform us about how payment was made; however one of Le Thieullier's patients ended his *mémoire* with the following note:

I ask you the favour of instructing me what you will have paid out for me for the advice of Messieurs your colleagues that you will have chosen, I will hand it over here to Madame de ... with the payment for the advice that you would like combined.¹⁵³

The man was clearly wishing to settle any debts incurred. Le Thieullier's response did not address this matter so presumably he was satisfied with the proposed arrangement.

The dispute between Tobias Smollett and Antoine Fizes was mentioned in the introduction to this thesis. Apart from disagreeing over diagnosis and proposed treatment, there was also, as far as Smollett was concerned, an issue in relation to the money Fizes took for his services.¹⁵⁴ In relating the story, Smollett stated exactly how much money changed hands and considered Fizes as having overcharged. Were the fees really extortionate? Smollett sent Fizes a 'louis d'or' (24 *livres*), which Fizes accepted. When Smollett demanded a review of the consultation he sent a further 12 *livres*, which again Fizes kept, and offered no change, much to Smollett's annoyance. Smollett had practised medicine in London and at that time, an ordinary physician in England charged the equivalent sum of 7 *livres*

¹⁵² *Consultations choisies*, vol. 10, p141. 'A la fin de ma guérison ... j'aurai l'honneur de vous remercier, et de vous satisfaire'. 'At the end of my recovery I will have the honour of thanking you and of satisfying you'

¹⁵³ Le Thieullier, vol. 2, p. 296. 'Je vous demande la grace de m'instruire de ce que vous aurez déboursé pour moi pour l'avis de Messieurs vos Confreres que vous aurez choisis, je le remettrai ici à Madame de ... avec le payement de l'avis que vous voudriez bien y joindre.'

¹⁵⁴ Tobias Smollett, *Travels through France and Italy*, 1766, World Classics Edition, Frank Felsenstein (ed.), Oxford, Oxford University Press, 1981, p. 101.

for a home visit. Lisa Smith stated that the eminent London physician Sir Hans Sloane charged the English equivalent of 14 *livres* per letter.¹⁵⁵ It would appear that Fizes opportunistically pocketed what, perhaps naively, Smollett, had proffered, a sum that was considerably more than what might have been regarded as a 'standard fee'.

Records of disputes over fees are rarely encountered. However, in 1717 the Nîmes Corporation of Physicians discussed a case where a patient was refusing to pay all that he had been charged.¹⁵⁶ Whilst not disputing that the physician had visited him and prescribed treatment, the physician had followed this up with a written consultation, which the patient refused to pay for as he had recovered by the time he received it. The final outcome of the dispute is not recorded.

The Nîmes Corporation set out a schedule of fees which included consulting by letter.¹⁵⁷ In 1754 the charge was 9 *livres*, falling to 6 *livres* in 1760, which was nearly five times the cost of a visit by a physician. Nîmes is not far from Montpellier, and whilst Fizes might have been able to charge a premium because of his status, one cannot but wonder why Smollett sent so much money in the first place, the payment apparently having been made at Smollett's initiative, not on demand from Fizes. Would Smollett have known local fees? As noted in chapter one, Smollett had already consulted Thomas Fitz-Maurice in Montpellier before writing to Fizes from whom he would have gained some knowledge of local fees.¹⁵⁸ It should perhaps be added that throughout his time in France, Smollett believed he was being fleeced by all and sundry.

¹⁵⁵ Lisa Smith, 'Reassessing the Role of the Family: Women's Medical Care in Eighteenth-century England', *History of Medicine, The Journal of the Society for the Social History of Medicine*, vol. 16, 2003, p. 332. Conversion rates are based on *The Marteau Early 18th - Century Currency Convertor*, www.pierre-marteau.com/currency/convertor.html

¹⁵⁶ Bibliothèque municipale de Nîmes Carré d'Art, MS 425, *Registre des délibérations du corps des médecins de Nîmes, de 1650 à 1792*, folios 35-36.

¹⁵⁷ *Ibid.*, MS 425, folios 88-89, 94.

¹⁵⁸ According to Laurence Brockliss, the French charged substantially less than their English counterparts. Brockliss, *Calvet's Web*, p. 178.

An indication of medical fees in Paris can be gained through a 1771 letter by Guillaume-François Laënnec (1748-1822). As noted in the introduction, he suffered diarrhoea for three months whilst a student at the Paris School of Medicine and wrote to his father telling him that this had cost him in all, including six visits by his physician, eighteen *livres*.¹⁵⁹ Laënnec did not elaborate as to how much of this was for consultations, and how much might have been included for medication. Whilst these were house-calls, not written consultations, they indicate the sums a Parisian physician charged. A specific sum for sub-contracted payment was mentioned by Bordeu when in a letter he remarked that he had received 'one *louis* and ten *ecus* to pay the doctors I had to consult to provide the consultation for his patient M. Classun.'¹⁶⁰ The Nîmes fee schedule referred to earlier set down the charges to be made when more than one physician was engaged, and as has been shown throughout this thesis, it was common for several individuals to be involved in writing a consultation.¹⁶¹ In addition of course there was the cost of prescribed medicaments which is not directly referred to in the correspondence.¹⁶²

The few figures available indicate that fees charged by physicians for written consultations were fairly consistent. By comparison the charges that charlatans were quoting appear extortionate. If one takes the Nîmes fees as a yardstick, the charges by charlatans quoted above were from six to ninety times higher and probably payment would have been demanded on delivery of the 'cure'. The sole piece of evidence referred to earlier that empirics gave written consultations indicates fees were similar to those charged by

¹⁵⁹ Guillaume-François Laënnec, *Lettres*, cited in Alfred Rouxeau, *Un Étudiant en médecine quimperrois (Guillaume-François Laënnec), aux derniers jours de l'ancien régime (Quimper-Paris-Montpellier-Londres, 1768-1774)*, Nantes, n.p., 1926, pp. 56-57. Whether that charge included the cost of medication is not stated.

¹⁶⁰ Bordeu, *Correspondance*, vol. 1, p. 171.

¹⁶¹ Bibliothèque municipale de Nîmes-Carré d'Art, MS 425, folios 88-89, and 94. *Registre des délibérations du corps des médecins de Nîmes, de 1650 à 1792*. Schedule of fees of the Nîmes Corporation of Physicians In the 1754 schedule the charge for consulting by letter was 9 *livres*. No charge was specified for additional physicians for this service, but there was a charge of 6 *livres* for consulting with colleagues when present. It is difficult to imagine that some fee wasn't incurred even when they giving a written opinion. Bibliothèque municipale de Nîmes, MS 425, folios 88-89, 94.

¹⁶² Louis Daniel Arnaud de Nobleville, *Le Manuel des dames de charité ou formules de medicaments faciles a preparer*, 5^{ème} ed., Paris, chez Debure l'aîné, 1765, pp. xxxii –xlvi. This provided a list of prices for various medications which were presumably their costs in Paris.

physicians.¹⁶³ As Matthew Ramsey has pointed out when discussing empiricism, 'it is not enough to dismiss it as one more manifestation of human irrationality, or of the eternal commerce of knaves and fools.'¹⁶⁴ Cost may not have been a patient's primary concern, but financial reward was undoubtedly a major consideration for the supplier.

The variety of practitioners competing for the health *livre* in early modern France gave choice to the sick. Even though the data available on the money spent on health is slim, there is sufficient to show that patients were not reluctant to open their purses in the pursuit of improved health.

Although most of the scholarly research has been on physicians as the key practitioners engaging in medicine through epistolary consultations, the letters provide an opportunity to see a much broader medical world at work behind them. There were surgeons who were also consulting through letters but also a series of other practitioners whose activities come into focus through the correspondence as they are referenced by patients. Beneath the surgeons the apothecaries and midwives had a recognised role in the medical market-place although their presence within the letters is small.

The surgeon makes appearances in epistolary consultations in various roles; most significantly for this thesis, they engaged in consulting by letter on their own account. In some cases this was to do with patient ailments or injuries which fell within their expected sphere of influence, but in others they clearly entered the areas which many eighteenth-century French physicians saw as their business alone. In this the surgeons demonstrated a willingness to challenge the status quo of professional separation. From a practical point of view, for patients and their local advisers, access to such expertise must have been seen as a benefit by providing another opportunity for improvement in health that was not otherwise being achieved. One thing

¹⁶³ Arnoult's antiapopleptic sachets referred to were very profitable. In the period 12 August 1897 to 1 August 1780, 1097 sachets were sold at 12 livres each for a net profit of 9173 livres, that is, 8 livres 4 sols per sachet. See Drouas, p. 426.

¹⁶⁴ Ramsey, *Professional and Popular Medicine*, p. 10.

the correspondence shows is that surgeons did not take their knives to the patients unless there was no alternative, contrary to the contentions of their physician opponents. The role of apothecaries was rarely mentioned in the correspondence, despite their importance in the overall medical scene. The midwife similarly received little mention, despite surgeons becoming increasingly involved in midwifery and associated health problems from the second half of the seventeenth century onwards.

The empiric and the charlatan were mentioned in many consultations, invariably in a disparaging way. Yet some physicians through their commercial promotion of proprietary compounds came perilously close to falling within the same category as the empiric. The letters of commendation for Monsieur Arnault's anti-apoplexy sachets no doubt were published as a promotional exercise; that does not however mean that the product was necessarily any less efficacious than the medications prescribed by the regular physicians, at least in the view of the patients. With patients willing to use a diversity of medical advisers, the learned physician had only a tenuous hold on his privileged position at the apex of medical practice. Historians in the past have tended to emphasise the disagreements and rigid theoretical separation between different genres of medical practice (particularly between physicians and surgeons); whereas the letters studied here show that in practice their roles and relationships were much more overlapping and intertwined.

Having now demonstrated just how dynamic the medical marketplace was in which patients chose their service providers, it is now necessary to consider in the next chapter how operators and patients were bound in a complex web of relationships and hierarchies. In the milieu there were for practitioners their colleagues and competitors, and for patients their families and associates all competing for space in the process of giving and obtaining medical advice.

RELATIONSHIPS BETWEEN MEDICAL CORRESPONDENTS

This chapter examines what kind of relationships between patients and their medical advisers are expressed and revealed in epistolary consultations. What was the nature of these relationships? Was the *ordinaire* writing without the knowledge of the patient? On the other hand, is there evidence of patients losing confidence in the local adviser and seeking advice from a consultant independently? What can such correspondence inform us of these relationships, even some which involved individuals beyond the immediate correspondents of the letters?

The relationship between patient and practitioner took place in a social setting; patients for the most part were not acting in isolation. Many were a part of a family, which might include husband, wife and children involved in the health decision processes or who were affected by the outcomes of recovery or failing health. Hereditary disease was an area of particular concern with respect to families that appears periodically in the correspondence and will be explored here. Those affected by an individual's illness, even more so if death eventuated, could be many more than those immediate relatives; also including other members of the household, related or not; and individuals from the greater family network. The intervention by these third parties could take place at any stage of the consultation process, even before one was sought, and this chapter examines the evidence for such practices. It is through family intervention that the views of those other than patients can to a small degree be uncovered

Moreover, were there complications created by the influence of third parties; the involvement of family members, for instance, or the intercalation of the *ordinaire*? An unknown is whether the patient saw the letters written to consultants on their behalf. It has to be considered unlikely that this would have occurred when the *ordinaire* was criticising his patient.

After all, the consultant could well have single correspondence with the patient, but the relationship between patient and *ordinaire* was an ongoing one; at least that was the expectation of the consultant. What evidence is there of the influence of these other stakeholders with respect to the consultants and the patients at the time of seeking advice and in the implementation of recommended treatment?

Finally, the complex interplay of all these issues is examined in the circumstance of consultations for cases of venereal diseases for which particular care and delicacy in correspondence could be required. In addition there were third parties involved too – wives, children, wet-nurses, and this chapter explores the issues of those wider relationships revealed by these letters. Gonorrhoea and syphilis were common in the period and there are significant numbers of relevant consultations through which to explore these issues.

To understand the interrelationships involved in medical treatment by correspondence demands that historians analyse medical history from a wider perspective than simply that of the physician. In 1985 Roy Porter put out a plea for historians to consider medical practice from the patient's point of view rather than simply what had, at least until the early 1980s, been seen largely through the prism of the physician's perspective.¹ Twelve years later he was still lamenting that 'the sufferer's point of view in the history of healing—in both its social and cognitive dimensions—has been routinely ignored'.² Porter's focus was still on the patient, valid in itself, but it did not envisage the inclusion of family and other social contacts of the patient which are essential to a study such as this. Since then that call has been answered by some historians directly and obliquely, in some instances utilising the evidence provided by consulting letters.

¹ Roy Porter, 'The Patient's View: Doing Medicine from Below', *Theory and Society*, vol.14, no.3, 1985, pp.175-198. Nonetheless, Porter has also pointed out that often the 'anti-history of medicine has paradoxically only confirmed that the history of medicine is about doctors, what they know, what they do', p. 181.

² Roy Porter, *The Greatest Benefit of Mankind: A Medical History of Humanity from Antiquity to the Present*, London, Harper Collins, 1997.

Historians have made various uses of letters which have emphasised the perspective of the patient. Laurence Brockliss who used patient-physician correspondence to reconstruct the medical practice of Paris physician Etienne-François Geoffroy noted that some patients used family, friends or even outsiders to seek advice.³ Micheline Louis-Courvoisier and Séverine Pilloud, in examining patient letters sent to Swiss physician Samuel Tissot, stressed the complexities generated by illness, which affected not just the patients but those around them.⁴ Lisa Smith has drawn into the medical equation the influence of the family when choices had to be made on the provision of medical care.⁵ She has contended that medical consultations in eighteenth-century England were not simply patient-doctor relationships but family members, particularly women, played a role in medical decision making. In her analysis of the letters of Etienne-François Geoffroy she found that 58% of letters written to him by women were on behalf of others than themselves.⁶ This thesis is an opportunity to explore parallels to Smith's analysis with a wider scope in terms of breadth of source material, French geographical spread and through drawing on a much larger number of medical practitioners than she considered.

Thus the patient's role in medicine has been brought further to the front of historical analysis, notwithstanding the limited amount of archival material compared with that available for examining the perspective of the medical professional. The *mémoires* from patients or their local practitioners account for 40% of the correspondence. The relationships

³ Laurence Brockliss, 'Consultation by Letter in Early Eighteenth-century France: the Medical Practice of Etienne-François Geoffroy', in Ann La Berge and Mordechai Feingold (eds), *French Medical Culture in the Nineteenth Century*, Amsterdam, Rodopi, 1994, p. 89.

⁴ Micheline Louis-Courvoisier and Séverine Pilloud, 'Consulting by Letter in the Eighteenth Century; Mediating the Patient's View?', in Willem de Blécourt and Conelie Usborne (eds), *Cultural Approaches to the History of Medicine; Mediating Medicine in Early Modern and Modern Europe*, Basingstoke, Palgrave, Macmillan, 2004, pp. 71-87.

⁵ Lisa Smith, 'Reassessing the Role of the Family: Women's Medical Care in Eighteenth-century England', *Social History of Medicine, The Journal of the Society for the Social History of Medicine*, vol. 16, 2003, pp. 327-342. She based most of her study on the letters received by Sir Hans Sloane [British Library Sloane, BLSL, MSS 4034, 4036-4069, 4075-4079.] and looked mainly at the intervention of husbands into wives' ailments, and women's interventions on their own behalf.

⁶ Lisa Smith, *Women's Health Care in England and France (1650-1755)*, University of Essex, Ph. D. thesis, 2001, p. 137.

considered in this chapter can be broadly divided into issues within the family; between family or patient and the *ordinaire*; patient to consultant, and between *ordinaire* and consultant.

Clearly each of these could have involved some degree of negotiation; the difficulty is to discern it taking place given the nature of the correspondence, particularly as the vast majority involve just a *mémoire* and a consultant's reply rather than a continuing correspondence. Occasionally these documents themselves indicate that other letters have passed between the parties that can give clues to issues of difference, and there are a few examples of ongoing discussion over diagnosis and treatment.

Family involvement in medical correspondence

Family members became involved directly and indirectly in the patient-practitioner dialogue. Husbands and wives could write on behalf of each other, either might write concerning a child. Siblings and more distant relatives could play a part in calling for medical advice. Did these individuals intervene with the 'medical process', potentially raising ethical issues for the practitioner in a period when such matters were not codified as they are today? Micheline Louis-Courvoisier has cited examples of doctors being pressured to reveal matters of family health to second parties during the eighteenth century.⁷ The material examined does not lend itself directly to the interesting issue of medical ethics. The sole possible exception concerned an accusation by an *ordinaire* of poisoning discussed shortly.

Where the sick person was a child, parental initiation of *mémoires* or intervention is evident although what defined an infant or a child is unclear.⁸ Isabelle Robin-Romero's analysis on children's illnesses

⁷ Micheline Louis-Courvoisier, 'Que faut-il ne pas dire à qui? Le secret médical au XVIII^e siècle', *Revue médicale Suisse*, no.141, 2008, pp. 242-246.

⁸ In a case to be considered in detail shortly, Louis-Jean-Baptiste le Thieullier refers to a thirteen-year old boy as an infant.

concerned the offspring of the French aristocracy.⁹ She has contended that mothers, though they might be attentive and scrupulous in their attention to a child's health, were not preoccupied with it except when a physician was present.¹⁰ Whilst she refers to *mémoires consultés*, she does not specifically reference them or indicate if they were 'distance consultations', or written reports resulting from face-to-face consultations. Her focus is particularly on children's pain and parents' responses to such pain. In Laurence Brockliss' analysis of the Geoffroy correspondence he observed that 'hardly any were demanded for children.'¹¹ The sources examined here present a somewhat different picture where approximately 5% of the consultations were for children. The definition for a child for the purposes of this number has been if the *mémoire* or consultation referred to the patient as such, and where the description given demonstrated that the patient had not reached puberty. Bearing in mind that the childhood infectious disease such as measles and whooping cough are not represented in the sources examined, the role mothers played in dealing with sick children is usually found in *mémoires* written by *ordinaires*, in which chronic ailments, not infectious diseases, were addressed. A *médecin ordinaire* after he had seen a sixteen-year-old female patient wrote in 1741 to Montpellier at the request of her mother.¹² The young woman, in Marseilles, was suffering from bleeding gums, bad teeth, bad breath and red blotches on different parts of her body. The girl's mother advised him that she had suffered painful teeth and delicate gums in her infancy. In response to the local physician's enquiry as to whether the young lady had ever had any white or yellowish patches, the mother replied she had paid no attention to it, but had noticed some small dark

⁹ Isabelle Robin-Romero, 'L'Enfant malade dans les écrits privées du XVIII^e siècle', *Histoire économie et société*, vol. a2, no. 4, 2003, pp. 469-486. The majority of the cases considered by Robin-Romero are late eighteenth- or early nineteenth-century, but there is no reason to believe that parental behaviour would be substantially different in the earlier part of the eighteenth century. Much of her study is concerned with acute ailments such as measles, rubella, and particularly small-pox.

¹⁰ *Ibid.*, p. 472.

¹¹ Laurence Brockliss, 'Consultations by Letter in Early Eighteenth-century Paris: The Medical Practice of Etienne-François Geoffroy', in Ann La Berge and Mordechai Feingold (eds), *French Medical Culture in the Nineteenth Century*, Amsterdam, Rodopi, 1994, p. 85.

¹² *Consultations choisies, de plusieurs médecins célèbres de l'Université de Montpellier sur des maladies aiguës et chroniques*, Paris, Durand et Pissot, vol.10, 1755, pp. 191-201.

marks on her legs. The *médecin ordinaire* was reluctant to commence any treatment without taking advice. When an individual ceased to be regarded as a child and instead as an adolescent was probably defined by puberty. However, as these cases reveal, parental control over girls' bodies remained firmly in place when this stage was reached. This may have been related to maintaining their health to the point of marriage.

In a letter to Louis-Jean-Baptiste le Thieullier a father complained that the local surgeons treating his son were giving different diagnoses and recommending different treatments.¹³ Nine months later he wrote to Le Thieullier again once more complaining about his surgeon, and this time disputing Le Thieullier's diagnosis. This particular case impinges on the issue of authority and is considered in greater detail in the following chapter, but it shows an active participation in the boy's medical welfare by his father. It also demonstrates how relationships could become strained between families and practitioners.

Both parents became involved in a 1746 case of a sixteen-year old girl with what was diagnosed as a defective digestion.¹⁴ The *mémoire* came from a Toulouse *médecin ordinaire*, who had clearly discussed the girl's health in detail with both the father and the mother, particularly her eating habits and menstrual regularity. The case is described by the consultants as *pâles couleurs*. Much of the resulting consultation, by three Montpellier professors, was concerned with advice regarding the girl's diet, aimed at increasing her weight. The *médecin ordinaire* had made a point of stating in the *mémoire* that he had interrogated both parents on the patient's eating habits, implying that perhaps the whole story would not have been obtained from just one of them. *Pâles couleurs* was a term used for the condition also known as chlorosis which was well-known in the

¹³ Louis-Jean-Baptiste le Thieullier, *Consultations de médecine*, Paris, Charles Osmont, 1739, vol. 2, pp. 285-291. See chapter 4, p.14.

¹⁴ *Consultations choisies*, vol. 10, pp. 1-12. At p. 4 ' tous les accidens sont absolument le vice des digestions.'

eighteenth century.¹⁵ It is perhaps surprising then that it is rarely encountered in the sources examined for this thesis.

All three cases involving these young people seem to indicate that their bodies were the 'property' of the parents, to examine, discuss, control and treat. There is little sense that the patients themselves had any bodily privacy. Where children are concerned, even when we dealing with those of adolescent years. The *ordinaire* would describe things he had discussed with the parents, but dialogue with the child is never described. Parents address their children's ailments in the correspondence in a factual manner, with little evidence of parental affection.

The broader family could also influence the consulting process. A Dr Mery (fl. 18th C.) wrote to Parisian physician Le Thieullier that he had received a letter from near relations regarding their father-in-law together with a report from one of their doctors, requesting a consultation from the faculty physicians.¹⁶ This is curious given that Mery, like Le Thieullier, was a *Docteur régent* at the Paris Faculty of Medicine. Perhaps Dr Mery was happy to pass it on, rather than risk family reprobation if a successful cure was not achieved. The patient had been suffering for eleven years from what Le Thieullier considered to be pleurisy, and although proposing treatment, he made no prognosis as it was so long-standing a condition. There is nothing in the correspondence to indicate to whom Le Thieullier sent his response. Mery's letter had opened and closed in familiar terms, which do not appear in Le Thieullier's letter. He did quote extensively in Latin from the medical texts, which suggests that it was probably directed to the patient's *ordinaire* rather than to Mery's family who had requested help in the first place. This also suggests that Le Thieullier was as disinclined to get involved with family matters as was Mery.

¹⁵ Robert James, *Dictionnaire médecinale universel de médecins – traduite de l'anglais par Mrs. Diderot, Brianson, Eidous et Toussaint*, Paris, David l'ainé, Durand, vol. 3, 1746, pp. 478-488. This included a lengthy entry on this disorder and noted that Hippocrates had written a treatise *de Virginium Morbis* on it. (James rejected Hippocrates' view that marriage was the cure for *Chlorosis*.)

¹⁶ Le Thieullier, vol. 2, pp. 229-241.

A less obvious aspect of family influence was that relationships could be an immediate cause of illness. In an instance of severe *mélancholie* the underlying cause was attributed to the death of a niece particularly near and dear to the patient.¹⁷ In a similar instance a *mademoiselle* had suffered melancholy for twelve years in 1741 brought about by the death of her father.¹⁸ The Aubagne physician M.B.F. Ramel wrote a consultation on a disorder he termed *mal du pay* [sic], for a young woman recently married.¹⁹ Her relocation from family and familiar surroundings were diagnosed as the cause of her unhappy condition. Ramel described this disorder as *singulier et rare*, aspects of which could become fatal, notwithstanding it being a form of *les vapeurs*.²⁰ What makes this consultation different to others was the intervention by the woman's mother in the form of a letter to Ramel, expressing her concern for her daughter's health. The key point of Ramel's response was that the mother 'must disguise [her] affection and neglect her up to a point, so that she can get over you and live with more pleasure beside her husband.'²¹ Ramel later reported that the patient had recovered and implied that his letter to the mother was influential in this outcome.

There could be a more sinister side to consultations involving family. A *médecin ordinaire* wrote a *mémoire* to physician Antoine Deidier concerning three sisters who he believed to have been poisoned. Two had died and the third was very ill; the three sisters were suspected as having been poisoned by their mother-in-law.²² He did not specify what he thought they had been poisoned with. In his response Deidier was cautious

¹⁷ Pierre Chirac et Jean Baptiste Silva, *Dissertations et consultations médicales*, Paris, Durand, 1744, vol. 2, p. 348.

¹⁸ Le Thieullier, *Consultations*, vol. 2, p. 385.

¹⁹ M.F.B. Ramel le fils, *Consultations médicales et mémoire sur l'air de Gemenos*, La Haye, chez les libraires associés, 1785, pp.25-32, For a full description of this disorder see *Encyclopédie méthodique, médecine, par une société de médecins*, 'NOY-PHT', Paris, Agasse, 1824, pp. 469-471.

²⁰ *Les vapeurs* was a term analogous to hypochondria. See chapter 6.

²¹ Ramel, pp. 34. 'vous devez lui déguiser votre tendresse et la négliger jusqu'à un certain point, pour qu'elle puisse se passer de vous et rester avec plus de plaisir auprès de son époux.'

²² Antoine Deidier, *Consultations et observations médicales de M. Antoine Deidier*, Paris, chez Jean-Thomas Hérissant, vol. 2, 1754, p. 462. 'furent soupçonnées d'avoir été empoisonnées par leur belle-mère.'

towards this suggestion although acknowledging that poisoning was involved:

It is very difficult, if not to say entirely impossible, to discover the nature of the poison which has produced and which maintains all the mishaps explained above; it is not even permitted, when one is summoned to justice for some connections to attribute the death to some type of given poison, at least that one has not found some very considerable integral part in the rest of the food that one has taken, or among the materials that one is finding in the stomach or the guts, because it can happen that some people are innocently poisoned on eating some bad herbs in salad or in soup, which carries with it poisonous qualities, that is to say, of which the most fine integral parts are engorging themselves constantly in the smallest lymphatic vessels, where they produce all the illness. This is nearly, in our opinion, of the same manner that would have been able to act here of the very fine particles of arsenic, accurately mixed with flour, or sugar, with which one had made bread or some cake.²³

Whilst the expectation appears to be that most consultations sent to *ordinaires* would be passed or read out to the patient, one doubts if this would have been the case in this instance.

In a delicate case concerning family, a consultation by surgeon Antoine Louis in 1772 involved a woman seeking annulment of her marriage in the ecclesiastical court on the grounds of non-consummation. The husband's impotence was spelled out in the report, and Louis would

²³ Ibid., pp. 466-475, 'Il est très-difficile, pour ne pas dire tout-à-fait impossible, de découvrir la nature du poison qui a produit et qui entretient tous les accidens ci-dessus expliqués; il n'est pas même permis, lorsqu'on est cité en justice pour des relations d'attribuer la mort à aucune espece de poison donné, à moins qu'on n'en trouve quelque parties intégrantes très-sensibles dans la reste des alimens qu'en pris, ou parmi les matieres qui se trouvant dans l'estomac ou dans les boyaux, parce qu'il peut arriver que des personnes s'empoisonnement innocemment en mangeant quelque mauvaise herbe en salade ou en potage, qui porte avec elle la qualité de poison, c'est-à-dire, dont les parties intégrantes les plus fines s'engagent constamment dans les plus petits vaisseaux lymphatiques, où elles produisent tout le mal. C'est à peu près à notre avis de la même façon qu'auroient pû agir ici des parties d'arsenic très-fines, ou de sucre, dont on auroit fait du pain, ou quelque gâteau.'

have been aware that his report would get a public airing. It would have resulted in the exposure of the patient's shortcomings in front of his wife, other men, probably other members of his family, and one can surmise, within his local community.²⁴ The common feature of these disparate examples is that they could involve sensitive issues for the patient or for a family member. The consultant had to respond according to the circumstances, a simple diagnosis and therapeutic recommendation did not suit all cases.

Finally friends too could become involved in seeking medical opinions from consultants, even if only on an informal basis. An example of using a third party who was a friend not a relative concerned a Madame de T..., whose husband had suffered an apoplexy.²⁵ Very distressed about her husband's condition, she wrote to a friend of her husband (M. B.L...):

because there are two points that cause me much worry; and although it is a little late to ask for advice on it, it will nevertheless be for other times [*incidents*] , and principally for the second time, which is the most essential, if you would be kind enough to speak to some skilled physician and reply to me.²⁶

She continued at length with a detailed description of the event and the subsequent steps taken to obtain relief for her husband, and what advice she had taken. Reading the account 250 years later, her distress still leaps off the page. Having been advised by a 'famous physician at Rochefort', a M. P ... that the waters of Vichy and Bourbon would help, the couple had taken some 20 days to get to Vichy from Paris, making small journeys at a time.²⁷ At Vichy she spoke with M. P..., 'who is the physician here, who has more reputation and the most experience on these sorts of things who

²⁴ The non-consummation of the marriage may have been public knowledge already.

²⁵ Le Thieullier, vol. 2, pp. 92-102.

²⁶ Ibid., p. 93, 'il y a deux points qui me donnent beaucoup d'inquiétude; et quoique soit un peu tard de demander avis là dessus, il sera pourtant encore tems, et principalement pour le seconde, qui est le plus essentiel, si vous voulez bien avoir bonté de parler à quelqu'habile Médecin et de me faire réponse.'

²⁷ Ibid., p. 94.

has said to me that there is nothing to fear.'²⁸ Evidently still unhappy, she asked the friend, 'I want the advice of some knowledgeable people'.²⁹ Her prime concern was her husband's well-being. Then after further discussion of the treatment received to date she returned to her own concerned state of mind:

You tell me perhaps that this must reassure me, and that I need to relate it to a man who has much experience in these matters ... But it is a thing of great consequence, and of too much interest for me not to seek to put my mind at rest, and I will [owe] you, Monsieur, an eternal obligation, if you can give me advice that reassures me ... I ask you to pardon me, Monsieur, that without having the honour of knowing you, I cause you this difficulty.³⁰

It is unclear who Monsieur B. L... was, but one can assume reasonably that she believed he had the right contacts in Paris to obtain help. Le Thieullier responded directly to her in a manner which can be described as 'professional' in the sense of addressing the medical issues, at the same time clearly expressing sympathy with her plight but also assuming that it was a part of her wifely duty:

[i]f one must always judge the danger of an illness by the gravity and duration of the symptoms, those of Monsieur de T..., must assuredly leave a lot of signs of consolation for Madame his wife, which she has without doubt regarded as important by her appropriate affection

²⁸ Ibid., p. 95. 'qui est le Médecin d'ici, qui a plus de réputation, et le plus de expérimenté sur ces sortes de chose qui m'a dit qu'il n'y avait rien à craindre.'

²⁹ Ibid., p. 95, 'je voudrais d'avoir l'avis de quelques personnes sçavantes.'

³⁰ Ibid., pp. 95-96, 'Vous me direz peut-être qui cela doit me rassurer, et qu'il faut s'en rapporter à un homme qui a beaucoup d'expérience sur ces matières-la. ... Mais la chose est d'une trop grande conséquence, et trop intéressante pour moi, pour ne pas chercher à me tranquilliser, et je vous aurais, Monsieur, une obligation éternelle, si vous pouvez me faire avoir un conseil qui ma rassure. ... Je vous demande bien des pardons, Monsieur, de ce que, sans avoir l'honneur d'être connue de vous, je vous cause cet embarras.'

for him ... and we owe as much to the truth, as to the sad situation of Madame de T.³¹

Clearly Madame de T... had taken it upon herself to seek the best of advice on behalf of her ailing husband, rather than going through a local physician or surgeon. Apparently the need for such advice over-rode any concerns she might have had over taking a health issue outside the family to a non-practitioner. In 1775 Madame de Maraise (b.1737) wrote to her friend and business associate Christophe-Philippe d'Oberkampf (1738-1815) in which she advised him that she had consulted with a M. Tenon regarding Oberkampf's health. She reported Tenon's advice to him:

I have sought advice from M. Tenon, [about] these pains in the abdomen that you have had. He has approved the treatment that you had taken, guessing that they were caused by wind, without predicting anything dangerous for the moment, [they] only having a temporary cause. He urges you however to follow without too much constraint, and not to the letter, the *régime* that he has advised for you, of which the most important is that you go easy, in order to get the greatest possible advantage of the good temperament that nature has given you.³²

It is evident that Tenon had already consulted with Oberkampf, but whether in writing is not stated. Tenon was most probably Jacques-René Tenon (1724-1816) the renowned Parisian surgeon. Without anything in writing from Tenon, it is a matter of conjecture whether he was really guessing the

³¹ Ibid., p. 97, 'Si l'on doit toujours juger du danger d'une maladie par les symptômes peu ou moins graves et par leur durée, celle de M. de T..., doit assurément laisser beaucoup de motifs de consolations à Madame son épouse, qui ne l'a sans doute regardée comme important que par sa juste tendresse pour lui ... et nous devons autant à la vérité qu'à la triste situation de Madame de T...'

³² Madame de Maraise, *Une femme d'affaires au XVIIIe siècle: la correspondance de Madame de Maraise, collaboratrice d'Oberkampf*, présentée par Serge Chassagne, Toulouse, Éditions Privat, 1981, p. 94. 'J'ai consulté à M. Tenon, ces douleurs de ventre que vous avez eues. Il a approuvé le traitement que vous aviez fait, a jugé qu'elles étaient causées par des vents, sans annoncer rien de dangereux pour la suite, n'ayant qu'une cause momentanée. Il vous exhorte cependant à suivre sans trop d'assujettissement, et non à la lettre, le régime qu'il vous a conseillé, dont l'essentiel, est de vous ménager, pour tirer le plus grand avantage possible du bon tempérament que vous avez reçu de la nature.'

cause of the problem or whether Madame de Maraise was simply interpreting his remarks. As a consequence of such intervention, the letter did not necessarily reflect the signs and symptoms as perceived by the patient, nor an accurate record of events. The consultant could only respond to the information provided and if he was ill-informed, by whomever, his response may have been consequently erroneous. When patients used friends to communicate with consultants there was the question, unanswerable from the letters, as to whether or not all matters relating to bodily health would have been revealed.

Whether directly, or through intermediaries, people sought the advice of consultants on behalf of family members. Both parents could be involved, individually or together. In some cases quite clearly both men and women were involved in taking pro-active roles in obtaining advice. The Ramel case of the newly-married woman suffering *mal du pay* shows that at times the consultant needed to negotiate with a family member to achieve his desired outcome, without the patient knowing. In direct contrast to this, Antoine Louis' impotence case would have been highly public despite its embarrassing nature. The two cases in different ways raise questions of what might have been considered ethical 'professional' behaviour: patient confidentiality. This it will be recalled was a period in which patient identity was routinely omitted from correspondence. There were no rules established in eighteenth-century France for what constituted professional ethics.

Hereditary disorders

The possibility that a disease might have a hereditary cause was a family issue, whether directly or indirectly. For the eighteenth-century patient the concern was whether or not they would inevitably fall victim to a disease appearing to run in the family; and would they, if affected, always pass it on to their offspring? Then there was the matter of whether or not a hereditary disease could be cured. Hereditary disease was a disputed field in the

eighteenth century.³³ If a disease was considered to be hereditary, did this arise at the moment of conception, *in utero*, at the moment of birth, or was it an inherited propensity to some disorder which was activated by the environment in which they were brought up? These were questions that clearly implicated different members of the family and household. If an individual had witnessed family members, particularly parents, succumb to some ailment, and thought they were developing it, they could be, disturbingly, visualising what their own fate might be.

The matter of passing on such diseases to the offspring of affected persons could be a matter of concern with respect to marriage prospects. A *chirurgien ordinaire* wrote to Antoine Louis raising the issue of whether or not epilepsy was hereditary.³⁴ In this case a widow had suffered from what was described as *l'épilepsie hystérique* and was considering remarriage. Louis was asked if she would pass the disease to her children and should it impact on her decision to remarry? Louis' response was that she would not. The possibility that epilepsy could be hereditary was one that recurred through the consultations.

The 1741 consultation described previously of the sixteen-year-old girl from Marseilles, which describes the problem as *une disposition scorbutique* (scurvy), and attributes the condition to being 'from the loin, because the mother had had the same disposition since childhood, these sorts of virus always develop more in passing from fathers and mothers to [their] infants'.³⁵ Apart from the usual evacuative treatments, dietary advice included that of not eating salads, vegetables or fruit. There

³³ For a historiography of the dispute see Carlos López-Beltrán, 'Les Maladies héréditaires: 18th century disputes in France', *Revue d'histoire des sciences*, vol. 48, no. 3, 1995, pp. 307-350.

³⁴ Bibliothèque municipale de Metz, MS 1317a. *Manuscrits du docteur Antoine Louis, né à Metz, secrétaire perpétuel de l'Académie de Chirurgie de Paris, chirurgien en chef de la Salpêtrière (1723-1792)*, folio U14. 'On demande s'il est à craindre que cette femme remariant communique la mal à ses enfants et s'ils dans la thèse générale cette maladie est héréditaire, si elle doit dans se sucs intérieur l'empêcher de contracter mariage ?'

³⁵ *Consultations choisies*, vol. 10, p. 194, 'la cause de cette maladie vient de loin, puisque Madame sa mere porte depuis son enfance cette même disposition. ... ces sortes de virus se développent toujours plus en passant des peres et meres aux enfans.'

followed a footnote to the effect that it was virtually incurable.³⁶ This complaint was diagnosed in a number of the consultations, and whilst there is often a suggestion that it went beyond single family members, this was the only instance where the cause was directly attributed to heredity. It was considered in this case to be incurable.

Whilst epilepsy and scurvy were perhaps the diseases most frequently referred to as potentially hereditary in the consultations, there were others. Thus a *médecin ordinaire* suggested in 1738 to Antoine Deidier that his patient's sciatica was hereditary in origin 'The pain of sciatica is hereditary in her family. She has two sisters, nuns, who are also attacked by it'.³⁷ In reply Deidier commented that 'it seems to be shown that the sciatica of which the mother of the patient was attacked at around twenty-seven or twenty-eight years of age, has been transmitted to all her daughters'.³⁸ In another case of 1734 the Montpellier physicians Jean Verny (1657-?), Jacques Lazermé and Jean-Jacques Montagne in a joint consultation declared that asthma could be passed across the generations, noting that the patient's mother had the condition and others in the family had related disorders and that in consequence, 'he had brought into the world a hereditary disposition in his fluids and solids.' They added, but without further commentary or explanation, that it only became apparent 'after he had married'.³⁹ Montagne, consulting in 1743 for a young man with *vapeurs convulsives*, opened by saying that he had paid a lot of attention to the history of the patient. This included commenting on the health of the patient's father, mother, maternal grandfather, and his

³⁶ France had had the opportunity to acquire a cure for this deficiency disorder as early as 1536; during Jacques Cartier's second voyage to Canada, the native Indians showed him how to prepare an infusion of a pine leaf which cured his crew immediately. Cartier failed to take any of the seeds of the tree back to France with him.

³⁷ Deidier, vol.1, p. 64. 'La douleur de sciatique est comme héréditaire dans sa famille ... Elle a deux sœurs Religieuses qui en sont aussi attaquées.'

³⁸ Ibid., p. 67. 'semble être marquée par cette sciatique dont la mere de la malade fut attaquée vers la vingt-sept, ou vingt-huitième année de son âge qui s'est transmise à toutes ses filles'.

³⁹ *Consultations choisies*, vol. 3, 1757, pp. 307-308. 'Il est constant par la relation qui nous a été communiquée, que Monsieur est né d'une mere astmatique depuis quarante ans, et dans la famille de laquelle on a été sujet aux vapeurs convulsive, et par conséquent il a apporté en venant au monde une disposition héréditaire dans les fluides, et les solides, laquelle a été développée après la mariage.'

paternal grandfather.⁴⁰ Having concluded that the man could well suffer all the disorders these family members had suffered his diagnosis was that the patient was probably suffering from melancholy and hypochondria. One can imagine that the patient having read the report could have become melancholic even if he had not been before receiving it.

A physician could allay hereditary fears, as was the case when a father wrote in 1729 to Antoine Deidier about his son suffering from *dartres*, an ulcerating skin condition.⁴¹ He pointed out to Deidier that he had suffered a similar condition at the age of eight and was evidently concerned that there was a hereditary cause, but, Didier declared this was not the case.⁴²

No matter the uncertainties, actual or potential, the transmission of diseases from one generation to another was a cause of concern to patients. Usually it was a possibility the consultants did not hesitate to discuss in their responses. The nature of hereditary disease was not clearly established. The physicians generally may not have had definitive answers but that did not prevent them from prognosticating in individual cases.

A case study of venereal diseases

A closer examination of venereal diseases opens a window on some interesting aspects of the relationships between the corresponding parties. Were distinctions made between the sexes in the way in which letters were written? How was language couched on a potentially sensitive topic? How

⁴⁰ Ibid., vol. 5, 1750, p. 409. 'L'état des liqueurs que l'on vient d'établir est démontré ... sur tout par les dispositions du sang héréditaire dans sa famille, tant du côté paternel que maternel, Madame sa mere étant mort d'un cancer, et Monsieur son grand père maternel ayant été sujet à dartres très-facheuses, et à d'autre incommodités, Monsieur son père aiant eu des attaques fréquentes de palpitation, Monsieur son grand père paternel en aiant sufert de pareilles, et ayant péri par un polype dans l'artere pulmonaire. Il paroît par toutes ces circonstances que Monsieur a hérité d'un constitution du sang propre à produire des palpitations de cœur, et chargé d'un levain mêlé du darteux et du cancreux, enveloppé dans un fond de viscosité répandue dans toute la masse.'

⁴¹ Deidier, vol. 1, p. 13.

⁴² Ibid., p. 17. '[Il] n'a pas laissé d'apporter en naissant une disposition héréditaire venue de Monsiêur son père.'

did patients disclose to the consultants their sexual behaviour or the symptoms of their 'shameful parts'?⁴³

The principal diseases addressed were *la gonorrhée*, and *la vérole*. These are readily identifiable diseases in the sources and therefore lend themselves to analysis. Herman Boerhaave described *la vérole* as 'the cruelest of all diseases'.⁴⁴ This affliction had been a scourge across Europe since the fifteenth century. Not only was it shocking in its manifestations, with treatments which were also obnoxious, it was also a disease with implications of moral degradation.⁴⁵ Boerhaave described *la vérole* thus: 'It throws the patient in the greatest dangers, and covers him with opprobrium and ignominy.'⁴⁶ One wonders whether this apparently sexist remark was deliberate, or merely a manner of speaking. How did patients and their physicians write about diseases which were socially unacceptable? Did they choose consulting by letter as a mode of obtaining advice because of, or in spite of, the social sensitivities involved? Did such a consideration modify the consultant's response compared with other ailments?

When it first struck in the fifteenth century this disease was acute. Death could follow within months of the first signs of infection.⁴⁷ By the seventeenth and eighteenth centuries it had changed to a disease which could still be fatal and although certainly distressful and disfiguring, was now chronic rather than acute.⁴⁸ Widespread throughout Western Europe

⁴³ The term 'Parties honteuses' for the female organs was established well before the seventeenth century. See Alison Klairmont Lingo, 'The Fate of Popular Terms for Female Anatomy', *French Historical Studies*, vol. 22, no.3, Summer 1999, pp. 335-349. Particularly p. 346.

⁴⁴ Herman Boerhaave, *Traité des maladies vénériennes, traduit du Latin*, Paris, chez Briasson, 1753, p. 2. 'la plus cruelle de toutes les maladies.'

⁴⁵ See for instance the early descriptions of the symptoms in Jon Arrizabalaga, John Henderson and Roger French, *The Great Pox; The French Disease in Renaissance Europe*, New Haven and London, Yale University Press, 1997, pp. 25-27.

⁴⁶ Boerhaave, *Traité des maladies vénériennes*, pp. 1-2. 'précipite le malade en de plus grands dangers, et le couvre d'opprobre et d'ignominie'

⁴⁷ 'That venereal disease [the French pox] both an entirely new disease and a disease new to Europe is supported by its initial behaviour – its spectacular skin manifestations were massively contagious and quickly lethal.' Sheldon Watts, *Epidemics and History: Disease, Power and Imperialism*, New Haven, Yale University Press, 1977, p. 127.

⁴⁸ Ambroise Paré, *The works of that famous chirurgion Ambrose Parey / translated out of Latin and compared with the French, by Th. Johnson, together with three tractates*

la vérole was not limited to any social class. The poor, particularly those reduced to prostitution, were as affected as the aristocracy.⁴⁹ Within epistolary consultations it appears with regularity and is frequently associated with the other major venereal disease, *la gonorrhée*. The reasons for this association are several. Firstly, there were misdiagnoses on the part of patient or local physician writing for a consultancy. Secondly, there was some confusion over terminology and thirdly, one suspects, there was the hope that the symptoms described would result in a diagnosis of the lesser of these two diseases. Throughout this chapter the term *la vérole*, the most common French eighteenth-century descriptor, is employed to name what is generally regarded as 'syphilis'.⁵⁰ The term *la gonorrhée* was in use by the sixteenth century for the other major venereal disease.⁵¹ Even this term has to be used with caution as two varieties were generally recognised in the early modern period. There was *gonorrhée virulante* which was considered to be venereal and *gonorrhée simple* which was not.⁵²

The history of *la vérole* has been extensively studied by historians and doctors.⁵³ The number of tracts that have been written on venereal

concerning the veins, arteries, and nerves, exemplified with large anatomical figures, translated out of Adrianus Spigelius, London, 1678, p.433. 'generally the *Lues Venerea* which now reigneth is far more mild and easie to be cured than that which was in former times, when as it first began amongst us'. And see for example, Stephen Beck, 'Syphilis the Great Pox' in Kenneth, Kipple, (ed.), *Plague Pox and Pestilence: Disease in History*, London, George Weidenfeld and Nicholson Limited, 1997, p. 114.

⁴⁹ Colin Jones, 'Prostitution and the Ruling Class in 18th-century Montpellier', *History Workshop*, vol. 6, Autumn 1978, p. 15. Jones described prostitute inmates of the Montpellier institution the *Bon Pasteur* as requiring treatment for venereal diseases. For the other end of the social scale see Laurence Brockliss and Colin Jones *The Medical World of Early Modern France*, Oxford, Clarendon Press, 1997, p. 319, fn 143. They indicated that Louis XIV had caught *la gonorrhée*. Claude Quézel, *Le Mal de Naples; Histoire de la syphilis*, Paris, Éditions Seghers, 1986, pp. 119-120. Quézel suggests that in the court of Louis XIV the Duc de Vendôme contracting syphilis through homosexual activities.

⁵⁰ Arrizabalaga, Henderson and French, pp. 1-3. Unusually for a Frenchman, Antoine Didier used the term *mal François* [sic]. Didier, vol. 1, p. 100.

⁵¹ See entry *Gonorrhée*, *Une Société de médecins et du chirurgiens: Dictionnaire des sciences médicales*, vol. 19, Paris, Panckoucke, 1817, p. 5.

⁵² See *Encyclopédie Méthodique, chirurgie, par M. de La Roche et M. Petit-Radel*, 'A-KYS', Paris, Panckoucke, 1790, pp. 577-580. However, Boerhaave described four species, Herman Boerhaave, *Traité des maladies vénériennes: traduit du Latin*, pp. 53-148.

⁵³ For a broader description of venereal diseases in the period see Robert Weston, 'Venereal Disease in Eighteenth-century France', *French History and Civilisation Papers from the George Rudé Seminar*, vol. 3, 2009.

diseases, and *la vérole* in particular, is exceeded only by those on the plague.⁵⁴ It is indicative of the volume of such works produced historically that in 1736 the Montpellier-trained physician, Jean Astruc, attempted to collate all that had been written on the topic in *De Morbis veneris libri sex*.⁵⁵ Suggestions were made during the seventeenth and eighteenth centuries that venereal diseases could arise through repeated engagement in the sex act, as was the case with prostitutes.⁵⁶ It was also suggested that infection could be the result of excessive stimulation resulting in an acrimony that developed into a transmittable venereal disease. This cause of infection was suggested in 1749 by a patient who had a sexually robust relationship outside his marriage.⁵⁷

The effects of *la vérole* in particular were horrendous.⁵⁸ One patient writing to Montpellier described himself as ‘feeling so much pain in his *boutons* (they had swollen as large as his fist) that he thought he would truly die.’⁵⁹ A physician described his female patient’s long list of symptoms as including hysteria, fits of terror, palpitations, pain in the joints, day and night, her upper larynx ulcerated and corroded.⁶⁰ Often necrosis of the long bones and the face occurred.⁶¹ The letters show that the disease resulted in very unpleasant effects on the afflicted which they experienced through their appearance and their sensations.

⁵⁴ Arrizabalaga, Henderson and French, p. 8.

⁵⁵ Jean Astruc, *De morbis veneris libri sex: in quibus dissertur tum de origine, propagatione et contagione horum affectuum in genere, tum de singulorum natura, aetologia et therapeia, cum brevi analysi et epicrisi operum plerorumque quae de eodum argumento scripta sunt*, Paris, n.p., 1738.

⁵⁶ For a discourse on the origin of venereal diseases see Marie E. McAllister, ‘Stories of the origin of Syphilis in Eighteenth-century England, Science, Myth and Prejudice’, *Eighteenth-century Life*, vol. 24, no.1, 2000, pp. 22-44.

⁵⁷ *Consultations choisies*, vol. 9, 1751, p. 149.

⁵⁸ For a contemporary description of the symptoms of *la vérole* see James, pp. 978-978.

⁵⁹ *Consultations choisies*, vol. 10, p. 203. ‘Je sentis tant de douleurs dans mes boutons (ils s’enflerement comme le poing) que je cru en vérité mourir’. The boutons would normally be translated as a swelling (see for example Cotgrave’s definition of *bouton de verole*, Randle Cotgrave, *A Dictionarie of the French and English Tongues compiled by Randle Cosgrove*, Reproduced from the first edition London 1611, Colombia, University of South Carolina, 1959.) However the construction suggests he may have been using the word as a euphemism for his testicles.

⁶⁰ *Consultations choisies*, vol. 9, pp. 400-404.

⁶¹ See Une Société de médecins et de chirurgiens, *Dictionnaire des sciences médicales*, vol.54, Paris, Panckoucke, 1821, p. 144.

The moral issues to which venereal infection inevitably gave rise were not ignored by physicians or surgeons. On the one hand French physician M. Flamant (fl. 17th C.) was in no doubt when he described venereal diseases as ‘the first reward of unbridled lust’.⁶² The wayward husband could bring infection to his wife and through her to their children. The poor were treated more harshly than mere verbal condemnation. Impoverished men and women (not just prostitutes) exhibiting signs of venereal disease were incarcerated in Paris. This was not merely to try to control *la vérole*, but to rid the streets of offensive sights and put them in a place where chastisement could be inflicted.⁶³ Claude Quétel has contended that a shift occurred in the attitude of physicians towards *la vérole* from the seventeenth to the eighteenth centuries, from one of condemnation to one of medicalisation.⁶⁴ However the physicians were happy to write that the diseases had been acquired through intimacy with *une femme gâtée*, or *une femme suspecte*.⁶⁵ This rhetoric was subtly different to the euphemistic description often given to a male patient as suffering from *une maladie galanterie*.⁶⁶

Gender-based distinctions

Were the sexes addressed identically in the manner in which the consultations were composed? The initial source of venereal disease is always attributed in the correspondence to contact with an infected female, often consequently resulting in the infection of a man’s wife. In 1750, the

⁶² M. Flamant, *The Art of Preserving and Restoring Health Written in French and Faithfully Translated into English*, London, n.p., 1697, p. 18.

⁶³ Susan Connor, ‘The Pox in Eighteenth-century France’, in Linda Merians (ed.), *The Secret Malady*, Lexington, University of Kentucky, 1996, p. 20.

⁶⁴ Claude Quétel, trans. Judith Braddock and Brian Pike, *A History of Syphilis*, Baltimore, The Johns Hopkins University Press, 1990, p. 5. ‘In the seventeenth century a moralizing approach was taken [to infection with syphilis]; the temptations of the flesh are to be shunned, and so much the worse for pox-sufferers, to treat whom is simply to encourage their lecherous ways, according to some authors. Attention should be directed instead to the wife or child infected by the debauchee. During the course of the eighteenth century, however, moral considerations were gradually supplanted by medical ones. Morality, religious or otherwise, is one thing and disease is another; the pox is a disease, and therefore must be treated.’ This is implicitly a description of the positions adopted by physicians, even though Quétel does not say as much.

⁶⁵ For example, *Consultations choisies*, vol. 6, 1750, p. 25. The spelling of ‘gâtée’ is quite variable.

⁶⁶ *Ibid.*, vol. 1, 1750, p. 166.

Montpellier physician Jacques Lazerme was asked to consult for a woman suffering from *la vérole*. He remarked: 'The misfortunes evidently prove that Madame has contracted a venereal virus by the imprudence of her husband' a contention probably true but somewhat presumptive.⁶⁷ In another consultation by Montpellier physicians François Verney (fl.18th C.) and Antoine Fizes, a husband had written concerning his wife described as suffering 'the whites, with a suspicion of *la vérole*'. Uncertain as to whether she was infected, the physicians called for both to visit Montpellier for a consultation. At that stage the physicians opted to contend that the man had *la gonorrhée* with which he had infected his wife and that both needed treating for this condition.⁶⁸ It is unknown if this suggestion was taken up.

The consultant in another instance wrote to his female patient that the treatment he proposed for her would be useless unless her husband was also treated, and whilst undergoing treatment they should totally refrain from sexual activity otherwise they would be constantly reinfecting each other.⁶⁹ Whilst it was usual for women to be advised to avoid sexual intercourse while undergoing treatment, this does not appear to be quite the case with men. In a contradictory case it was evident that two consecutive letters referred to consultations for a husband and wife. The husband was advised to avoid intercourse with anyone except his wife, but his wife was advised to avoid intercourse altogether.⁷⁰ This verges on an invitation for intramarital rape!

The consultants consistently projected a picture of a wayward husband who having consorted with an infected woman, brought the disease to the marriage bed. There is never the suggestion that the husband had been infected by a wayward wife. There is however a single case where the blame for infection is reversed, though not with the

⁶⁷ Ibid., vol. 9, p. 401. 'Ces accidents prouvent évidemment que Madame a contracté par l'imprudence de son mari un virus vénérien'

⁶⁸ Ibid., vol. 2, 1757, pp. 417. 'les pertes blanches avec soupçon de vérole'

⁶⁹ Ibid., vol. 5, pp. 363-371.

⁷⁰ Ibid., vol. 1, pp. 466-480.

patient's wife.⁷¹ The consultant refers to the man's *gonorrhée* being the result of 'the infidelity of his mistress'.⁷² It is unfortunately one of the instances in which the *mémoire* is not available though referred to, where the source of this information would probably have been given. The consultant's placing the blame on the woman is only on the patient's say-so and his testicular *gonorrhée* was to be treated by mercurial frictions. It is not suggested the woman was to be treated, but that the lovers should not see each other, supposing they lived in separate houses.⁷³

None of the consultations refer directly to infected children, though this was known to be a problem through breast-feeding or *in utero* infection or believed to be contracted at the time of parturition.⁷⁴ A woman described as being over six-months pregnant was diagnosed by Montpellier physician Jean-Jacques Montagne as being suspected of being infected by *la verole*.⁷⁵ In this instance the woman was advised that she should breast-feed the child rather than employing a wet-nurse when it was born. This was for two reasons. Firstly, it would prevent the infant infecting the wet-nurse, and secondly, with the mother being treated *post-partum* for the disease, her milk would treat the child as well.⁷⁶ This insight, that the mother's treatment would also treat the child, is noteworthy. The advice also showed a degree of social responsibility on Montagne's part towards a wet-nurse. Wet-nurses were often employed from the poor and it has been suggested by modern authors that this was one route through which syphilis was introduced to poor communities.⁷⁷ Montagne went further in

⁷¹ *Consultations choisies*, vol. 9, pp. 147-151.

⁷² *Ibid.*, p. 147, 'd'infidélité sa maîtresse'.

⁷³ *Ibid.*, p. 151, 'On évitera soigneusement que ces deux amans ne se voient pas, et suppose qu'on veuille les repasser tous deux on les mettra dans des maisons séparées.'

⁷⁴ Congenital syphilis was recognised as well as infection through breast-feeding. See for example Joan Sherwood, 'Treating Syphilis: the Wet-nurse as Technology in an Eighteenth-century Parisian Hospital', *Journal of the History of Medicine and Allied Sciences*, vol. 50, no. 3, 1995, pp. 315-319.

⁷⁵ *Consultations choisies*, vol. 8, 1750, p. 280. 'un soupçon de vérole.'

⁷⁶ *Ibid.*, p. 282, 'Tout ce qu'on doit surtout lui recommander c'est d'allaiter elle-même son enfant, et de ne pas le mettre en nourrice, parce qu'outre qu'il gâteroit la nourrice, et lui communiqueroit la même mal, il guérira dans le tems du remède par le moyen du lai de la mere'.

⁷⁷ Sherwood, 'Treating Syphilis', pp. 315-319. See George Sussman, *Selling Mother's Milk: The Wet-Nursing Business in France 1715-1914*, Urbana, Ill., University of Illinois Press, 1982, p. 41. '[wet-nurses] had the right to demand a free medical examination of a baby presented to them (a precaution against congenital syphilis) as did the parents with

suggesting that once delivered, mother and child should travel to Montpellier, where provision for their care would be provided, as long as they gave a little advance notice. In this instance the consultation had noted that the woman's husband had been away for four months and had apparently a peripatetic lifestyle. Montagne proposed that she should travel to Montpellier may have been related to the availability of a fumigation facility which was required for Montagne's proposed treatment. Montagne's approach to treatment can be described as conservative:

She must be moreover very tranquil during the recovery, provided that one sparingly uses the remedy, she risks nothing for her life nor that of her child ... Meanwhile until the time [of the birth] one must render the symptoms of the illness more bearable, dilute a part of the virus, and stop its progress.⁷⁸

He sought to contain the condition until the child was born and then more rigorous treatment could be employed. The case also shows a little insight into the question of infection. The husband evidently had never admitted to having any disease. Had this not been the case, the woman would have been 'sheltered from all suspicion'.⁷⁹ The implication of this statement was that if the husband were not implicated then the woman had herself to blame. The consultant appears to have doubted the husband's claims of innocence, but recognised his inability to question the man as he was away. In a footnote he added that: 'The husband has always denied having had a venereal disease'.⁸⁰ Thus the question of the original introduction of infection into the household was inevitably left unresolved. In a 1769 case involving Antoine Louis, a wet-nurse by the name of Rocquet accused the Marquis de Lupé, the father of the child she had breast-fed, of causing her to become infected. She claimed before the courts: 'I gave your child pure

a baby returned to them after nursing.' See also Susan Broomhall, *Women's Medical work in Early Modern France*, Manchester, Manchester University Press, 2004, pp. 160-167.

⁷⁸ *Consultations choisies*, vol. 8, p. 282-283. 'Elle doit être d'ailleurs fort tranquille sur le guérison, pourvu qu'on ménage la remède; elle ne risque rien pour sa vie ni pour celle de son enfant ... En attendant ce tems-là [the birth] il faut rendre les symptômes de la maladie plus supportables, éteindre une partie du virus, et eu arrêter le progrès'.

⁷⁹ *Ibid.*, vol. 8, pp. 280-281. 'Madame est à l'albri de tout soupçon'

⁸⁰ *Ibid.*, p. 280. 'Le mari a toujours nié avoué avoir été atteint d'aucun mal'.

milk, he passed to me the most cruel of maladies, I am the victim of the excesses of your youth'.⁸¹ The lengthy case ended in the favour of the Marquis; what is interesting is the absence of any mention of the child's mother in the wet-nurse's accusation or in the related reports.

In 1743 Montagne was dealing with a case of a man whose mouth and the surrounding bones and tissues were causing significant problems.⁸² It was evident that Montagne suspected *la vérole* to be the cause, although the patient had not informed him if he had led a depraved life including 'debauching with women'.⁸³ In the absence of any other signs of *la maladie de galanterie* he came up with an alternative cause of 'a hereditary grain of venereal disease in the blood from breast-feeding'.⁸⁴ This case exemplifies the confusion of contemporary understanding of the term hereditary. He did not indicate whether this was a result of his mother's breast-feeding, though this was perhaps implicit in the term *héréditaire*, yet he used the noun *la nourrice*, implying he could have been infected by a wet-nurse.

The social implications of infection were hinted at when Jean-Jacques Montagne described a situation as very delicate because there was a great deal of ambiguity in the patient's symptoms.⁸⁵ Sensitivity on the part of the patient was encountered occasionally. Thus a patient was clearly reluctant to be explicit in writing to Le Thieullier, when he stated: [i]l y a dix-neuf ou vingt ans que je gaigne une chaude-p^{***} qui me tomba sur les b^{***} et eau à l'entrée du canal de la v^{***} un petit ulcère. Later he continued, 'il me tomba une humeur sur mon T^{****} droit, qui devint enflé

⁸¹ Bibliothèque de Metz, MS 1313, vol. 2, folio g.5, 21pp. 'J'ai donné à votre enfant un lait pur, il m'a communiqué las plus cruelle des maladies ; je suis la victime des excès de votre jeunesses'

⁸² *Consultations choisies*, vol. 1, pp. 228-241.

⁸³ *Ibid.*, p. 231. 'la débauche avec le femmes'

⁸⁴ *Ibid.*, p. 231, 'un levain vénérien héréditaire [dans le sang] communiqué par la nourrice'. The term levain was commonly used in the period, hinting at the notion of an infectious factor.

⁸⁵ *Ibid.*, vol. 5, p. 292. 'très-délicat'.

considérablement.’⁸⁶ In response, Le Thieullier was straight to the point, diagnosing the cause as *la gonorrhée*, centred in the testicle.

Another *médecin ordinaire* wrote of his male patient’s shame at getting this condition.⁸⁷ Local physicians were, as a rule, direct in their descriptions. They could be under pressure from the patient. One wrote from Luques that his illustrious patient had suffered three doses of *la gonorrhée* over an eight-year period and that the patient ‘was determined to do everything possible to escape from this sorry state, and eagerly sought the advice of the Montpellier physicians, in the firm persuasion that he would be obliged to them for a radical cure.’⁸⁸ Whether the patient’s repeated illness was the result of a failure in treatment, or due to successive exposure to sources of infection, was not made clear. The consultation made no suggestion that this ‘illustrious patient’ should curb his sexual activities in any way.

Chaude-pisse was a symptom which could be indicative of venereal disease but could have other causes. The surgeon Henri-François le Dran wrote a consultation for a young man who was suffering this complaint, noting that even though he had been with ‘a woman of suspect virtue’, concluded that the patient did not have the *le virus vérolique*, yet nonetheless, prescribed *les frictions mercurielles*.⁸⁹ This may have been for the sake of the patient’s honour, but appears rather, at the least, to have been a precautionary step on Le Dran’s part. One of the problems with *chaude-pisse* was that a man could suffer this as a result of *la gonorrhée* without the woman involved showing the same symptoms.⁹⁰

It is not always clear to whom the consultations for these diseases were initially addressed, local practitioner or patient, but it appears from the manner in which the majority were written that the intention was that the

⁸⁶ Le Thieullier, vol. 1, p. 242. In this instance an English translation for the French has not been given as it would make little sense.

⁸⁷ *Consultations choisies*, vol. 10, pp. 32-40.

⁸⁸ *Ibid.*, vol. 10, pp. 234-239.

⁸⁹ Henri-François le Dran, *Consultations sur les pluspart des maladies qui sont du ressort de la Chirurgie*, Paris, Fr. Diderot, 1765, pp. 41-42.

⁹⁰ *Consultations choisies*, vol. 1, pp. 117-123.

patient received them ultimately. In summary, the initial pool of infection was seen as lying with promiscuous women but it was men who spread the diseases into 'respectable society'. The patient, male or female, had to face the prospect of unpleasant treatments and infection, at least with *la vérole*, which produced effects that could not be hidden from public view as the disease progressed.

Patient compliance was particularly pertinent to the treatment of venereal disease. Applied externally as an ointment, or internally, orally or by injection, mercury was regarded as the specific treatment for *la vérole*.⁹¹ It was used as the metal or as various salts. Mercury had been employed for the treatment of skin disorders in ancient Egypt and according to Michael O'Dowd, was first employed in Europe for the treatment of syphilis in 1496 by Georgio Sommariva (fl. 15th.C).⁹² Most commonly treatment was by what was termed *les frictions mercurielles* or *le grand remède*.⁹³ This procedure had well-known unpleasant side effects, which often led to reluctance on the part of sufferers to accept the need to undergo such a treatment.⁹⁴ Another form of treatment was exposure of the body, or parts of it, to mercury vapour. The patient typically was positioned in a wooden box at the base of which was a fire used to vaporise mercury, or its salts. This was the proposed treatment for the pregnant woman for whom Montagne wrote the consultation referred to previously.⁹⁵ Because the patient had usually been infected and inadequately treated over long periods of time before the consultants were approached, the diseases were well entrenched and less amenable to any form of treatment the consultant might propose. In any case, such therapies as they did offer were

⁹¹ Une Société de Médecins et de Chirurgiens, *Dictionnaire des sciences médicales*, vol. 32, 1819, p. 461. The physicians offered various explanations to explain why mercury was effective, but in reality they were as empirical as their competitors.

⁹² Michael O'Dowd, *The History of Medications for Women: Materia Medica Woman*, New York, Parthenon Publishing Company, 2001, p. 116.

⁹³ A mercury ointment was rubbed over the whole of the body, except the soles of the feet and the patient often placed in a sweat box. This procedure could last for days on end and could be aimed at causing salivation to 'remove the mercury with its contained 'virus' – See *Une Société de Médecins et de Chirurgiens, Dictionnaire des sciences médicales*, pp. 463-464. *La grande remède*, the salivation was uncontrollable with black saliva coming from the mouth and nose.

⁹⁴ *Consultations choisies*, vol. 1, pp. 466-480.

⁹⁵ *Ibid.*, vol. 8, pp. 280-286.

frequently much the same as those described in the *mémoires* as having already been tried unsuccessfully. The little evidence provided in the letters of the effectiveness of such treatment is matched by patients' doubts on the matter.

Whilst the outcome of treatment is seldom known an exception was a note on the end of one consultation for a case of *virus vérolique* of the tongue, noting that the remedies cured the disease perfectly.⁹⁶ In contrast there was a patient who had endured *les frictions* twice and remained uncured (the disease had reached the stage where throat and tongue were badly affected) and he thought the treatment useless.⁹⁷ The consultant's response was to discount the first failure for lack of detailed information on the method of application. The second failure he ascribed to inadequate thoroughness of the mercury treatment and to the patient's temperament. The consultant then gave a detailed set of therapies to be followed, including yet a third application of mercury despite the patient's discontent with its efficacy.

Venereal diseases could have been long-standing by the time a consultant's help was enlisted. Antoine Fizes was asked by a Maltese physician, Jean Bruno (fl. 18th. C.), for advice on a patient who had had *la gonorrhée virulente* for thirteen years.⁹⁸ Fizes described the patient's condition as not just very serious but dangerous, the symptoms in his view being due to an *ancienne vérole*. He recommended that the patient take a course of *les frictions* and have his urethra injected with a mercury ointment. Despite the pain which often accompanied these diseases, this was the only venereal case encountered in which a sedative was recommended.⁹⁹

⁹⁶ Ibid., vol. 8, pp. 384-388. In this instance the consultant suggested the patient's condition was a rare occurrence, but that it probably derived from a *virus vérolique* elsewhere in his body.

⁹⁷ Ibid., vol. 4, 1757, pp. 18-25. The un-named consultant declined to comment on failure of the first treatment, and attributed the failure of the second to having carried it on for too long but a third attempt was suggested.

⁹⁸ Ibid., vol. 10, pp. 32-40.

⁹⁹ Ibid., pp. 32-40.

Patients could of course catch more than one venereal disease. The individual from Luques referred to previously, who had had three doses of *la gonorrhée* with its usual symptoms, was now suffering in his back and kidneys, and from rheumatism, tiredness, loss of sexual appetite, and many other symptoms. He had not responded to a range of treatments including guaiacum, sarsaparilla, and crude mercury. The consultants did not hesitate to diagnose *la gonorrhée* and *la vérole*, and a great deal of treatment was required including *le grand remède*.¹⁰⁰

Were errors in diagnosis made? In September 1719 Antoine Deidier opened his consultation:

After having carefully thought about the narration of the problems for which the husband and his wife have been treated since 1704 until last May, and the remedies that they have employed year after year since then; given also the memoire on their present state, and the remedies which they are actually using, it is obvious to us that it is no longer at all a question here of combating a venereal virus. ... the symptoms [are] too pronounced in the two patients to be able to doubt for a moment the reality of scurvy.¹⁰¹

Scurvy was a disorder with external symptoms sometimes confused with *la vérole*.¹⁰² It would appear that for fifteen years the couple had continued treatment for *la vérole*, including the mercury frictions, ethiops (black oxide of mercury) and other mercurial forms, sudorifics and purging. Diedier did not concede that the initial diagnosis might have been incorrect; on the contrary, he attributed the patients' present state to a new disorder which he blamed on the husband. Adopting a humoural explanation, he attributed

¹⁰⁰ Ibid., vol. 10, pp. 238-241. *Le Grand remède* was mercury used to the point when salivation occurred. See fn. 109.

¹⁰¹ Ibid., vol. 8, pp. 360-361. 'Après avoir mûrement réfléchi sur la relation des incommodités dont le mari et la femme ont été traité depuis 1704 jusque au mois de mai dernier, et des remedes qu'on a employés année par année depuis ledit tems; vû aussi le mémoire de leur état présent, et des remedes dont ils usent actuellement; il nous paroît évident qu'il n'est plus du tout question ici de combattre un virus vérolique. ... des symptômes trop marqués dans les deux malades pour pouvoir douter un moment de la réalité du scorbut.'

¹⁰² James, pp. 979-980.

the initial cause to the husband's incorrect use of hot remedies by smoking and chewing Brazilian tobacco then passing the disease to the wife, noting that scurvy often developed as a result of hypochondria. As further proof that the venereal disease was not the problem, Deidier pointed out that during the intervening period they had had a daughter who had enjoyed perfect health without any treatment. That treatment continued over fifteen years is notable in itself; that both husband and wife had apparently stuck to what would have been an unpleasant series of remedies must surely have tested their relationship. To then be told that they may have been receiving an inappropriate treatment for much of that time can have done little for their confidence in learned medicine.

Physicians were not the only ones to have their diagnoses questioned. A male patient when writing to Antoine Deidier advised that en-route to Flanders he had called on a 'famous empiric' in Paris, M. Vinache, and also a famous surgeon at Douay. The surgeon had assured him the spots he had were not venereal, but Deidier was far from sure and, concerned that he might have a venereal disease, pointed out that the remedy given him by the empiric might ease the illness without destroying the cause and the condition might come back.¹⁰³ Evidently the patient saw little wrong in telling the consultant that they had engaged the services of practitioners other than the learned physician.

This more detailed analysis of venereal disease exemplifies many of the factors influencing patient-physician relationships. Provided the *mémoires* gave sufficient information for a correct diagnosis, these particular ailments lent themselves to the practice of consulting by letter. The initiation of the correspondence was occasionally by the patients, but more commonly by their local physician or surgeon. Whether through being regarded as socially unacceptable disorders, or their intimate nature, the conditions described in the initiating letters are at times expressed in euphemistic terms. On the other hand, the responses from the consultants are presented as straightforward medical matters. These diseases affected

¹⁰³ *Consultations choisies*, vol. 6, pp. 94-98.

men and women, and the therapies offered did not vary with the patient's sex. In the letters a high proportion of the patients involved with these diseases were married, with the inevitable consequence of cross-infection between spouses and with possible infection of any children that might follow. The consultants were not only aware of these issues, but sought to address them. There is however evidence to suggest that the consultants were more likely to meet resistance from men to their authority with respect to the acceptance of treatment. The physician had to compete for the patient's business and at times had to address the untoward effects of empirical medicines that patients had tried. If the vector was always considered to be female, the moral transgressor was the man who failed to inhibit his sexual urges, whether before marriage or once married. For the patient, the wages of sin were distress, disfigurement and even death, but for physicians, surgeons and empirics they were a steady cash flow.

The relationships between *ordinaires* and patients were direct for it was from these encounters that the *ordinaires* developed the *mémoires* they sent to consulting physicians. The absence of correspondence between patients and local practitioners necessitates interpreting comments in letters between these groups and the consultants. Rarely was a lack of confidence in the *ordinaire* on the part of the patient or family member expressed directly to the consultant. Consultants were more likely to reflect negatively on the diagnoses or actions of the *ordinaires*. However they were aware that it was the *ordinaire* who generally had to implement their proposals and thus had to maintain a good relationship with the patient and other family members.

The involvement of parents with the health of their children is no surprise. What are perhaps less-well represented in the letters are examples of husbands and wives writing on behalf of their partners. In cases of less-immediate family and friends being involved in the process, it is usually concerned with seeking out expertise with little evidence of them playing a direct role in managing the patient although they quite probably did.

The vexed question of what constituted a hereditary disease has been considered in the light of available evidence. For the most part this showed a concern on the part of patients that they might have acquired some risk from their forebears, and in one instance, the possibility that not only might an inherited disorder might be passed to the next generation, but that it could impact on the marriage prospects of those involved.

When dealing with cases of venereal disease the consultants recognised that parties other than the immediate patient were involved. Marriage partners, future off-spring, wet-nurses could all be infected once *la vérole* was introduced into the household. The practitioners realised that to treat one partner and not the other was probably futile. At the same time there was a moral dimension to these disorders, and physicians and surgeons alike, regarded it as the husbands who were responsible for introducing such maladies into the household.

The pervasive issue in all the relationships between the different parties was that of authority. What authority was each participant able to exert and what was its foundation? This is the subject of the next chapter.

KNOWLEDGE, STATUS AND POWER: NEGOTIATING AUTHORITY

Of fundamental importance to this study is who enjoyed what authority over whom? This chapter outlines the source of authorities claimed by the different epistolary participants and analyses the correspondence to establish how it was expressed and perceived. It also examines what frustrated claimed authority. Authority will be considered here on the basis of knowledge and social standing.

There was an authority matrix involving patients, *ordinaires* and consultants, but one that was not static. Rather, it can be described as dynamic with power, the consequence of authority, shifting between the parties as situations changed, and over different aspects of the medical consulting process. At one moment, when the patient was in pain and desperate for help, the consultant might be deemed to be able to dictate what the patient should do, but without the ability to enforce or coerce, the patient could, and sometimes did, dispute or ignore the physician's advice. How were such situations negotiated between epistolary participants?

In a formal manner German sociologist Max Weber regarded authority as falling within three classes, legal-rational, traditional and charismatic.¹ In the context of this thesis, concern is primarily with the first two of these, authority constructed on a regulatory or rational, that is to say, knowledge basis, and that founded on tradition. Physicians, surgeons, and one might add apothecaries and midwives too, claimed authority based on officially-derived regulations. They also invoked authority on Weber's 'rational' basis as they claimed unique possession of knowledge of the body and its functioning. Traditional authority Weber treated as that which was based on custom and social structure and in a patriarchal society such as France this clearly had resonance. Did patients who ranked amongst the upper levels of society rely

¹ Hans Gerth and C. Wright Mills (eds), *From Max Weber: Essays in Sociology*, London, Routledge, 1998, pp. 295-296.

on this form of authority to impose their points of view or needs in medical correspondence? Laurence Brockliss, in considering the medical practice of the Avignon physician Ésprit Calvet, described the latter part of the eighteenth century as 'a period of real patient power ... [patients] knew their physical temperament and medical history intimately, had strong views on the ways cure might be effected and expected medical practitioners to listen.'² Whilst some of the consultants enjoyed prestige in the field of medicine, none that are referred to in this thesis has been found to be described in contemporary literature as charismatic figures.

When a patient fell ill, it is reasonable to suppose that his or her first recourse was to turn to information available in the household. This would include oral knowledge, self-help texts, the advice of family and friends. When these failed, the patient could turn to the local practitioner. For example a patient writing to Antoine Deidier had previously taken the advice of an apothecary but that had only partly alleviated the problem.³ In doing so, the patient necessarily accorded an advisor, be he physician, surgeon or apothecary, a degree of authority; the presumption was that this medical practitioner had knowledge of how to treat the problem not held within the home. If patients sought advice directly from a consultant they were also expecting a level of knowledge in excess of their own. The possession of knowledge was therefore a basis to claim authority. When the decision to call on a consultant came from an *ordinaire*, the latter was losing some degree of authority *vis-à-vis* the patient and implying a consultant's superior knowledge. Thus the flow of authority to this point is posited on the assumption of who possessed superior knowledge. In Weber's terms this is rationally-based authority. The consultant applied his supposedly superior knowledge to the problem, made a diagnosis and recommended treatment.

² Laurence Brockliss, *Calvet's Web; Enlightenment and the Republic of Letters in Eighteenth-Century France*, Cambridge, Cambridge University Press, 2002, p. 182. The inference of Brockliss' contention is that in earlier periods the physician enjoyed greater authority than in the late eighteenth century, but no evidence of this has been uncovered in the resources employed here.

³ Antoine Deidier, *Consultations et observations médicales de M. Antoine Deidier*, Paris, Chez Jean-Thomas Hérissant, vol. 1, 1754, pp. 279-280.

At this point, assuming there was no additional correspondence, the consultant's authority began to flow back down the chain. It passed to the *ordinaire* who perhaps was expected by the consultant to implement his advice, or it went directly to the patient. In either case, the patient then resumed authority by being able to accept or reject some or all of the advice given. Thus authority was shifting, and tenuous with respect to the *ordinaire* and the consultant. If the advice was accepted and the outcome positive then the notional authority of the consultant was enhanced; when ineffective it would have been diminished, probably in the eyes of both patient and *ordinaire*. What were the foundations of the various claimed authorities? How did the physicians, surgeons and patients exert their various authorities and what if these were contested? Consultants attempted to exert their authority over less experienced referring physicians and surgeons. Inevitably conflicts between the parties arose which are revealed in some of the correspondence. Examination of these conflicts reveals not only the dynamics of the relationships, but shows how resolution to conflicts was attempted and where authority lay.

Establishing authority

Ordinaires, consultants and patients all entered the dynamics of epistolary consultations with forms of different and potentially competing forms of power, status and authority. This section explores these forms and their bases, as it is exposed in the letters, their weaknesses, and over whom such authority was established.

Patients consulted medical practitioners when their own sources of knowledge had proved deficient. Yet this did not mean that they were without other forms of power and status in the epistolary process. To a limited extent the letters indicate that at least in the first instance when sickness befell them, patients unsurprisingly were given to self-treatment, the basis of which was probably oral and written sources. According to Michael Stolberg lay medical knowledge 'was the kind ... which children already acquired in the course of their socialization, by watching what grown-ups did and hearing what they

said.’⁴ The use of herbal remedies had a long history, and as Andrew Wear has pointed out, ‘such little knowledge of the oral herbal tradition as we have largely comes from medical writers ... every society has employed the products of nature as remedies and the problem is that an oral tradition leaves few traces.’⁵ In the letters analysed here was the case of a man suffering a skin complaint who in 1741 advised Parisian physician Louis-Jean-Baptiste le Thieullier that amongst other ‘cures’ he had tried was that, ‘some people having told me to wash the area with urine, evening and morning, I did it without success’.⁶ The source of the other remedies he tried himself is not indicated.⁷ Much of the oral tradition was regarded by the physicians as erroneous if not downright dangerous. As early as 1578 when Laurent Joubert (1529-1582) published *Erreurs populaires au fait de la médecine et régime de santé*, he endeavoured to correct some common curative methods he perceived as fallacies.⁸

In addition to orally transmitted knowledge a further source of medical authority for patients was to be found in the many medical texts which may have been in the libraries of the upper echelons of society, if only as ‘popular’ versions.⁹ As a source of advisory knowledge such literature would have provided information which could have been a *de facto* form of competition to the physician. Disapproval by the learned physician of the use of medical texts to search for remedies was expressed by Antoine Fizes who wrote to a patient described as suffering from ‘une mélancholie hypochondriaque’ in July 1739

⁴ Michael Stolberg, ‘Medical Popularization and the Patient in the Eighteenth Century’, in Willem de Blécourt and Conelie Osborne (eds), *Cultural Approaches to the History of Medicine; Mediating Medicine in Early Modern and Modern Europe*, Basingstoke, Palgrave Macmillan, 2004, p. 97.

⁵ Andrew Wear, *Knowledge and Practice in English Medicine, 1550-1680*, Cambridge, Cambridge University Press, 2000, pp. 55-56.

⁶ Louis-Jean-Baptiste le Thieullier, *Consultations de médecine*, Paris, Charles Osmond, vol. 2, 1739, p. 292. ‘Quelques personnes m’ayant dit qu’il falloit laver ce mal avec de l’urine le soir et le matin, je le fit sans succès’.

⁷ For more detail on his complete self-medication see chapter 7.

⁸ Laurent Joubert, *Erreurs populaires au fait de la médecine et régime de santé*, Bordeaux, Simon de Millanges, 1578. Its popularity was such that it ran to 9 editions between 1570 and 1608 in French, Latin and Italian.

⁹ Henri-Jean Martin and Roger Chartier, *Histoire de l’édition*, Paris, Promodis, vol. 2, 1982, pp. 411-414. There were also public libraries in the eighteenth century and the King’s library was opened to the public. What medical works were held in these establishments has not been uncovered.

and again in March 1741.¹⁰ In his first letter, stressing that the ailment was not life-threatening, Fizes prescribed internal medication aimed at making his digestive system 'en bon état', attributing the cause of the patient's condition to his temperament and lifestyle. In the second letter, Fizes stated that it was time to get to the bottom of the problem as it should have been resolved in the intervening period. He firstly advised the patient to cease reading medical books:

I must however exhort for a start Monsieur, not to amuse himself by reading medical books on melancholy or the vapours; this reading far from enabling him to find remedies for his illness will only maintain the imagination in even stronger ideas which do not favour the success of his treatment.¹¹

Fizes continued with an *exposé* of various treatments which had been discussed by a number of authors, whose treatments he regarded as unsuitable in this case. He did not quote the actual titles but one can surmise that these authors were responsible for works that the patient had quoted from. This example supports the view of Malcolm Nicolson that the eighteenth-century physician had to 'actively persuade his patients to accept his advice rather than that of his medical books'.¹² Knowledge gained by the patient from this type of literature to some extent undermined the authority of the learned physician. If patients and physicians shared knowledge, the latter was limited to his ability to exploit a claim to a unique ability to apply it in a given situation.

The respective social standing of patients and practitioners cannot be ignored as a factor in the power relationships. The patients' social status was often higher than that of the physician or surgeon.

¹⁰ *Consultations choisies de plusieurs médecins célèbres de l'Université de Montpellier sur des maladies aiguës et chroniques*, Paris, Durand et Pissot, vol. 8, 1750, pp. 106-116.

¹¹ *Ibid.*, p. 111. 'Je doit cependant exhorter d'entrée Monsieur à ne pas s'amuser à lire des livres de médecine sur l'affection mélancholique ou vapeurs; cette lecture bien loin de lui faire trouver de remèdes à son mal ne seroit que lui entretenir l'imagination dans de plus fortes contentions, ce qui ne favoriseroit pas le succès de son traitement.' A *mémoire* is not provided for either consultation.

¹² Malcolm Nicolson, 'The Metastatic Theory of Pathogenesis and the Professional Interests of the Eighteenth-century Physician', *Medical History*, vol. 32, no. 3, 1988, p. 284.

Occasionally patients would be referred to by *ordinaires* and consultants as illustrious or their status implied by title. For example, the printed consultations of Antoine Diedier included advice for, a Prince, a Princess, a Cardinal, a Monseigneur, an Archbishop, three Marquises, four Marchionesses, three Countesses, an Abbé, and a Baron.¹³ The consultants on occasions recognised the status of the patient by introducing into the text terms such 'My Lord', or 'His Excellency'. However, there is little evidence of social position interposing in the decision-making in the letters from patients or their *ordinaires*.

In the correspondence, the title, even the occupation, of the patients was generally not mentioned by the local practitioner. When it was, it was to indicate some actual or perceived superior standing or status. *Mémoires* on occasions opened with a statement of the patient's title, such as *Monsieur le Chevalier*, *Monsieur le Comte* and *Madame la Marquise*. Whether this was to impress the consultant with the 'importance' of the patient, or as is quite possible, to signal that the local physician had a socially significant clientele, thereby boosting his own standing, cannot be ascertained. The relative social status of patient and physician is not generally clear from the consultations themselves. An exception occurred in 1746 when a patient writing to Montpellier physician opened his *mémoire*, 'Je suis Avocat en Parlemen' immediately suggesting the patient was signaling his perceived self-importance, as his health concerns were not claimed to be work-related.¹⁴ It was one thing for the patient to seek the advice of the celebrated physicians of Montpellier or the grand physicians of Paris, but that was where any sense of according superiority to the providers seems to have ended in the correspondence. There is no evidence that they were considered to be socially important.

Unlike the vast majority of patients whose occupations were not revealed in the correspondence, those of priests and nuns were, even if

¹³ Deidier, vols 1-3.

¹⁴ *Consultations choisies*, vol. 10, 1755, p. 141. The term Avocat en Parlemen does not readily translate into English. The Parlemen(t) was a court of law, and the nearest equivalent description would be a solicitor assisting a barrister, who in this context was un avocat au Parliamen. See Jean-François Féraud, *Dictionnaire critique de la langue française*. Marseille, Mossy, 1787-1788.

they were not from the upper echelons of the church hierarchy. Whether this was to signify some special consideration is not normally made clear. An unusual case involving a churchman appeared in a 1738 letter to Le Thieullier in which an *ordinaire* wrote:

A very worthy ecclesiastic whom the Cathedral Church of which he is the senior [prelate], all the town where he has his residence and especially the poor who comprise a large part of it, have a great and special interest, as much for the exemplary life that he conducted, as for the abundant alms that he has given, is the subject of this letter.¹⁵

It would appear that the *médecin ordinaire* had taken it upon himself to ensure that Le Thieullier was aware not only the medical situation, but the community concerns over this patient.

The theoretical basis on which authority to give medical advice stood was one thing, but daily practice was a different matter. The ultimate power of the patient unquestionably lay in his or her ability to pick and choose from who they sought advice, and which advice they followed. Thus *médecins* and *chirurgiens ordinaires* sought to exert their authority over patients. Local practitioners were in a different situation to the consultants in that they had to deal with the patient face to face. Failing to alleviate their symptoms within the home or amongst friends and neighbours, leaving aside the likes of empirics, patients could call on the advice of a local *ordinaire*, physician, surgeon or both. *Ordinaires*, by their participation in the epistolary process, were admitting some loss of authority; they had been unable to cure the patient themselves and were now seeking advice. Thus in 1740 after describing how he had been treating his patient who had phthisis, an *ordinaire* added:

The illustrious physicians to whom this memoir must be sent are most humbly asked to show any fundamental errors which can be found, and

¹⁵ Le Thieullier, vol.1. p. 361. 'Un très-digne Ecclésiastique à la conservation duquel l'Église Cathédrale dont il est Doyen, toute la ville où il fait sa résidence, et sur-tout le pauvres en sont un grande partie ont une grande et spéciale intérêt, tant pou la vie exemplaire qu'il y mene, que par les abondantes aumônes qu'il y a fait, est le sujet de ce Mémoire.'

indicate a way unknown to the local physician in order to achieve the recovery of the patient.¹⁶

This particular request is unusual, not because the *ordinaire* sought advice but because he had conceded that he may have made mistakes.

On the other hand, *ordinares* performed a key role in epistolary consultations, firstly they provided the consultant with information they deemed necessary, based on their training, and secondly in making the selection of the consultant to become involved in the correspondence. It is likely that there was some sort of ongoing relationship between the *ordinaire* and the patient that might even span generations. The *ordinaire* would then have known his or her foibles and in such circumstances would have been aware of how far he could enforce his will. In *Consultations choisies*, a *médecin ordinaire* was able to advise the consultant of the health history of one family (including father, mother and sisters) in the case of sixteen-year-old male suffering from scrofula.¹⁷ In another, a *chirurgien ordinaire* had a fifty-eight-year-old female patient who was ‘troubled by the vapours, accompanied by stomach ache, a pain in the region of the spleen, which varies; at the current time she is in good health as far as the middle part of the great pectoral muscle’.¹⁸ When requesting Le Thieullier to consult on the matter the *ordinaire* advised him that ‘It is as well that I tell you that she very strongly abhors all sorts of medicines’.¹⁹ He closed the *mémoire* stressing the point by adding ‘what is wanted Sir, is to find some medical remedies that are prompt and effective, that do not annoy the patient.’²⁰ Thus the *ordinaire* was in some ways better informed than the consultant about the individual patient, but was presumed to be less knowledgeable about the precise condition or its treatment; otherwise he would have had no need to recourse to the consultant.

¹⁶ Ibid., vol. 2, p. 247. ‘Les illustres Médecins à qui ce mémoire doit être communiqué sont priés très-humblement de vouloir relever les fautes essentielles qui peuvent s’y trouver, et indiquer une route inconnue au Médecin ordinaire pour parvenir à la guérison du malade.’

¹⁷ *Consultations choisies*, vol. 10, 1755, p. 177.

¹⁸ Le Thieullier, vol. 2, pp. 301. ‘incommodée par des vapeurs, accompagnées par un mal d’estomac, et une douleur à la région de la ratte, qui varie; de courant fois se portant jusqu’à la partie moyenne de grande pectoral’.

¹⁹ Ibid., p. 302. ‘il est bon de vous dire que elle abhorre très-fortes toutes sortes de médicamens.’

²⁰ Ibid., p. 302, ‘Il faut Monsieur, chercher quelque remède dans la Médecine qui soit prompt et bon, cela ne ennuie la patient.’

This remained a part of the *ordinaire's* power dynamic, even if he did have to seek advice he still in most cases was the face of medical knowledge to the patient.

Consultation by letter brought with it particular dynamics of authority. The learned physician had to seek his place in a competitive world where his superior standing rested on intellectual claims and reputation as much as his official status. In the case of consulting by letter he was at a further disadvantage, he could neither ingratiate himself to the patient nor cajole him or her, in the way that could perhaps be achieved in a face-to-face consultation, nor could he rely on visual signs of his status. His dress and manner could not be used to impress as they could when in the presence of the patient. Herman Boerhaave in *Des maladies des yeux* (1749) set out very detailed instructions as to how a physician should present himself and behave when visiting his patients, in particular to maintaining the patient's confidence in his ability to be effective.²¹ The physician or surgeon had to simultaneously demonstrate what he considered to be his superior level of knowledge and propose a diagnosis and therapies which would be acceptable to the patient. The *ordinares* could follow Boerhaave's advice on appropriate decorum. However, because the consultant was not dealing face to face with the patient, techniques which would otherwise have applied, dress, manner, demeanour and so forth were not available to him. He was therefore limited to indirect ways of inferring his authority.

First and probably most important was reputation. This may have been individually held, or it may have been by association through the reputation of the medical body to which he belonged. Reputation was in part posited on the physician having been awarded a doctorate in medicine through a university education which then resulted in a license to practise medicine. The institutionally-recognised medical hierarchy was of course more complicated than is suggested above. For instance in 1693 the office of *Médecin du Roi* was created in non-collegial towns which apart from any role this involved

²¹ Herman Boerhaave, *Des Maladies des yeux par M. Herman Boerhaave le tout traduit du Latin*, Paris, chez Huart et Morceau fils, 1749, pp. 253-279.

individually when the Court was out of Paris, undoubtedly gave cachet to the holders of this title. The term was not consistently used by its holders. Regulation, the other main source of authority, could engender contestation between not only the two main 'professions', but also between graduates of the different schools of medicine, not necessarily just Montpellier and Paris.

More commonly a consultant would append his letters with the designation *Docteur en Médecine de Paris* or *de Montpellier*. The implication of such signification is that in some way it pronounced their status. However, it was not unusual for *médecins ordinaires* to do the same. Given that Paris and Montpellier together produced the majority of French medical graduates this is hardly surprising. The expression that physicians from these establishments were in some way special is more frequently encountered in the writing of those asking for a consultation. Thus a patient asked Honoré Petiot in Montpellier, 'not to forget to consult on his illness with the greatest physicians of your city, of which there are a great number'.²² It should not be overlooked that a very small number of the physicians involved in the consultations considered here also enjoyed noble status through their association with the Royal Court, such as François Chicoyneau and Pierre Chirac.²³ Some court physicians wrote consultations but records of these are limited.²⁴ The basis on which physicians in smaller towns became regarded as authorities is impossible to elucidate from the correspondence. Why did people seek the written advice of M.F.B. Ramel le fils in Aubagne, or Vivant-Augustin Ganiare in Beaune? The correspondence gives no clues, and one can only presume that they were recognised regionally as possessing expertise. It is possible, although it has not been determined, that these practitioners were *Médecins du Roi*.

²² *Consultations choisies*, vol. 10, p. 147. 'n'oubliez pas ... de consulter avec le plus grands Médecins de votre ville, qui y sont en grand nombre.' See also fn. 29 of this chapter for praise of Parisian physicians.

²³ Pierre Chirac and François Chicoyneau were *premier médecins du Roi*. For more on the social and economic status of physicians see Matthew Ramsey, *Professional and Popular Medicine, Medicine in France, 1770-1830: The Social World of Medical Practice*, Cambridge, Cambridge University Press, 1988, pp. 54-57.

²⁴ Bibliothèque interuniversitaire de médecine et d'ontologie, Paris, MS 2075. This contains eight consultations dated 1714-1727, some written by Guy-Christian Fagon the King's first physician, and Jean-Adrien Helvétius King's physician.

The rhetoric employed by the consultant could also give the impression of knowledge. For example, quoting well-known medical authorities, whether in French or Latin could be intended to demonstrate the consultant's medical erudition as well as justifying the specific point being made.²⁵ It should be added that this was an unusual practice, even when the consultant was writing to another physician. The production of texts by physicians and surgeons has already been mentioned in the context of patients using books as sources of information. There is also the prospect of printed books enhancing the standing of the authors amongst other practitioners and the reading public. The very act of publishing may have been a device to acclaim the consultants' authorities, at least for those still alive at the time of publication. In the case of *Consultation choisies* publication could be regarded as intending to reinforce the authority of the Montpellier School.'

Perhaps the most prodigious writer amongst them was Jean Astruc but a number of other of the consultants, physicians and surgeons published.²⁶ In the case of manuscript consultations sighted, there is no indication that the type of paper used was particularly up-market, nor did any bear crests of any kind that would add prestige. The most that can be said is that often they would sign off their letter with an indication that they were doctors of medicine at Montpellier or Paris though even then this was often reduced to the initials DMM and DMP respectively. In a similar fashion, often surgeons would sign their *mémoires* as *Maître de chirurgie*.

There were in addition surgeons providing consultations. They also acquired reputations and in some cases positions of significance within the surgical community and known in the wider community. Antoine Louis was for example from 1764 permanent secretary of the Royal Academy of Surgery and Henri-François le Dran (1685-1770) was chief surgeon at the Paris *Hôpital de la Charité*. As highly experienced members of their profession, it is

²⁵ Twenty-two cases in *Consultations choisies* were written in Latin.

²⁶ See Janet Doe, 'Jean Astruc (1684-1766): A Biography and Bibliography', *Journal of the History of Medicine and Allied Sciences*, vol. 15, no. 2, 1960, pp. 184-197. Doe lists 135 published items. Whilst some of these are new editions or reprints in other languages, Astruc's list of publications is very extensive.

reasonable to suppose that they would have been regarded as more knowledgeable and experienced than were the *chirurgiens and médecins ordinaires* who consulted them.

A *médecin ordinaire* could also contest, though unusually, what a consultant had diagnosed. A series of letters between Le Thieullier and a *médecin ordinaire* concerned a woman suffering from a variety of complaints including *hydropsie*. The two physicians differed over how the symptoms should be interpreted but the correspondence culminated in the *médecin ordinaire* admitting he was in error: 'I have taken appearances for realities, being accustomed in my meagre practical medicine of not defining illnesses symptomatically and never pathologically ... this last method is only suitable in the School.' He bowed to Le Thieullier's authority.²⁷ The *ordinaire* who signed himself as Doctor of Medicine Montpellier when asking for Le Thieullier's further advice added, 'As you Sir, are an illustrious colleague of the skilled professors under whom I have studied at Paris'.²⁸ Thus despite admitting he was in error, he was pointing out that he studied at both the pre-eminent medical schools of France.

Seeking the opinion of a consultant inferred recognition of his superior knowledge and experience. The patient ceded authority and power to the consultant. Thus when a patient ended his letter to Le Thieullier: 'I have great confidence in you' there was little doubt about his view of Le Thieullier's capabilities.²⁹ Even more emphatic was the plea from a patient suffering from nephritis which his local physician and surgeon had failed to cure adding: 'There is no remedy known to my physician or surgeon that I have not received and taken to ease the pain of my *colique*'.³⁰ Towards the end of his *cri de coeur* he wrote:

²⁷ Le Thieullier, vol. 2, pp. 372-373. 'J'ai pris les apparences pour des réalités, ayant coûtume dans ma chétive pratique médicale de ne définir les maladies quelconques que symptomatiquement, et jamais pathologiquement ... cette derrier façon ne convient que dans l'Ecole.'

²⁸ Ibid., p. 373. 'Comme vous êtes Monsieur, un illustre Colleague des habiles Professeurs sous lesquels j'ai étudié à Paris'.

²⁹ Le Thieullier, vol. 1. p. 188. 'J'ai grande confiance en vous.'

³⁰ Ibid., vol.1, p. 312. 'Il n'y a point de remèdes connus à mon Médecin et à mon Chirurgien, que je n'aye reçus et pris pour appaiser la douleur de ma colique'. In eighteenth-century

I most humbly implore you, Sir, to be kind enough to have goodness and charity for me, the Physicians of Paris being the greatest of the subjects of the realm, of whom your name can be of that number, to communicate my small detail to know their opinion.³¹

The patient was indicating an expectation of a superior knowledge than that which he had obtained locally, not just from Le Thieullier, but of the Paris faculty in general. One might take a cynical view that the patient's remarks were mere hyperbole, intended to ingratiate himself with the consultant.

The ultimate expression of authority that consultants had was of course to decline to write a consultation. Given the nature of the sources evidence of this is unsurprisingly rare. There was however one example. A patient wrote to Montpellier and from his letter it appears that an earlier request for advice had not been responded to. In his reply to the latest request Honoré Petiot made the observation that 'one should not be unaware, that the reputable physicians [of Montpellier] do not have time to work for nothing.'³² This not only highlights the ability of consultants to decline a request, but introduces the notion that consultations were provided only on a fee-paying basis. The market concept which is often applied by historians to the buyer side of medical transactions, applied to the sellers too, no matter how professionally exalted they were.

In summary whilst each of the parties had a basis on which to claim authority, in real terms their relative strength was fluid. Who could dominate was dependant on the circumstances and the moment at which one or other sought to exert their power.

Establishing authority between practitioners

France the term colique was applied generally to any pain in the lower intestines and to diarrhoea; see Hélian, *Dictionnaire du diagnostic, ou l'art de connoître les maladies, et des distinguer exactement les unes des autres*, Paris, chez Vincent, 1771, pp. 55 et seq..

³¹ Le Thieullier, vol. 1, p. 313, 'je vous supplie très-humblement, Monsieur, du vouloir bien avoir la bonté et la charité pour moi, Messieurs les Médecins de Paris étant le plus grands Sujets de Royaume, dont le vôtre peut être de ce nombre, de lui communiquer mon petit détail, pour sçavoir son sentiment.'

³² *Consultations choisies*, vol. 10, p. 148. 'on ne doit pas ignorer, que les médecins de réputation [of Montpellier] n'ont pas le tems de travailler gratis'.

Whilst the majority of the letters do not generally indicate conflict between the various parties involved, there are sufficient instances where it was recorded to appreciate that it was not exceptional. Disputation arose between elite consultants and the *ordinaires*, between surgeons, and between these professionals and patients. The *mémoire* usually gave the consultant information on advice previously provided about symptoms and treatment, although this was not necessarily comprehensive. Furthermore, he would be unaware of what other advice the patient might still be seeking, which could conflict with any advice he offered. In the face-to-face consultation, the physician could adjust his tactics if necessary in such a situation, but that recourse was not an option when consulting by letter. Between these extremes was the possibility of the patient writing back, challenging the opinions offered and asking for, even demanding, a revision. This section analyses those negotiations between various medical practitioners.

There was the interposition of unofficial suppliers of medical help to complicate the roles of the official suppliers. The letters demonstrate that there was a variety of unregulated sources of medical help on which the patient drew when so inclined. The empiric made indirect appearances in the letters between patients, physicians and surgeons, invariably when the patient had reported that they have resorted to this sector of the health supply market. Apart from taking empirics and charlatans before the courts, the physicians had no authority over them. All they could do was to disparage them, and in the correspondence decry the actions of patients who had resorted to such individuals.

The *ordinaire* at times had to deal with patients who had relied on empirics for cures to their illness. This is exemplified in a 1741 case involving a *Monsieur le Marquis* in Dijon, who was evidently a difficult patient.³³ The *médecin ordinaire* described some earlier treatments the patient had taken:

I had learnt from him during this summer ... that he was content with some remedies that his surgeon and his apothecary had made up for

³³ *Consultations choisies*, vol. 10, p. 129.

him, which they promised would cure him in one month. I do not know what was in these remedies, I learned only that it was some powder in a large glass of Champagne, drunk on an empty stomach ... the rest of the day he drank some tisane. The remedies as one sees never did any good. He told me that in Paris in 1739 he had suffered a fever for which an empiric had treated him by way of three glasses of liquid which caused him [through perspiration] to soak eight or ten shirts a day. He took the remedy for fifteen days and his fever was cured perfectly, but it was some days after he developed jaundice to the whole of his body. Having consulted the empiric he replied to him this was a good sign, and it was the infallible mark of his cure.³⁴

The jaundice never went away completely. The *médecin ordinaire* commented that 'the patient can only reproach himself for not having put himself in the hands of good physicians in good time, persuaded by his surgeon, who claimed to have cured a hundred patients worse than him.'³⁵ Thus we have a patient choosing an empiric, then a surgeon and apothecary in collusion, and in both instances seemingly accepting their authority. The *médecin ordinaire* appears to have simply accepted the patient's justification for relying on the surgeon, but went on to say that 'I am very much persuaded that it was only the empiric's treatment that was the cause [of his present state of health].'³⁶ In their reply the Montpellier professors, Antoine Fizes, Jean-Jacques Montagne and Honoré Petiot were unequivocal in placing the blame for the Marquis' condition on the Parisian empiric: '[t]he unfortunate state in which the Marquis finds himself must be imputed, without contradiction, to the bad treatment by

³⁴ Ibid., pp. 129-130. 'J'appris de lui [le Marquis] qu'il étoit dans cet été ... se contenant de quelque remedes que son Chirurgien, et son Apothicaire lui faisoient faire, lui promettant de la guérir en un mois. Je n'ai pas sçavoir quels étoient ces remedes, j'appris seulement que c'étoit quelque poudre dans un grande verre de vin de Champagne, qu'il buvoit à jeun ... le reste du jour il bouvoit quelque ptisane. Ces remedes, comme on voir, n'opèrent rien de bon ... Il me dit qu'étant à Paris en 1739 il avoit eu quelque accès de fièvre qu'un emperique lui avoit traitée au moyen de trois verres de liqueur qui lui faisoient mouiller huit à dix chemises par jour, et se trouva parfaitement guéri la fièvre, mais il eut quelque jours après une jaunisse dans tout le corps. Ayant consulté l'emperique il lui répondit que c'étoit la marque infaillable de sa guérison.'

³⁵ Ibid., p. 131. 'Le malade ne peut se reprocher que de n'avoir pas voulu se mettre de bonne heure entre les mains des Médecins, par la persuasion de son Chirurgien, qui disoit avoir guérir cents malades bien plus mal que lui.'

³⁶ Ibid., p. 131. 'je suis très-persuadé que ce n'est que le traitement que lui a fait l'emperique qui l'a occasionée.'

his empiric.³⁷ The consulting and local physicians were in accord about blaming the empiric for the patient's condition. They did not take the opportunity to decry the surgeon for diagnosing and treating an internal ailment, supposedly the domain of the physician, demonstrating once again that this distinction was not a prime motivator when it came to medicine in practice.

One of the reasons for publishing various practitioners' consultations was most probably to encourage potential patients to turn to the regular practitioner and spurn the empiric. A 1742 *mémoire* to the consultant Jean-Baptiste Silva opened bluntly with the statement that the patient took little exercise and drank too much.³⁸ The local physician had been treating him for several years, particularly for gout for which he had advised him to take a 'remedy infallible for hydropsy'.³⁹ He was clearly unimpressed that the patient had taken himself to a Madame Morel who supplied him with a purgative and he had taken five doses of her 'cure'.⁴⁰ In another instance a *médecin ordinaire* wrote to Le Thieullier over a patient with liver problems.⁴¹ Evidently of a cantankerous nature, the patient refused to follow the advice of this local physician. Worse from a physician's perspective, he took to dealing with empirics, as the *ordinaire* put it: 'the patient bought from a stranger, two doses of purgative powders, the first made up of more than twenty salts; the second that he accused of being stronger, only made torment of his intestines almost without evacuation.'⁴² In his reply Le Thieullier noted 'the revolt of the patient

³⁷ Ibid., p. 132. 'L'état facheux dans lequel se trouve Monsieur le Marquis doit sans contredit être imputé au mauvais traitement de son empirique à l'occasion des accès de fièvre ... à Paris.'

³⁸ Pierre Chirac and Jean-Baptiste Silva, *Dissertations et consultations médicales de messieurs Chirac, conseiller d'Etat, et Silva médecin consultant du Roi, et premier médecin de S.A.S. monseigneur le Duc*, Paris, Durand, vol. 2, 1744, p. 263, 'La personne dont s'il agit de peu d'exercice, et beaucoup de bouteille'

³⁹ Ibid., p. 264, 'un remède infallible pour hydropsie'.

⁴⁰ Ibid., p. 264, 'Il se vend Chez Madame Morel ... il pris [des] évacuans cinq fois depuis deux moins'.

⁴¹ Le Thieullier, vol. 1, pp. 26-32.

⁴² Ibid., p. 28. 'Monsieur a pris d'une main étrangère deux prises de poudre purgative, la première fit faire plus de vingt selles ; la seconde qu'on accusa d'avoir été plus forte, ne fit que tourmenter les entrailles sans presque d'évacuation.'

against the medicines which had been proposed for him'.⁴³ He continued by stating:

[a] state already so dangerous however allowed some remedies suitable to his recovery, if the patient had not lost confidence to transfer it to some disreputable people who give out their remedies at random, and if he had continued to follow the wise advice of the local physicians.⁴⁴

In other words, the patient was mistaken in following the advice of ignorant empirics rather than that of his qualified medical advisors, particularly in his state of health. Le Thieullier was unequivocal about whom he regarded as being in charge in a contest between physicians and the patient when replying to a letter written for the patient by his *médecin ordinaire*. The patient was suffering from a long-standing cough, lingering fever, lost appetite, spots before the eyes and bunions; a condition described by the consultant as demanding immediate attention:

Such may be the aversion to blood letting he [the patient] ought to remember the benefit that he has told us each time that one has opened the vein ... we consider that he must be incessantly bled from the arm, a quantity of three palettes; this bleeding will be repeated without timidity or indulgence, according to the quantity that will be observed in the drawn blood and according to the strength of Monsieur.⁴⁵

Le Thieullier's comment not only implied a level of knowledge superior to that of the other correspondents but an insistence that his advice was to be followed by the patient. In this instance he was aiming to impose his authority

⁴³ Ibid., p. 30. 'la révolte du malade contre les remèdes qui lui ont été propose.'

⁴⁴ Ibid., p. 32. 'Un état déjà si dangereux admettoit cependant des remèdes propres à sa guérison, si le malade n'eût pas déplacé sa confiance pour la livrer des gens sans aveu, qui abandonnent leur remèdes au hazard, et s'il eût continué de suivre les sages conseils des Messieurs ses Médecins ordinaires.'

⁴⁵ Le Thieullier, vol. 1, pp. 254-255. 'Telle que soit l'aversion du malade pour la saignée, il doit se rappeler l'avantage qu'il nous a dit en avoir tiré chaque fois qu'en lui a fait ouvrir la veine ... nous jugeons qu'il doit être incessamment saigné au bras, à la quantité de trois poëlettes, et que cette saignée sera répétée sans timidité ni complaisance, selon la qualité qu'en aura observée dans le sang tiré et suivant les forces de Monsieur.' A *poëlette* (palette) approximates to 9 fl.oz.

on the patient and the *médecin ordinaire*, but at the same time by his use of the word 'we', was including this local physician in the authority loop.

Whatever authority the physicians claimed over surgeons, the evidence of the letters examined here suggests that this was seldom invoked at a practice level. Whilst the correspondence generally indicates a considerable degree of co-operation at least one sign of status differential was uncovered. Six master surgeons made contributions to the consultations in *Consultations choisies*. However, although the contributions made by physicians were individually indexed, the index makes no mention of these surgeons. This surely was deliberate, probably as a mark of distinction between the two professions. Other historians have made much of the contestation between physicians and surgeons but this appears to be based on the regulatory and promotional battle between the two, rather than what occurred in daily practice.

The consulting physician M.F.B. Ramel, who lived in a small town, Aubagne, was quite forward in recognising the role of surgeons in country regions. Indeed most of his printed consultations were responses to letters from surgeons. His attitude is typified when in a letter to a patient he commented that '[o]ne leaves the administration of this remedy to the prudence of his surgeon'.⁴⁶ In contrast, consulting surgeon Henri-François le Dran working in Paris overruled a *chirurgien ordinaire*, effectively concurring in this instance with the patient's mother, when the *ordinaire* proposed amputating a girl's broken leg. Le Dran decided this drastic step unnecessary.⁴⁷ He admitted, 'my first idea was to agree with the surgeon, but then regarded the fracture as simple.'⁴⁸ But he added, 'This ambiguous case ... was a lesson for me to reflect on, and not to follow in the first place my first

⁴⁶ M.F.B. Ramel, le fils, *Consultations médicales et mémoire sur l'air de Gemenos, La Haye, Chez les libraires associés*, 1785, p. 258. 'On laisse l'administration de ce remède à la prudence de son Chirurgien.'

⁴⁷ Henri-François le Dran, *Consultations sur les pluspart des maladies qui sont du ressort de la chirurgie*, Paris, Fr. Diderot, 1765, p. 229. 'La mere s'opposa absolument à l'amputation'.

⁴⁸ Ibid., p. 229. 'Ma premier idée fut conformé à celle de ce Chirurgien ... Alors réfléchissent ... et je regardai le fracture comme simple.'

idea in other illnesses ... It can equally be one for young surgeons'.⁴⁹ He proceeded to advise in detail how the girl was to be treated to allow the leg to heal. Le Dran clearly claimed authority over his less experienced colleague, but in doing so must have reduced the latter's standing in the eyes of the patient's family.

Thus the professionals could and did disagree and their differences were exposed in the correspondence. However, the level of criticism levelled between them was slight compared with that directed at empirics.

Negotiating diagnoses

A father trying to obtain from Le Thieullier a correct diagnosis for his son, mentioned in the previous chapter, demonstrates the manner in which authority shifted to and fro between the parties. Three *chirurgiens ordinaires* had each given different diagnoses, apoplexy, an overflow of humours, and epilepsy.⁵⁰ By seeking the opinions of several surgeons and allowing them to treat the boy, the father was ceding authority to each of them. It is unclear exactly how many surgeons were involved, but at a minimum it was three and possibly more. The father in his initial letter, evidently dissatisfied with these conflicting opinions, asked Le Thieullier to give the surgeons some education.⁵¹ In his response Le Thieullier set out why each of the diagnoses of the surgeons was in his opinion incorrect without criticising the individuals, and gave his own if somewhat imprecise diagnosis, of 'a type of catalepsy'.⁵² In seeking the consultant's advice, clearly the father was re-asserting authority in the matter over that of the surgeons. Some nine months later the parent again wrote to Le Thieullier in strong terms, involving himself in the diagnosis by saying that it was not epilepsy and asking for the name and nature of the illness; but in also asking to be given the means of remedying it, he was still

⁴⁹ Ibid., p. 230. 'Ce cas équivoque ... me fut une leçon pour réfléchir, et ne pas suivre d'abord ma première idée dans les autres maladies ... Il peut également en être une pour les jeunes chirurgiens.'

⁵⁰ Le Thieullier, vol. 2, p. 285-6. 'Nos chirurgiens disent, les uns que c'est apoplexie, d'autres débord, d'autres que ce tend à l'épilepsie, mais ils ne savent quel remède pour prévenir ce mal'.

⁵¹ Ibid., p. 286. 'Comme je serois bienaise de lui [les chirurgiens] donner quelque éducation.'

⁵² Ibid., p. 286. 'Les signes assez évidens pour regarder l'état de l'enfant comme une espèce de catalepsie.'

recognising Le Thieullier's superior knowledge.⁵³ Once again he was exerting authority by demanding answers of the consultant. Furthermore the parent effectively challenged the surgeon who was now treating the boy, because he said he doubted the medication Le Thieullier had prescribed was being precisely followed, going so far as checking with the apothecary exactly what had been dispensed. In response, Le Thieullier defended the surgeon by saying that not all the drugs he prescribed might have been available in some towns in country areas.⁵⁴ In effect Le Thieullier used his authority to support the actions of both surgeon and apothecary. Le Thieullier defended his earlier opinion but now described the illness as *épilepsie prochaine*, adding that because of the number of attacks the child had suffered it would be difficult to cure and prescribed new treatments. At this point the correspondence ended. In effect Le Thieullier sought to reassert his authority in the matter over the father who had successively disputed the knowledge-based authority of surgeons, an apothecary, and of the consultant. The dynamic nature of with whom authority lay can be seen throughout this case, as authority was ceded and exerted by the different participants.

In 1729 a surgeon had been treating a young woman who was described as suffering a serious suppression of the menses. Chancellor and professor of the Montpellier University of Medicine François Chicoyneau responding to her *médecin ordinaire* stated that the surgeon had misdiagnosed her condition and consequently prescribed the wrong internal medication.⁵⁵ What Chicoyneau did not do was criticise the surgeon for engaging in what would have been, from his point of view, a matter for a physician. Given the absence of information regarding whether this request for the consultation had come from town or country, it is impossible to judge whether Chicoyneau was ignoring this apparent breach of authority or was

⁵³ Ibid., p. 380. 'J'apprends fort que ce ne soit l'Epilepsie ... On supplie donc très-instamment MM les Docteurs, de prêter leur attention à ce Mémoire, d'examiner cette maladie, et de donner les moyens d'y remédier, si faire se peut sçavoir le nom et la qualité de ce mal.'

⁵⁴ Ibid., p. 381, 'Non à l'infidélité du Chirurgien, dépositaire de notre Ordonnance; mais au défaut des remèdes prescrits pour la composition de l'opiat, dont la plupart ne se trouvent pas dans certaines villes de Province.'

⁵⁵ *Consultations choisies*, vol. 7, 1750, pp. 146-147 'un Chirurgien, présumant que ce dérangement étoit causé par des obstructions des visceres, et ayant en conséquence fait user d'une opiate des apéritifs et des purgatifs un peu trop piquant, sans avoir fait précéder suivant les règles une préparation convenable.'

simply recognising that a surgeon was probably the only practitioner available.

The contretemps between Tobias Smollett and Antoine Fizes has already been referred to in the introduction. What makes this case different to others which are considered in this thesis is the fact that Smollett was himself both the patient and a surgeon.⁵⁶ Travelling through France and Italy in 1763 Smollett stayed in Montpellier for about a month. He wrote a lengthy description in Latin of his condition and case history to Fizes including:

[m]y asthmatical disorder ... became now very troublesome attended with fever, cough, spitting, and lowness of spirit; and I wasted visibly every day. I was favoured with the advice of Dr Fitz-maurice, a very worthy sensible physician in this place; but I had the curiosity to know the opinion of the celebrated professor F-, who is the Boerhaave of Montpellier.⁵⁷

Smollett's version of Fizes' written response which was in French included the statement that:

[t]he fundamental cause of this disorder must be imputed to a thick, acrimonious lymph which produces tubercules on the lungs, which tubercules suppurating, supply the blood with acrid particles, and render it wholly acrimonious.

Fizes prescribed treatment for this condition but made no prognosis. Smollett's response was sarcastic to say the least, concluding that Fizes either did not understand Latin or had not taken the trouble to read his *mémoire*. However, he wrote back, this time in French, contesting a number of points, but in particular that:

I cannot think there are any tubercules on my lungs. ... I imagine, therefore that my disorder was originally owing to a sudden intermission

⁵⁶ Smollett qualified as a surgeon in 1739. His acquisition of a diploma in medicine is however contested. See Francesco Cordasco, 'Correspondence', *Modern Language Notes*, vol. 65, no. 2, 1950, pp. 117-119 and Lewis Knapp and Lillian Thorpe, *Modern Language Notes*, vol. 67, no.1, Jan. 1952, vol. 67, No. 1, pp. 69-71.

⁵⁷ Thomas Fitzmaurice was an Irish physician living in Montpellier and *docteur ordinaire* at the University of Medicine from 1737-1751 who made two contributions to *Consultations choisies*.

of bodily exercise, intense application of the mind, and a sedentary life which hath relaxed the whole febrile system, and that now it may be called a *pituitary*, not a *purulent*, consumption. *Tabes pituitaria*, non *Tabes purulenta*.

Smollett requested Fizes to reconsider his original letter. The response to this request was not included in the published dialogue, but Smollett recorded that Fizes had remained steadfast to his diagnosis and prescribed treatment, and said that Smollett's theory 'was idle'. One has to presume that Smollett ignored the advice he had been given, and the matter is not raised again in his book. Smollett was to die eight years later from consumption.

Knowledge disputation sometimes arose when the patient was unwilling to accept the diagnosis provided. It is easy to understand the reluctance of patients to accept for example being told that they were suffering from *la vérole* with all the social connotations that went with such a disease. Such was the case with Sœur de St Jean Chrystome writing to the Parisian physician Etienne-François Geoffroy. Politely but firmly, the patient clearly did not accept Geoffroy's description of her condition, 'Allow me to object to you in that you suspect that my illness is dropsy of the chest.'⁵⁸ This being the case, one could expect that she would also have rejected the treatment, details of which were not spelled out; it is surprising therefore, that this patient wrote that she had been following instructions. An explanation for this contradiction can only be speculative. Perhaps the patient was offering some face-saving to Geoffroy, or perhaps the treatment was routine so that it seemed acceptable.

In matters of diagnosis authority could not be presumed. A consultation by François Verney and Antoine Fizes concerned a woman described by her *ordinaire* as suffering *pertes blanches* with a suspicion of syphilis. Uncertain as to whether she had *la vérole* the physicians called for her husband to visit Montpellier for a consultation so that they could ascertain whether he was

⁵⁸ Bibliothèque interuniversitaire de médecine et d'ontology, Paris, MS 5242, *Correspondance de Geoffroy, médecin parisien*, no. 76. 'Je vous remercier tres humblements et de tout mon Couer de la bonte que vous avez eu de repondre sur l'avis que j'ai pris la liberté de vous faire demander, je suis si persuadié que je dois avoir une Entiere assurance sur toutes vos ordonnances que je ne Manquerais pas de les Executer ponctuellement, mais permetée moi de vous objecter sur ce que vous soupsonné que mon Mal est une dropsie de poitrine.'

infected.⁵⁹ They could not of course insist that he went for an examination; indeed some patients did refuse to undergo examination. In this instance with the patient not following Fizes' recommendations, it is clear that any authority held by Fizes was in his own mind, rather than real.⁶⁰

On occasions the consultant would disagree with the diagnosis given by a *médecin ordinaire*. In 1749 a physician, Nicolau of Sempé en Bigotte, wrote a *mémoire* to the Montpellier faculty regarding what he considered to be a venereal epidemic. He contended that it was caused by a contagious *virus*. He requested suggestions for a remedy for this great illness which was afflicting the Sempé region:

a type of venereal disease, which does not have the symptoms as troublesome as that known as true 'Pox' which is always communicated by a contagious virus The people infected by this illness will be of the same sex; in breast-feeding the wet-nurse gives it to the child or the child to its wet-nurse, one after another is infected ... This is why one asks immediately [of] the consultants, for the public good of our country to be pleased to give us their advice and tell us if one cannot treat it completely safely using the mercury frictions, without however causing salivation, and take all other precautions necessary in the treatment of the true *vérole*.⁶¹

The reply from Antoine Fizes and Charles Serane stated the disease was not venereal (what was intended was *la vérole*), neither was it gonorrhoea. It was simply 'a dryness and acrimony of the blood', that is the blood was hot and dry, a characteristically humoural diagnosis.⁶² They agreed it was an

⁵⁹ *Consultations choisies*, vol. 2, 1751, pp. 417. 'ont obligé Monsieur son époux de venir dans cette ville pour consulter, et sçavoir de nous s'il n'y auroit pas un virus vérolique.'

⁶⁰ *Ibid.*, vol. 7, pp. 334-345.

⁶¹ *Ibid.*, vol. 10, pp. 210-214. 'une espèce de maladie vénérienne, qui n'a pas les symptômes aussie facheuse que la véritable vérole, laquelle se communique cependant tout comme elle par une virus contagieux ... les personnes infectées de ce mal seroient de même sexe en allaitant la nourrice le donne à l'enfant, ou l'enfant à sa nourrice, suivant que l'un, ou l'autre en est infecté ... C'est pourquoi on prie très-instamment Messieurs les Consultants pour le bien public de notre patrie, de vouloir nous donner leur avis, et nous dire si on ne pourroit pas traiter en toute sûreté ladite maladie par les frictions mercurielles, sans toutefois exciter une salivation, et prenant toutes les autres précautions nécessaire usitées dans la traitement de la véritable vérole.'

⁶² *Ibid.*, p. 215-216. 'secheresse et l'acrimonie insigne de sang'.

epidemic, but could not attribute a cause to such a phenomenon, and they totally rejected the treatments the *ordinaire* proposed. They offered alternative therapies including phlebotomy, purging, and baths. They also told him that he must take care to avoid attributing general causes to his epidemic construction.⁶³ The appeal on the part of the *ordinaire* for the consultants to respond 'for the public good of our region' implies both recognition of authority and that the elite physicians had some public responsibility.

Thus it can be seen that disputation arose between elite consultants and the *ordinaires*, between surgeons, and between these professionals and patients. Diagnosis was particularly an area where disagreements could surface. This could be the result of incomplete information being passed to the consultant, but could be because the diagnosis given was not regarded favourably.

Negotiating treatments

Treatment was the area where contestation was most likely, and did in fact arise. It was here that the patient's personal likes and dislikes could become a factor. It was also an area with a potential for medicine and religion to come into conflict. Consultants chose their rhetoric carefully to express their authority. This is evident when they had to deal with patients who were challenging proposed therapy. There are many examples when a patient refused to follow the therapeutic recommendations of his physicians. These range from a simple dislike of some particular medicine, to downright resistant behaviour. Both appear to be demonstrated by a patient suffering from various symptoms which in 1743 consultant Jean-Jacques Montagne attributed to a life of excess and venereal diseases (which the patient disputed). He refused many remedies, including mercurial frictions, and would not take quinine because he had distaste for it.⁶⁴ It is stated that this particular patient had been seen personally by Montagne, who was still apparently unable to

⁶³ Ibid., p. 215. 'Il n'est nullement de la nature des maladies vénériennes ... Il n'y a pas non plus de gonorrhée ... Il [le médecin ordinaire] faut avoir soin d'éviter les causes générales qui donnent occasion à cette constitution épidémique.'

⁶⁴ Ibid., vol. 1, p. 231. 'Monsieur ... a résisté à une grande quantité de remèdes, même aux antivénériens les plus efficaces, c'est-à-dire aux frictions mercurielles. It was also noted at p. 240 that. 'L'aversion naturelle qu'a Monsieur pour la quinquina n'est pas permis l'employer.'

convince him of the correctness of his proposed remedies. Montagne's published letter was written to an unidentified patient; had it been written to an *ordinaire* its frankness would perhaps have been less noteworthy.

An 'I know best' attitude on the part of physicians is demonstrated in a series of letters in which Montpellier professor Antoine Fizes chastised a patient for not following his prescriptions. In a footnote to the last letter of the series, Fizes wrote: 'That the patient could not bear these remedies beyond eight days, he was dying when he discontinued them. After about fifteen days rest he recovered little by little; he returned to some of these remedies and recovered perfectly.'⁶⁵ Once again the appearance of this kind of footnote suggests that the intention was to impress would-be patients that physicians were the best source of advice. In this instance with the patient not following Fizes' recommendations, it is clear that any authority held by Fizes was in his own mind, rather than real.⁶⁶ Even when eventually the patient did follow the therapy, Fizes' authority had already effectively been undermined by patient recalcitrance. However, if the footnote were added when the consultation was going to print, this could represent an attempt at regaining authority, to demonstrate that he was right all along.

In a series of letters concerning an epileptic patient, an unnamed consultant made his views known on patient recalcitrance to both the *ordinaire* involved and directly to the patient. The patient had apparently expressed his dislike of one of the prescribed medications to the *ordinaire* and objected to phlebotomy. The consultant wrote to the *ordinaire*:

It is unfortunate for patients to be in this state, and even more to be obliged for one to leave out the use of some remedies, that are often very disagreeable to taste. But the love one naturally has for life and for

⁶⁵ Ibid., vol. 7, pp. 314-346, particularly p. 346. 'Que le malade ne put supporter ces remedes au-delà de huit jours, il étoit mourant lorsque il les dicontinua. Après environs quinze jours de repos il le rétablit peu à peu, il revint à quelques-uns de ces remedes et guérit parfaitement.'

⁶⁶ Ibid., vol. 7, pp. 334-345.

health, enables reasonable people to commit to it, to sacrifice their delicacy to more pressing interests.⁶⁷

The patient subsequently wrote directly to the consultant complaining that he thought another of the medicines was too strong. The response from the consultant was authoritative:

If you flatter yourself that your cure will be prompt you are greatly deceived, you must be satisfied with the effect of the remedies since the suffering you feel every day has begun to go away. That is what gives me to hope that you will be radically cured. But do not be deterred. You have been wrong to slim during the use of these remedies. It can make you worse. ... To prevent a similar attack, it is necessary to again have a good bleed ... you have the experience that one does not die.⁶⁸

Indeed it can be described only as blunt, the patient being told in effect that if he wanted to recover he had to follow advice.

Again on the subject of medication, the patient's expectations of improvement could be different to what the physician believed he could offer. A woman was evidently dissatisfied when her rheumatism was not cleared up despite taking all the medicines that consultant Pierre Chirac had prescribed. She had complained, through her *médecin ordinaire*, of the lack of progress.⁶⁹ Chirac commented that one should not expect to be cured in eight days of an illness from which one had suffered for twelve years.⁷⁰ Notwithstanding this remark a month later Chirac noted that she had been cured.⁷¹

⁶⁷ Chirac and Silva, vol. 2, p. 314. 'C'est un malheur pour les malades d'être dans cet état, et encore plus d'être obliges pour en sortir de faire usage des remedes, qui sont souvent très-désagréables au gout. Mais l'amour qu'on a naturellement pour la vie et pour la santé, qui en fait l'agrément, engage les personnes raisonnables, à sacrifier leur délicatesse, à des intérêts plus pressans.'

⁶⁸ Ibid., p. 317-318. 'Si vous vous êtes flatté que votre guérison seroit prompte, vous vous êtes trompé lourdement. Vous devés être content de l'effet des remedes, puisque les atteintes que vous ressenties, tous les jours commencent à s'éloigner. C'est ce qui me donne l'espérance que vous guérirés radicalement. Mais il ne faut pas rebuter. Vous-avés tort de faire maigre pendant l'usage des remedes. ... Pour prévenir un pareil accident vouse faire faire encore une bonne saignée ... vous avés l'experience qu'on n'en meure pas.'

⁶⁹ Ibid., vol. 2, p. 291, 'tous les remedes ont aigri son mal'

⁷⁰ Ibid., p. 297, 'Il ne faut pas s'attendre que huit jours de remedes emportent une maladie de douze ans'.

⁷¹ Ibid., p. 299. 'La malade a été guéri.'

Physicians would not be expected to claim authority in religious matters yet in a number of instances they advised patients to ignore ecclesiastical dictums with respect to fasting, when this was considered to be detrimental to their recovery. For example a Frère Louis suffering from headaches was told in 1726 by Jacques Lazerme and Nicolas Fournier that '[he] will not observe any of the days of abstinence ordained by the Church.'⁷² And a woman, possibly a nun, whose symptoms included convulsions was instructed in 1726 by Antoine Deidier that 'one must not observe any of the fasting days ordained by the Church until perfectly cured.'⁷³ The advice in these and other similar cases was firm and direct. There are unfortunately no recorded responses to these exhortations to know whether or not the advice was accepted, let alone whether this led the patients into conflict with the Church. French historian Jean-Charles Sournia has remarked that the 'western medicine of Louis XIV and Frederick II saw less and less the hand of God in the origin of illness.'⁷⁴ Brockliss and Jones contend that at least in the seventeenth century, patients believed that cure really lay in the hands of God.⁷⁵ In one instance a *médecin ordinaire* related that his patient, suffering from rheumatism and sciatica, was prepared 'to put himself in the hands of providence'.⁷⁶ Such sentiment is not found coming from the consultants themselves, even in cases that they regarded as very dangerous, only when death was at hand. Thus Le Thieullier observed that a man within an hour of dying had gained a moment's respite from his sufferings to receive the sacraments.⁷⁷

Consultants may not have had the power to enforce their views on patients, but that did not prevent them from making forcefully their views on the correctness of their opinions. That these blunt opinions went into print is

⁷² *Consultations choisies*, vol. 2, p, 260. 'On n'observera aucune des jours abstinence ordonnées par l'Eglise.'

⁷³ *Ibid.*, vol. 9, 1751, p. 21. 'On ne doit observer aucun des jours maigres ordonnés par l'Eglise jusqu'à parfaite guérison'.

⁷⁴ Jean-Charles Sournia, *Histoire du diagnostique en médecine*, Paris, Editions de Santé, 1995, p. 60. 'L'Occident médicale de Louis XIV et de Frédéric II voyait des moins en moins le main du Dieu dans l'origine des maladies.'

⁷⁵ Laurence Brockliss, and Colin Jones, *The Medical World of Early Modern France*, Oxford, Clarendon Press, 1997, p. 305.

⁷⁶ *Consultations choisies*, vol. 8, p. 53. 'il s'étoit déterminé à remettre entre les mains de la Providence'.

⁷⁷ Le Thieullier, vol.1, p. 420. 'l'on profita d'un intervalle que la Providence accorda pour avoir recours aux sacremens.'

perhaps indicative of intent to make readers aware that these elite physicians saw themselves as the arbiters of medicine. Patients' whims, fears or even religious practices were no bar to the consultants, who put forward their positions from a medical standpoint; if deemed necessary, forcefully.

In summary, authority was not rigidly fixed between patients and their various health advisors, or between advisors. The physicians had at times to be flexible enough to meet the whims of the patients. They also had to contend with the patient's use of medicaments that they disapproved of. Yet at times there is evidence that they could present a no-nonsense approach if they thought this was essential to the patient's recovery. The letters show that it was between the *ordinaire* and the patient that conflict was most likely to be recorded. In most instances, the expert consultant would support the position of the *ordinaire* over that of the patient when these were in dispute, probably because they knew that his authority was to carry weight, it was the local practitioner who would oversee the application of his advice. When consultant physicians disagreed with the *ordinaire*, if commented upon, it was seldom strongly worded. Most often the disagreement can be only discerned by the treatment proposed by the consultant compared with that which the *ordinaire* had suggested. The consultants however were not beyond chastising the patient they regarded as recalcitrant, directly, or through the *ordinaire*, as can be seen above.

Surgeons may have been perceived by physicians as lower down the professional hierarchy, but the evidence of the sources employed here shows considerable co-operation between these two types of practitioner. As has been shown, the notion of physicians dealing with internal maladies and surgeons only external complaints or those things requiring surgery, is not reflected, nor is any animosity apparently engendered when the alleged lines of authority were crossed, a theme which recurs throughout this chapter. In part this may be the product of surgeon-initiated *mémoires* originating in areas where a physician was not available. There are examples when surgeons are criticised by a consulting physician, but so too, though more rarely, are *médecins ordinaires*. Although *chirurgiens ordinaires* came in for criticism at times, as has been pointed out, they often received the support of consulting physicians.

Whatever the notional hierarchical standing of the surgeon, he played an integral role in many of the consultations which have been examined. Admittedly the number of consulting letters by surgeons available for analysis is less than that by physicians, nonetheless there appears to be an absence of contestation of their proposals.

For all the authority an elite physician might claim of having the greatest expertise in diagnosis and how disease might be cured, it was ultimately the patient who was in control. The authority of the *ordinaire* was also unstable. When he sought the advice of a consultant the sources seldom give an indication as to whether this step has been taken on his own initiative or at the behest of the patient. Furthermore, and importantly, the patient always had the option of seeking alternative advice. It was ultimately the patient who was in control.

UNIVERSITY MEDICAL KNOWLEDGE IN EPISTOLARY PRACTICE

This chapter takes as its focus the medical theories deployed by the consultants and *ordinaires* in epistolary letters by which they rationalised their diagnoses and treatments. Did the letters provide a forum through which changing medical hypotheses could be expounded or discussed? This chapter examines the expression of theory in relation to diagnosis, prognosis, and nosography. What were the predominant theories of the period, and do the letters suggest that they evolved over the time period studied? How were these theories expressed in the letters written by practitioners? Did the correspondence provide a means of disseminating medical hypotheses between university academic physicians and the *ordinaires* who sought their advice?

The period of study for this thesis was one in which a progression of competing theories was being expounded to explain physiology and pathology, yet it has been claimed to be somewhat moribund. It was the view of the nineteenth-century medical historian Charles-Victor Daremberg (1817-1872) in his encyclopedic history of western medicine that, compared with the seventeenth century, the eighteenth century was not a chronological period which saw developments of medical theories, nor was it a period of distinction.¹ Laurence Brockliss and Colin Jones based on their study of consultations, notebooks and correspondence, have argued that eighteenth-century French medicine was 'characterised by much the same rhythms, rituals and strategies as their sixteenth- and seventeenth-century predecessors.'² Researching the records of the London Royal Society and contemporary texts led medical

¹ Charles-Victor Daremberg, *Histoire des sciences médicales: comprenant l'anatomie, la physiologie, la médecine, la chirurgie, et les doctrines de pathologie générale: depuis les temps historiques jusqu'à Harvey*, Paris, J.-B. Baillière, vol. 2, 1870, p. 1001. 'Le XVIII^e siècle ne constitue pas une période de notre histoire; ni la chronologie, ni surtout le développement et la succession des doctrines ne permettent une pareille distinction'; adding in vol. 1, p. 16: '[Je] propose de vous présenter le tableau complet quoique en raccourci des progrès et des révolutions de la médecine depuis les temps les plus anciens jusqu'à nos jours.'

² Laurence Brockliss and Colin Jones, *The Medical World of Early Modern France*, Oxford, Clarendon Press, 1997, p. 566.

librarian William Le Fanu to call the period 1700-1750 the lost half-century in English medicine.³ Based on his analysis of experimental and clinical medicine Lester King, perhaps because of his medical background, was less damning when he described medicine in the eighteenth century as a period of gestation, the benefits of which were to be delivered in the mid-nineteenth century.⁴ Are these somewhat dismissive analyses reflected in the epistolary consultations? To attempt to answer this question it is necessary to examine the manner in which practitioners, and physicians in particular, conceived how the human body functioned and mal-functioned, and how that changed over time. The epistolary consultation may offer insights into understanding medical theories in a different manner than that obtained by concentrating on treatises and dissertations.

The longevity of the Hippocratic-Galenic curriculum

The writings of Hippocrates and of Galen had dominated medical thinking throughout the medieval and the Renaissance periods. Early modern physicians showed little inclination to let go of theories which had stood the test of time. Malcolm Nicolson has described medical theory of the eighteenth century promulgated in the universities as 'extremely complex' because it was constituted through Greek and Arab ancient texts, overlaid with the seventeenth-century chemical and mechanical explanations of human physiology.⁵ At the core of medical instruction lay the works of Galen and Hippocrates. These were supplemented, particularly in the eighteenth century, by treatises of professors at the two major schools, including those who provided consultations by letter, and at other universities.⁶ Notwithstanding the use of Galen's writings, by the seventeenth century the underlying tenets of Galenic medicine were being challenged. Harvey's discovery of the circulation

³ William Le Fanu, 'The Lost Half-century in English Medicine, 1700-1750', *Bulletin of the History of Medicine*, vol. 46, no.4, 1972, pp. 310-348.

⁴ Lester King, *The Road to Medical Enlightenment 1650-1695*, London, Macdonald, 1970, p. 3.

⁵ Malcolm Nicolson, 'The Metastatic Theory of Pathogenesis and the Interests of the Eighteenth-century Physician', *Medical History*, vol. 32, no. 3, 1988, p. 280.

⁶ Medical theorising was not solely taking place in France, significant hypotheses were promoted elsewhere in Europe. See for example Frederic Hoffmann's (1660-1742) *Fundamenta medicinae*, Halle, n.p., 1695, and Herman Boerhaave's, *Institutiones medicae in usus annuae exercitationis domesticus*, Lugduni Batavorum, Apud Johannem van der Linden, 1708.

of the blood, augmented by anatomical studies of the fine tissues, did not flow from abstract reasoning but from experimentation and observation. Leiden physician Herman Boerhaave wrote that: 'the immortal Harvey by his demonstrations that overturned all the Theory that went before him, laid a new and almost certain basis to make Physick a science.'⁷ Physicians of the period engaged in comparative anatomy, including vivisection. Experimentation was undertaken to try to quantify some aspects of physiology, although in general such exercises were limited. Whether the experimentation and demonstration were sufficient to justify the claim that their methodology was 'scientific' is debatable, as physicians continued to regard medicine as an art.

The *modus operandi* of the learned physician emanated from the theories taught at the medical schools. As has been noted in previous chapters, a significant proportion of the consultations examined here were written by individuals who were or had been professors at the Medical Faculties of Montpellier and Paris. It is likely too that many of the *médecins ordinaires* who wrote requesting their advice also had been trained at these institutions. The medical constructs employed were therefore formed from the education received in the universities. These were the dominant French faculties of medicine in the seventeenth and eighteenth centuries. Indeed their hegemonic status has led scholars to describe teaching as a prescribed body of doctrine.⁸ Certainly there were other medical faculties, such as those at Toulouse, Reims and Caen, but they did not enjoy the prestige of Montpellier and Paris.⁹ The curriculum of the medical courses was centred on physiology, pathology, and therapeutics, with additional subjects added over time.¹⁰ Brockliss and Jones

⁷ Herman Boerhaave, *Boerhaave's Institutions in Physick by which the Principles and Fundamentals of that Art are Dissected and Fully Explained*, trans. Jonas Browne, 2nd ed., London, n.p., 1715, p. 9.

⁸ Thomas Broman, 'The Medical Sciences' in Roy Porter (ed.), *The Cambridge History of Science*, vol. 4, "The Eighteenth Century," Cambridge, Cambridge University Press, 2003, p. 464.

⁹ See Brockliss and Jones, p. 92.

¹⁰ Laurence Brockliss, *French Higher Education in the Seventeenth and Eighteenth Centuries: A Cultural History*, Oxford, Clarendon Press, 1987, p. 391. For a description of the curricular development at Montpellier and Paris over the period see Laurence Brockliss, 'Curricula', in Hilde de Ridder-Symoens (ed.), *A History of the University in Europe, Universities in Early Modern Europe (1500-1800)*, vol. 2, Cambridge, Cambridge University Press, 1996, pp. 609-618. Brockliss described the teaching of chemistry as 'a branch of pharmacy and initially little more than the art of distilling and manufacturing chemical remedies introduced by the

have noted that a 1707 Edict of Marley demanded an extension of the courses set for medicine by the inclusion of anatomy, botany and herbal and chemical pharmacy.¹¹ At Montpellier, chairs covering anatomy, botany, pharmacy, and surgery were instituted in the sixteenth century and chemistry in seventeenth century.¹² Physiology taught the physician how the body functioned, pathology how it malfunctioned, semiology an understanding of the symptoms which were presented by patients and nosography gave him a vocabulary by which to express himself. The topic consequential to these themes, therapy, is the subject of chapter seven. Thus the scope of what was taught in the medical schools was expanded, but that did not necessarily result in a shift in the underlying tenets on which medical thinking was based and presented.

Medical orthodoxy, the Hippocratic-Galenic theories of medicine were subject to challenge through the early modern period, but, although some new theories might be superimposed on them, there was never a total rejection of these earlier forms. Even astrological considerations had not totally vanished during the eighteenth century, as was suggested by Frederic Hoffman in a consultation for a man suffering convulsive spasms that:

Another circumstance which merits our attention, is that the illness [spasms] increases with the waning moon; because it is the rule that violent maladies of the head which recur in fixed times, such as melancholic, maniacal, epileptic, paralytic, apoplectic complaints ordinarily following the changes of the moon, and intensifies sometimes in its waning sometimes in its waxing, either recur always in the same phase of the moon or that [when] they started. That shows us how much the moon ... influences the human body.¹³

Paracelsians.' Laurence Brockliss, 'Science Universities, and other Public Spaces', in Roy Porter (ed.), *The Cambridge History of Science*, vol. 4, "Eighteenth-century Science", p. 50.

¹¹ Brockliss and Jones, p. 501.

¹² See Louis Dulieu, *La Médecine à Montpellier*, Avignon, Les Presses Universelles, vol. 3, 'L'Époque classique', 1983. p. 27.

¹³ Frederic Hoffman, *Consultations de médecine*, Paris, chez Briasson, 1754, vol. 7, p. 184.

'Une autre circonstance qui mérité notre attention, c'est que le mal augmente dans le déclin de la lune; car il est le règle que les maladies violentées de la tête qui reviennent dans des tems fixés, comme les affections mélancoliques, maniaques, épileptique, paralytiques, apoplectique suivant ordinairement les changemens de la lune, et redoublent tantôt dans son déclin, tantôt

Aristotelian theory contended that the body was composed of four elements, fire, water earth and air, with a place in the fixed cosmos. Living creatures required energy which they obtained from pneuma in the air and from food. Galenist medicine developed a more bodily specific elementary composition of phlegm, blood, black bile and yellow bile - the humours which were created in the liver.¹⁴ Health required that these humours were maintained in balance. Hippocrates had held that the body was composed of solid parts, the humours and spirits, the latter being active components which were responsible for motion. Within the Galenic tradition there were four spirits: innate - that roughly corresponded to life itself and pervaded the whole body; the natural - associated with the liver; the vital - with the heart; and the animal - with the brain. The evolution and a combination of these ideas formed the critical underpinning of medical thinking in the seventeenth and eighteenth centuries.

It was from the ancient texts and the dissecting table that the physician and surgeon of the early seventeenth century viewed the body.¹⁵ Importantly for this study, these were the men who taught many of the practitioners writing the letters examined in this thesis. The seventeenth-century body comprised interacting organs and humours, a construction to be displaced as the century progressed by one of solids and fluids but with the essential spirits still playing the role of giving life and action. The humours were in balance in the healthy body and out of balance when illness struck.¹⁶ At the same time what constituted 'normal' was highly idiosyncratic and depended on the temperament of the patient.¹⁷ Aubagne physician M.F.B. Ramel in an undated letter to an *ordinaire* continued to promote these terms: 'All men are born with different

dans son accroissement, ou bien reviennent toujours dans la même phase de la lune qu'elles ont commencés. Cela nous fait voir combien la lune ... influe sur le corps humain'.

¹⁴ *Le phlegme, le sang, la bile noire and la bile jaune.*

¹⁵ Illustrations in the texts did not always correspond to what was seen in a cadaver. For centuries medical texts had relied on the work of Galen which contained many anatomical errors. The principal corrections to these can be attributed to the work of Andreas Vesalius (1514-1564) See Andreas Vesalius, *On the Fabric of the Human Body; The Bones and Cartilages by Andreas Vesalius*, trans. John Carman and William Richardson, Novato, CA., Norman Publishing, vol. 1, 2003, pp. ix-xviii.

¹⁶ For an overview of ancient perceptions of health see Paul Carrick, *Medical Ethics in the Ancient World*, Georgetown, Washington, Georgetown University Press, 2001, pp. 36-46.

¹⁷ The four temperaments hot, cold, wet and dry, with their associated bodily qualities sanguine, choleric, phlegmatic and melancholic were an enduring feature of Galenic medicine.

temperaments. The temperaments vary as much as facial features and it is very difficult to find two temperaments exactly alike.'¹⁸ What constituted individual humoral balances were consequently idiosyncratic and this inevitably complicated the physician's tasks of making a diagnosis and proposing treatment regimens. The perceived need to take this factor into account implied that each individual's illness was unique, which contradicted to a degree any notion of definable disease. In other words, the presence of a series of symptoms could be used to deduce a cause but did not really necessitate consistent naming of a disease. The need for a name then became a matter to permit the transfer of information between professionals rather than professional and patient. In the printed consultations headings were in some cases employed in the form of the disease concerned, without the term necessarily being employed in the text of the case. Thus in 1738 a case in *Consultations choisies* by Jacques Lazerme and M. Verny was headed 'Une dysuria et une hydrocele' yet neither term appeared in the written consultation.¹⁹

Balancing the traditional four humours, whether portrayed as the Galenical humours characterised as hot or cold and wet or dry or as the four bodily fluids, was still evident in the seventeenth century. By the eighteenth century the emphasis had moved to a view that the body contained unwanted humours of which it would endeavour to rid itself; illness struck when the body could no longer achieve this. The physician sought to aid nature through his various therapies. Bleeding could reduce an excess of blood, reducing the likelihood of haemorrhaging, excess or putrid black bile removed by purging and vomitants were used to rid the stomach of yellow bile which was not being absorbed into the system. When the patient was phlebotomised, the condition of the blood would be examined to determine if it was too thick or too dark deeming it putrid, which would justify the process already started. Many

¹⁸ M.F.B. Ramel le fils, *Consultations médicales et mémoire sur l'air de Gemenos*, La Haye, chez Les libraires associés, 1785, p. 44. 'Tous les hommes naissent avec un tempérament différent. Les tempéramens varient autant que les traits du visage, et il seroit bien difficile de trouver deux tempéramens exactement semblables.'

¹⁹ *Consultations choisies de plusieurs médecins célèbres de l'Université de Montpellier sur des maladies aiguës et chroniques*, Paris, Durand et Pissot, vol. 8, 1750, pp. 90-95.

consultations however refer to the state of the blood prior to bleeding, its condition having been inferred by symptoms.

The physicians and surgeons studied in this analysis may not have continued to posit the body as composed of four elements, nor that astral events dictated the arrival and disappearances of epidemics, but the movements of the humours remained at the heart of the way the body was perceived to function. Vivian Nutton wrote that humoralism 'formed the basis for all medical understanding, and diagnosis and treatment were structured according to the pattern of the so-called six non-naturals.'²⁰ In 1670 *Docteur Regent* in the Paris Faculty of Medicine Philbert Guybert (1579?-1633) defined the non-naturals as 'the air, the drink and food, the sleep and wakening, the activities and the rest, the voidings and suppression of excrements and the disturbances of the spirit or love of life.'²¹ Attention to the non-naturals was a recurring theme through the consultations.

Michael Stolberg has contended that there is a widespread misconception that eighteenth-century physicians were primarily concerned with balancing the natural humours or the corresponding elementary qualities hot, cold, wet, and dry.²² Rather, he claims, that both patients and physicians believed an 'impure, morbid matter of humour' was identified with more or less specific pathological effects.²³ In contradiction to this, Ramel used the terms dry and moist in a number of his consultations to describe his patients, though not hot and cold. However the term *humeur* as a description of bodily fluids regularly appears in the sources. In addition to the established blood, phlegm, yellow bile and black bile, during the eighteenth century this term was also

²⁰ Vivian Nutton, 'Humoralism', in W.F. Bynum and Roy Porter (eds.), *Companion Encyclopedia of the History of Medicine*, London, Routledge, vol. 1, 1993, p. 282.

²¹ Philbert Guybert, *Toutes les œuvres de Philbert Guybert*, Paris, chez Pierre le Mercier, 1670, p. 282. 'l'air ... le boire et le manger, le sommeil et le veille, le mouvement et le repos, les voidanges et suppression des excremens, et les perturbations de l'esprit, ou passions d'ame.' The seven naturals were 'les elemens, les temperemens, les parties, les humeurs, les esprits, les facultez et les fonctions'. Ibid., p. 281.

²² Michael Stolberg, 'Medical Popularization and the Patient in the Eighteenth Century', in William de Blécourt and Conelie Osborne (eds.), *Cultural Approaches to the History of Medicine: Mediating Medicine in Early Modern and Modern Europe*, Basingstoke, Palgrave MacMillan, 2004, p. 91.

²³ Ibid., p. 91.

applied to lymph.²⁴ That treatment invariably involved the elimination of *humeurs*, as is discussed in detail in chapter seven, lends weight to Nutton's contention that humoralism was alive and well in the eighteenth century. At the same time there is evidence of Stolberg's view that treatment should be aimed at ridding the patient's body of morbid matter as was the case when Louis-Jean-Baptiste le Thieullier sought through medication to 'evacuate the polluted humours' from a woman suffering various abdominal complaints.²⁵ The role of the physician's prescriptions was to aid nature.

Alternative theories

As will be seen, although humoralism was never eliminated even through the eighteenth century, it was nonetheless subject to challenge from alternative theories. In the sixteenth century the physician and alchemist Paracelsus (1493-1541) contested the humoral theory of physiology, and though most of his theories are not directly relevant to this thesis, his belief in the role of chemicals in bodily functions were transmuted in the seventeenth century into what was to be termed iatrochemistry.²⁶ Iatrochemistry, perhaps somewhat simplistically, can be described as portraying the body as a chemical plant, in which food was digested by acid fermentation into chyle which was transported around the body to fuel the whole.²⁷ Processes such as fermentation took place in the body as acids reacted with alkalis.²⁸

The consultations provide evidence that chemical reactions were still part of the physician's mode of explaining bodily function through the eighteenth century. To those supporting fermentation, it was the chemical process that

²⁴ Ramel, p. 2.

²⁵ Louis-Jean-Baptiste le Thieullier, *Consultations de médecine*, Paris, Charles Osmond, vol. 1, 1739, p. 51. 'évacuer les humeurs viciées'.

²⁶ For a description of Paracelsus' place in the history of medicine see Roy Porter, *The Greatest Benefit of Mankind: A Medical History of Humanity from Antiquity to the Present*, London, Harper Collins, 1997, pp. 201-295. Born Theophrastus Phillipus Aureolus Bombastus von Hohenheim became better known as Paracelsus. One aspect of his ideas which survived was the distillation of, particularly herbal, substances to increase their potency. This practice was incorporated into the pharmacopoeia, where it remains today.

²⁷ Chyle is the white milky substance found in the small intestine. For a more comprehensive description of the role of chyle in physiology see Laurence Brockliss, *French Higher Education*, pp. 401-402 and 404-408.

²⁸ Roger French, *Medicine before Science: The Business of Medicine from the Middle Ages to the Enlightenment*, Cambridge, Cambridge University Press, 2003, p. 206.

could become faulty. The following extract exemplifying the point is from a letter sent in 1753 by a *médecin ordinaire*, M. Dorin, to then Marseilles professor Antoine Deidier:

The immediate cause of this complaint must be a crudeness of the stomach. Because a crude and acid chyle, cannot mix with the blood without it disturbs the temperature, without souring the lymph, blunting the bile, and irritating the nerves. This fault came originally by the ferment of the stomach, which is too acid, and which dissolved the food in a mass of the same nature; more or less viscous, which the mixture with bile produces wind; the internal inflammation gives shooting pains, coagulation of the faecal matter, and regular sluggishness of the stomach.²⁹

This interpretation was opposed by the triturationists, for whom the major considerations were particle size, and the shape and movement of the particles in the chyle. A consultation written by Jacques Lazerme and François de Paule Combalusier, professors of medicine at Montpellier and Valence respectively, which shows the triturational theory being expounded, is in contrast to the fermentation example above:

The blood thus rendered dry and deprived of its fluidity, has necessarily become coarse and more viscous; and this source of liquids was also spoilt, these ones have only been able to acquire the same character; also this naturally fine and subtle lymph which is filtered by the passages of the stomach has degenerated, and being very thick, could not penetrate the tissue of the food, nor make a perfect division; it has thus only formed into a crude and indigestible chyle, which, mixed with the blood, has

²⁹ Antoine Deidier, *Consultations et observations de M. Antoine Deidier*, Paris, chez Jean-Thomas Hérissant, 1754, vol. 1, p. 451. 'La cause prochaine de cette affection doit être une crudité acide de l'estomac. Car un chyle crud, et acide, ne peut se mêler au sang sans en déranger la température, sans aigrir l'a lymph, émousser la, bile, et irriter le genre nerveux. Ce vice vient originairement du ferment de l'estomac, qui est trop acide, et qui dissout les alimens en une masse de même nature; plus ou moins visqueuse, dont le mélange avec la bile produit les vents, les phlogoses, les élancemens, et la coagulation des matières fécales, suivie de la paresse du ventre.'

maintained its bad quality; and the food has been obliged to stay longer in the stomach.³⁰

Both cases were contemporaneous, written by physicians trained at the same medical school and concerned with digestive problems, yet clearly demonstrate the different theoretical approaches to causation. Chyle *per se* was infrequently mentioned in the consultations, but the digestive processes were of profound importance in the diagnosis of disease in the seventeenth and eighteenth centuries. Very many disorders were diagnosed as being caused by a *dérangement des digestions*. There is however no evidence of debate in the letters about alternative medical hypotheses, either between physicians or between physicians and patients. It was presumably in the academy that rival theories were the subject of discourse and disputation.

Iatrochemistry was to a large extent, though not entirely, overtaken in the seventeenth century, particularly from the 1690s onwards, by iatromechanics in which the body was to be viewed as machine-like, a construction significantly influenced by the writings of Newton and Descartes.³¹ Arguably one of the most influential physicians of the period who advocated the mechanistic theory was the Dutch physician Herman Boerhaave.³² His description of the body, given here from an English translation of *Institutions in Physick* (1715), is explicitly mechanical:

The human Body is compos'd ... of Solids and Fluids: The Solids are, either Vessels that contain Fluids, or Instruments so formed ... The fluids ... are contain'd and mov'd within the solids, and in Motion are determ'd, mix'd, separat'd and chang'd ... These actions are perform'd according to

³⁰ *Consultations choisies*, vol. 1, 1757, pp. 57-58. 'Le sang ainsi mis à sec et dépourvu de sa sérosité, a dû nécessairement deviner plus grossier et plus visqueux; et cette source des liqueurs étant ainsi gâtée, celles-ci n'ont pû que contracter le même caractere; ainsi cette lymphe naturellement fine et subtile qui se filtre par les couloirs de l'estomac ayant dégénérée, et étant devenue trop épaisse, n'a pû pénétrer le tissu des alimens, ni en faire une division parfaite; il ne s'est donc formé qu'un chyle crud et indigeste, qui, mêlé avec le sang, en a entretenu la mauvaise qualité; et les alimens ont été obligé de séjourner plus long-tems dans l'estomac.'

³¹ In the light of Harvey's discover of the circulation of the blood, iatromechanical was also hydromechanical.

³² Such was Boerhaave's international standing that he was elected into the French Academy of Sciences (1728) and the Royal Society of London (1730).

the Hydrostatick, Hydraulick and Mechanical Laws ... For there we find Supporters, Pillars, Clothing or Covering, Partitions, Rollers, Wedges, Leavers, Pullies, Cords, Presses, Bellows, Sieves, Strainers, Canals and Recepticles.³³

In Boerhaave's scheme, the body was composed of corpuscular matter, the particles being closely or loosely bound depending on whether they formed a solid or a liquid. The three fluids that Boerhaave saw as vital were chyle, blood and lymph.³⁴ That such reasoning was adopted in the consulting letters is clear in the following example of a consultation that Jacques Lazerme wrote in 1735 for a woman suffering pains in the stomach. He described the cause of her complaints as being due to:

Some digested material, acid, fatty, and bilious which passing into the intestines, and the chyliferous vessels and blood and after having imparted the same vices to the blood and to the lymph as well as the chyle, finally burdens the kidneys, slackens them, irritates them and causes nephrites.³⁵

Lazerme was made a professor of medicine at Montpellier not long after this consultation was written and one can reasonably assume that he would have been teaching medicine along these lines.

That one new theory was simply supplanted by another is not an accurate representation of what occurred. Harold Cook has disputed scholars' separation of chemical and mechanical models, arguing:

[t]he supposition of some historians that physicians of the late seventeenth century can be divided into two groups, those who used chemical explanations (iatrochemists) and those who used mechanical ones (iatromechanists or iatromathematicians) is ... mostly a product of our own

³³ Herman Boerhaave, *Boerhaave's Institutions in Physick*, p. 9.

³⁴ Anne Vila, *Enlightenment and Pathology: Sensibility in the Literature and Medicine of Eighteenth-century France*, Baltimore, The Johns Hopkins University Press, p. 18.

³⁵ *Consultations choisies*, vol. 7, 1750, p. 418. 'Des matieres digérées, âcres, grossieres et bilieuses qui passant dans les intestines, et les vailleux chyliférés et sanguins, qui après avoir imprimé les mêmes vices au sang et à la lympe aussi bien qu'au chyle, vont enfin embarraser les reins, les détendre, les irriter et produire la néphrétique.'

categories rather than a reflection of the common integration of both in the work of contemporary physicians.³⁶

Cook's viewpoint is exemplified in the description of bodily functioning given by French physician M. Flamant when writing about excessive eating and drinking in *The Art of Preserving and Restoring Health* (1697):

[w]e must examine the activities of the Stomach and Guts in converting food into Chyle: for if we consider all the fibres which compose the Contexture of those Parts, are as it were so many small Springs, which being successively slackened and contracted, keep the food in perpetual Motion, which with the assistance of dissolving acids, attenuates, bruises, and entirely changes its Nature. now tis plain that these springs may lose their force and activity by a continual Pressure and distension, occasioned by an excessive quantity of Food, which fills the Spaces that are formed by their Turnings and Windings, even as the Springs of our Machines are stopt when their Relaxation is hindered by a strong Pressure: For as a Bow cannot long retain its Spring if it be kept continually bent, and as the finest Machine in the World will decay insensibly if it be not kept in Order, so the most vigorous Stomach may be spoil'd by an over-proportioned quantity of Food, because the Fibres both of that and of the other Parts which help Digestion, are either broken, or so weakened by continual Extension, that they cannot afterwards contract and expand themselves, either to concoct the food or to expel the excrements that are separated from it.³⁷

In this instance, Flamant's description of physiological processes had iatrochemical and iatromechanical principles co-existing alongside Galenist precepts, the concocting of food and the elimination of waste.³⁸ Chyle was the

³⁶ Harold Cook, 'Medicine', in Katherine Park and Lorraine Daston (eds), *The Cambridge History of Science*, Cambridge, Cambridge University Press, vol. 3, 2006, p. 431.

³⁷ M. Flamant, *The Art of Preserving and Restoring Health Written in French and Faithfully Translated into English*, London, n.p., 1697, pp. 15-16.

³⁸ Owsei Temkin described Galen's concept of the absorption of food as: 'Food and drink were pre-digested in the stomach, whence the material entered the veins of the portal system leading to the liver, where the metamorphosis to blood took place.' Owsei Temkin, *Galenism: Rise and Decline of a Medical Philosophy*, Ithaca, Cornell University Press, 1973, p. 155.

product of heat acting on the food in stomach which was then transported around the body to give it sustenance. The expulsion of excrement was one of the Hippocratic non-naturals, which were given renewed emphasis from the seventeenth century onwards.

A clear example of the machine model in a consultation came when in 1747, Lazerme advised his part-paralysed patient about his lifestyle:

The patient will observe a good lifestyle, he will eat good food, take rest at the same times, eating at mid-day, have a light supper at seven in the evening; he will not eat at night; food taken at these hours are not digested and overwhelm the machine instead of repairing it; to avoiding this inconvenience Monsieur must not sleep during the day, so that he can sleep at night and avoid eating.

Lazerme had not only adopted the iatromechanical model himself, but was using it in a letter to explain why the patient should follow his recommendations.³⁹

If there is one area where a clear change is noted in the consultations over the period of study, it is an increase in reference to the nerves from the beginning of the eighteenth century. The nervous system had been recognised, though not anatomically mapped out, since Galen's times. The structure and composition of nerves was the subject of increasing study through the seventeenth and eighteenth centuries. As they were perceived as being full of fluid, they provided the medium for transporting spirits around the body. For example, in a 1711 consultation Montpellier Professor François Chicoyneau attributed a partial paralysis to a 'superabundance of very viscous fluid in the blood which can hardly flow and which passes onto the nerves which carry the

³⁹ *Consultations choisies*, vol. 8, p. 167. 'Le malade observera un bon régime de vivre; il mangera de bons alimens prenant ses repas aux mêmes heures, dînant à midi, soupant légèrement sur les sept heures du soir; il ne doit pas manger dans la nuit; les alimens pris à ces heures indues de se digèrent pas, et accablant la machine au lieu de la réparer; pour éviter cet inconvenient Monsieur ne doit pas dormir le jour pouvoir dormir la nuit et éviter de manger'.

spirits'.⁴⁰ Hence it can be seen that the role of the nervous system also bridges humoural theory and hydromechanics.

It has been shown that seventeenth- and eighteenth-century physicians were adept at taking what they wished from emerging medical theories and incorporating them into the standard fare that had been the basis on which they thought about and practised medicine. Their consulting letters demonstrate this even if only sporadically; after all, the introduction of theory into a consultation served mainly to justify the diagnosis. For the patient recovering his or her health was more important than the rationale the physician gave to justify his proposed treatments.

Driving the machine

The question that still remained in the minds of many theoreticians was what distinguished the living body from the cadaver? How and from where in the body did life spring? The mechanical model could not account for the motivating force that started and maintained the machine, a factor most commonly attributed to be a function of the soul. Boerhaave shrugged off the problem by proclaiming the soul as inaccessible.⁴¹ Belief in God, and the presence of the soul in individuals, was a presumption in early modern Europe by Catholics and Protestants. Acknowledgement of the soul was a matter of theological necessity. It was deemed to be immortal, individuated by God, although at what point in time this entered the human foetus was disputed.⁴² Furthermore the location of the soul within the body could not be established.⁴³ How the soul and the mind were linked was a philosophical and theological conundrum but

⁴⁰ *Consultations choisies*, vol. 3, 1757, p. 35. 'Cette disposition dépend d'une sérosité surabondance dans la masse du sang, fort visqueuse, qui ne roule qu'avec peine, et qui s'étant jettée sur les nerfs qui portant les esprits'. p. 35.

⁴¹ Vila, p. 16. Boerhaave 'regarded the soul as lying beyond the purview of the experimental philosopher'.

⁴² Brockliss and Jones, pp. 108-109.

⁴³ The problem of the soul and its location goes back to at least ancient Greece. See Roger French, *Medicine before Science*, pp. 30-31. Descartes located the soul in the pineal gland. See René Descartes, *L'Homme*, Paris, chez Charles Angot, 1664. Whereas Antoine Louis would have it located in the corpus callosum. Antoine Louis, *Essai sur la nature de l'ame: où l'on tâche d'expliquer son union avec le corps et les loix de cette union*. Paris, chez Charles Osmond, 1747, p. 23. 'Le corpus calleux est le partie du cerveau où l'Ame réside; c'est la son siege, c'est de ce lieu qu'elle exerce ses fonctions.' Even these hypotheses were potentially difficult as it posed the problem of what gave life to animals which were not believed to have souls.

one that impacted on medicine as well.⁴⁴ Yet it was accepted that it was the presence of the soul which differentiated the living from the dead. As opposed to engaging in theological disputation the physician could fall back on the effects of the Aristotelian spirits as moving forces within the body which as Ambroise Paré (1510?–1590) had contended powered the whole body.⁴⁵

What evidence is there of the physicians' views on this topic as expressed in epistolary consultations? There is no mention of the soul or of Paracelsus' equivalent, the *archeus*. 'The spirits' however are occasionally mentioned. Thus in 1729, François Chicoyneau diagnosed a male as suffering from the vapours and told the patient there was: 'an obstacle to the animal spirits taking their normal route causing problems with his head, eyes and balance and more.'⁴⁶ The notion of the various 'spirits' moving around the body, as distinct from the humours, appears regularly in the consultations. What chemical and mechanical theories failed to explain, were the motivating and activating forces behind bodily functions.

Dissatisfaction with the shortcomings of these models led various eighteenth-century European physicians to propose explanations for what these forces were that drove the 'machine'. As Laurence Brockliss has pointed out, the adoption of the mechanistic model was swiftly challenged by some European academic physicians who considered that human physiology could not be understood without including some form of vital principle.⁴⁷ The Halle

⁴⁴ For an analysis of early modern philosophy on the relationship between the mind the soul and the body see Paul Macdonald, *History of the Concept of the Mind*, Aldershot, Ashgate, 2003, particularly pp. 279-361; and for the eighteenth-century medical view point see Kathleen Wellman, *La Mettrie, Medicine, Philosophy and Enlightenment*, Durham and London, Duke University Press, 1992, pp. 127-131.

⁴⁵ The renowned sixteenth-century surgeon Ambroise Paré gave a succinct description of the spirits 'The spirit is a subtle and airy substance raised from the purer blood, that it might be a vehicle for the faculties (by whose power the whole body is governed) ... [There are} a variety of spirits ... one the Animal, another Vital, another Natural ... The Animal spirit is made and laboured in the windings and foldings of the Veins and Arteries of the brain...The Vital Spirit ... hath its chief Mansion in the left ventricle of the Heart ...The Natural spirit (if there be any) hath its station in the Liver and Veins.' Ambroise Paré, *The Works of that Famous Chirurgeon Ambrose Parey / Translated out of Latin and Compared with the French, by Th. Johnson, Together with Three Tractates Concerning the Veins, Arteries, and Nerves, Exemplified with Large Anatomical Figures, Translated out of Adrianus Spigelius*, London, n.p., 1678, p. 15.

⁴⁶ *Consultations choisies*, vol. 7, p. 166. 'elle empêche les esprits animaux de suivre leur route naturelle, et les met en trouble et en confusion; de là trouble de la vue, le vertige, et conséquemment la foiblesse'.

⁴⁷ Brockliss, *French Higher Education*, p. 408.

physician and chemist George Ernst Stahl (1660-1734), unwilling to accept the body as purely mechanical, placed the soul at the centre of his physiology. It was for him the unconscious soul which activated the body; in effect he adopted animism.⁴⁸ Anatomist and physiologist Albrecht von Haller (1701-1777), on the other hand, followed Boerhaave's approach, that the soul was inaccessible to the experimental physiologist. His contribution to physiology was on the properties of nerves and muscles seeking to show that the body reacted in two quite different ways, 'a mobile property called irritability and a feeling property he termed sensibility'.⁴⁹ These ideas were being examined and published outside France, but they would have been known in the medical academies of Paris and Montpellier.

Albrecht Von Haller published his concept of sensibility in at least as early as 1732,⁵⁰ The term was employed in a 1734 consultation for dysentery by the Montpellier physicians François Verney and Jacques Montagne. They described dysentery as a disease entity with the symptom of frequent evacuations which in turn led to a further symptom of debilitation of the whole body, but the underlying cause, the *causa morbid proxima*, could be attributed to a production of excessive and acrimonious digestive liquors combined with 'too much sensibility of the fibres of the stomach and intestines'.⁵¹ Whilst there are many references in the letters to nerves and fibres this is the only instance where the word sensibility has been encountered.

Arguably the most significant doctrine developed in France in search of this extra activating dimension was vitalism, essentially a product of Montpellier-trained physicians. Elizabeth Williams has traced the history of vitalism through her studies on the Montpellier University of Medicine, and identified the significant figures as François Boissier de la Croix Sauvages (1706-1757),

⁴⁸ Ibid., p. 427.

⁴⁹ Vila, p. 15.

⁵⁰ Albrecht von Haller, *De partibus corporis humani sensilibus et irritabilibus*, n.p., Gottingen, 1732

⁵¹ *Consultations choisies*, vol. 3, p. 362. 'une trop grande sensibilité des fibres de l'estomac et des intestines.'

Théophile de Bordeu and particularly Paul-Joseph Barthez.⁵² Bordeu's and Barthez's consultations have been included in this study. These leading figures can be characterised as all wishing to discredit the mechanists, by introducing a way to explain that missing 'vital something' which caused the mind, the brain and the body to function as a whole; to understand what it was that animated the body. Bordeu for example was opposed to dogmatism, whether on the part of humouralists, iatrochemists or iatromechanists, and in a 1768 treatise on the history of medicine poured scorn on them all:

[t]he dogmatic physicians pretend that it is necessary to know the apparent and hidden causes of illnesses. They think that they must know how the diverse functions of the body are made, that is to suppose knowledge of the internal parts. The hidden causes are, according to them, those that depend on some principles of which the body is composed, and which form health by their accord, and illnesses by their disaccord.⁵³

Bordeu's disdain is evident; however, it did not deter him from using therapies which were much the same as those of the physicians whose rigidity he decried.⁵⁴ However important a theoretical feature vitalism may have been, it is absent from the epistolary consultations examined in this work, even in Bordeu's consultations. Discussion and disputation around the topic of sensibility, in which the physiocrats of the period endeavoured to link physiological, psychological and moral issues, took place throughout the eighteenth century.⁵⁵ Anne Vila has written 'the vitalist theorists of the

⁵² Williams, *A Cultural History*. Laurence Brockliss however has pointed out that whilst vitalism may have been adopted at Montpellier, 'The attitude of Paris and the other faculties ... was much more circumspect'. Brockliss, *French Higher Education*, p. 410.

⁵³ Théophile de Bordeu, *Œuvres complètes de Bordeu*, ed. par Anthelme le Chevalier Richerand (1779-1840), Paris, chez Caille et Ravier, 1818, p. 573. 'Les médecins dogmatiques prétendent qu'il est nécessaire de connoître les causes évidentes et les causes cachées des maladies. Ils pensent qu'il faut savoir comment se font les diverses fonctions du corps, se que suppose la connoissance des parties internes. Les causes cachées sont, suivant eux, celles qui dépendent des principes dont le corps est composé, et qui forment la santé par leur accord, et les maladies par leur désaccord.'

⁵⁴ See for example Théophile de Bordeu, *Correspondance*, (éd.) Martha Fletcher, Centre d'étude du XVIIIe siècle de l'Université Paul Valéry, MS 134, vol. 1, Montpellier, l'Université Paul Valéry, Montpellier, 1977-1979.

⁵⁵ Jessica Riskin, *Science in the Age of Sensibility: the sentimental Empiricists of the French Eighteenth Century*, Chicago, University of Chicago Press, 2002, pp. 25-27.

Montpellier medical school ... subscribed to the idea that sensibility was the essential link between the human body and the psychological, intellectual, and ethical faculties of humankind.⁵⁶ However, it should be noted, that vitalism was a medical philosophy concept which post-dates the majority of the consultations examined in this thesis.

Debates about nosography and nosology

This thesis has already referred to a variety of individual diseases, using as far as possible the terminology of the period. The list of disorders considered in epistolary consultations was extensive, even though the commonly occurring infectious diseases were not included. Amongst the more frequently recurring were various forms of paralysis, gout, hydropsy, hypochondria, rheumatism, and venereal diseases. The most frequently occurring women's disorder was *pertes blanches*, 'the whites', not only as a subject for advice in its own right, but as a symptom in other disorders.

To inform the patient that she or he was suffering from some particular ailment required putting a name to that particular condition, and that in turn presupposed a definition of what it constituted. Would the patient who was informed that he was suffering from *ictère*, for example, have known what that meant when no further explanation was offered?⁵⁷ Would all practitioners understand this term in the same way? Nosography is the description of diseases and nosology their classification. Classifying diseases was not new in the seventeenth century when the first of the consultations studied here was produced. Authors attempting disease classification included the Felix Platter (1536-1614), François le Boë (1614-1672) and Nicholas Abraham de La Framboisiere (1560-1636) professors of medicine at Basle, Reims and Leiden respectively.⁵⁸ In the seventeenth century the English physician Thomas Sydenham (1624-1689) called for the classification of diseases in the following

⁵⁶ Vila, p. 2.

⁵⁷ *Consultations choisies*, vol. 1, p.316.

⁵⁸ See Joël Coste, *Practical Medicine and its Literary Genres in France in the Early Modern Period*, Université Paris Descartes, Ecole Pratique des Hautes Etudes, trans. Karine Debbasch, 2008, [Electronic version Bibliothèque interuniversitaire de médecine et d'ontologie, Paris, n.p.]

terms: 'It is necessary that all diseases should be reduced to certain and specific Species with the same diligence we see it is done by the Botanik Writers in their Herbals'.⁵⁹ Sydenham was hoping that by such means more specific medicaments than were known at the time would be identified.⁶⁰ This was a call to be taken up in the eighteenth century, particularly by the Montpellier physician François Boissier de la Croix Sauvages (1706-1757).⁶¹ He took his cue from his friend the physician and botanist Carl Linnaeus (1707-1778) who had produced a taxonomical classification of plants which probably influenced Sauvages to produce what has been termed a natural history of diseases.⁶² He devised a classification based on symptoms and signs which he hoped would provide a means of precise diagnosis; his purpose was practical application rather than theoretical. His classification was published too late in the century to have been drawn into most of the consultations.⁶³

Such a methodology had shortcomings. He relied largely on information from other physicians to draw up tables of symptoms, and the problem was that different physicians might use different terms for the same condition as well as recording some symptoms and not others.⁶⁴ The condition *ictere*, referred to previously, was also labelled *la jaunisse* and *maladie Royale*.⁶⁵ *Ictere* was used

⁵⁹ Thomas Sydenham, *The Whole Works of that Excellent Practical Physician Dr Thomas Sydenham. The Second Edition Corrected from the Original Latin, by John Pechey, M.D. of the College of Physicians in London ...*, London, n.p., 1667, preface. For a description of the development of herbals and the classification of botanicals see Agnes Arber, (ed.), *Herbals, their Origin and Evolution, a Chapter in the History of Botany, 1470–1670*, Cambridge, Cambridge University Press, 1986.

⁶⁰ Donald Bates, 'Thomas Sydenham and the Medical Meaning of "Method"', *Bulletin of the History of Medicine*, vol. 51, no. 3, 1977, p. 335.

⁶¹ François Boissier de la Croix Sauvages, *Nosologia methodica sistens morborum classes, genera et species, juxta Sydenhami mentem et botanicorum ordinem*, 3 vols, Amsterdam, Frères De Tournes, 1763. Sauvages' classification which followed botanical examples comprised 10 major classes, 44 orders, 315 genera and 2400 individual species. See Olivier Faure, *L'Histoire sociale de médecine*, Paris, Anthropus, 1994, p. 53. No written consultations by Sauvages have been encountered. Sauvages published his initial ideas on the classification of diseases in *Nouvelles classes des maladies dans un ordre semblable à celui des botanistes, comprenant les genres les espèces*, Avignon, d'Anville, 1731. For a brief history of Sauvages' publications in the field of nosology, see Louis Dulieu, 'François Boissier de Sauvages (1706 – 1767)', *Revue d'histoire des sciences et de leurs applications*, 1969, vol. 22, nos.22-24, pp. 304 – 305.

⁶² Lester King, *Medical Thinking a Historical Preface*, Princeton, N.J., Princeton University Press, 1982, p. 118.

⁶³ Ramel referred to Sauvages's classifications on four occasions.

⁶⁴ *Ibid.*, p. 121.

⁶⁵ Noël Chomel, *Dictionnaire oeconomique, contenant divers moyen d'augmenter et conserver son bien, et même sa santé avec plusieurs remedes assurez et éprouvez, pour un très-grand*

as a name for a disease in a consultation, but Sauvages regarded it as a sign not as a disease.⁶⁶ An ostensibly simple concept like fever (*fièvre*) was complex. The term was associated with changes in temperature as observed by touch, the shakes, shivers, or the rigors.⁶⁷ Great importance was placed on the frequency with which fevers waxed and waned, which had for centuries provided the basis for their classification.⁶⁸ Jean-Claude Dubé (1612-1692) devoted no less than thirty-seven pages to the topic of fevers in *Le Medecin et le chirurgien des pauvres* (1683).⁶⁹ Almost 100 years later the entry in Hélian's *Dictionnaire du diagnostic* (1771) was little different but had expanded to forty-two pages.⁷⁰ Sauvages listed three classes of fevers, continuous, remittent and intermittent.⁷¹ These lengthy entries give an indication of the importance attached particularly to fever, a topic returned to later in this chapter.

The description and consequent defining of particular diseases lay at the core of nosography, but attendant to it was the vocabulary necessary to describe the physiology and pathology of the times, particularly as new theories were propounded. It was one thing for the physician to present his arguments in a language he understood, but it had also to be useable to the reader. The renowned lexicographer Bernard Quemada claimed that there was not a single medical vocabulary, rather, that one should refer to vocabularies. He contended that particular vocabularies were associated with medical concepts which were specific to particular schools of medicine; thus, adherents of Galen's precepts used a different vocabulary to followers of Hippocrates.⁷² In particular he argued for different vocabularies being employed between Montpellier and Paris

nombre de maladies, et de beaux secrets pour parvenir à une longue et heureuse vieillesse, Paris, Le Conte et Montalant, 1709, p. 16.

⁶⁶ For the example see *Consultations choisies*, vol.1, p. 316. François Boissier de Sauvages de la Croix *Nosologie méthodique*, Lyon, Gouvion, vol. 6, 1772, p. 345.

⁶⁷ Santorio Santorio had invented the first thermometer for medical use and whilst Boerhaave and others attempted to use the thermometer bedside, it did not come into general use until the nineteenth century. See Santorio, Santoria, The Galileo Project, Galileo.rice.edu/Catalog/NewFiles/santorio.html.

⁶⁸ Sauvages, *Nosologie méthodique*, vol. 1, p. 103. Sauvages considered the use of time based classifications for fevers as arbitrary (*arbitraire*).

⁶⁹ Paul Dubé, *Le Medecin et le chirurgien des pauvres*, Paris, chez Edme Couerot, 1683, pp. 273-309.

⁷⁰ Hélian, *Dictionnaire du diagnostic, ou l'art de connoître les maladies, et des distinguer exactement les unes des autres*, Paris, chez Vincent, 1771, pp. 115 -156.

⁷¹ Sauvages, *Nosologie méthodique*, p. 361.

⁷² Bernard Quemada, *Introduction à l'étude du vocabulaire médical (1600-1710)*, Besançon, Besançon Faculté de lettres, 1955, p. 15.

especially in the seventeenth century, arguing that the former relied on a language derived from Arabic sources, the latter Galenist. This would not be surprising *if* the two centres were using incommensurate medical theories, which the correspondence analysed here indicates was not the case. Added to this, the considerable mobility of students and physicians between these cities as well as internationally would seem to be incompatible with Quemada's contention.

Nonetheless if one regards medical theory as a technology, and every technology needs to develop its own language, theorem-specific aspects would have to have had theorem-specific words. Brockliss and Jones however have claimed that the iatromechanists did not develop a new language to express their theory.⁷³ Mechanical and hydromechanical medical theorems were qualitative, not quantitative, which avoided any necessity to create units of measurement. The evidence of the letters suggests that physicians at the Montpellier University adopted the iatromechanical, and its offspring, hydromechanical, theories of medicine more consistently than was the case at the Paris faculty. Brockliss and Jones date the main period when iatromechanism was adopted to 1690-1750. This period coincides with the bulk of the epistolary consultations covered in this thesis. The language they employed, at least as expressed in their consultations was taken from anatomy, the classical texts and everyday speech - the metaphors of mechanics in particular.

The Montpellier physicians also accepted Harvey's circulation of the blood earlier and more readily than did their Paris counterparts.⁷⁴ In a 1745 consultation, Jacques Lazerme wrote, probably directly to a patient, 'all the symptoms arise from a considerable constraint of the blood ... caused by the thick nature of this fluid which the massive and heavy cells roll [through with] difficulty in the vessels'.⁷⁵ This is essentially the vocabulary of an iatromechanist. Such a description would not necessarily give rise to a failure for the protagonists of different theories to be able to comprehend it. A member

⁷³ Brockliss and Jones, p. 421.

⁷⁴ *Ibid.*, p. 139-144.

⁷⁵ *Consultations choisies*, vol. 8, p. 157. 'Tous les accidens montrent une gêne considérable du sang ... causée par la constitution épaisse de cette liqueur dont les globules massifs et pessaires roulent difficilement dans les vaisseaux'.

of the Paris faculty would have understood this, whether he agreed with it or not. It could have been more problematic for patients receiving the consultations if they had limited understanding of the vocabulary employed. Laurence Brockliss has described medicine of the period as 'one whose language was commonplace, imprecise and untechnical'.⁷⁶ Nevertheless one wonders how the patient, and it appears that the consultation was sent to him, would have understood the term 'sensitivity' in the example of dysentery referred to earlier. Except where a consultation is making a specific point to an *ordinaire*, such as leaving them to decide on issues of timing and frequency of medication, the medical language employed by consultants has not been found to vary when they wrote to patients as opposed to *ordinaires*.

One problem with the nosology of the time, and attempts at reclassifying diseases such as that undertaken by Sauvages, lay in the long-standing notion that disease was idiosyncratic. This contradicts the idea of defining a disease without it relating directly to an individual patient. Despite the physicians' retention of the concept of idiosyncrasy, in practical terms it was a precept they did not always follow and had largely abandoned well before the period of this thesis. Had they not done so, it would have been illogical to write treatises on particular disorders, as they did, from asthma to venereal disease. That did not preclude them from placing due consideration on the character of the patient in relation to any given disorder. In essence, despite logic forming a part of the physicians' training, they did not rigidly follow the logic of any particular theory.

Thus it can be seen that in the academy efforts were being made to stabilise the nomenclature used to describe diseases with a view to improving diagnosis. There is no evidence however that this impacted significantly on daily practice. The physician identified illnesses using the same descriptions he had traditionally used and continued to take account of patient characteristics in determining the reason for her or his particular ailment. Conditions such as hemiplegia always had and remained symptom-derived. Distinguishing between different fevers threatened to become even more complex than had been the

⁷⁶ Laurence Brockliss, "Extending the Medicable" *Medicine and the Church in the Enlightenment*, *Sartoniana*, vol. 10, 1997, p. 18.

case in the past. Confusion between symptoms, signs and causes remained a problem which in part must be blamed on the clarity of instruction given in the universities.

The learned view of pathology, illness and its diagnosis

The physician's view of what constituted good health was also difficult to define other than by an absence of malady. Jean Fernel who through his clear thinking and extensive writing became one of the most influential physicians of the early modern period, even well into the eighteenth century, described illness as 'the variety of faults contrary to the natural order.'⁷⁷ Practitioners on occasions would write of restoring the patient to health, without stating what that meant, presumably, just that the condition treated would be corrected. This was the case when Montpellier physicians M. Verni and Henri Haguenot advised a man suffering from weight loss and many other symptoms that he would 'in a little [while] recover perfect health.'⁷⁸ Montpellier professor Antoine Fizes went further. He had written a consultation in 1748 for a fifty-year-old man suffering from rheumatism. Fizes concluded the consultation by claiming that after treatment the patient had full use of all his limbs and enjoyed good health to the extent that he was able to pass the winter in the open air in the country.⁷⁹ Another way of describing healthy was through the pre-illness state. Ramel, when providing a consultation for a woman suffering from jaundice, noted that he had been advised that all her secretions and excretions were normal before she fell ill.⁸⁰ The patients, and often the *ordinaires*, would have known their pre-illness state where the consultants often would not.

Physiology may well have given the physician a model for understanding how the body functioned, but when it came to pathology and the ill-functioning body, he faced different problems. A set of symptoms was indicative of illness, but what was the cause? How indeed were symptoms and causes related?

⁷⁷ Jean Fernel, *La Pathologie ou discours des maladies*, Paris, J. Guignard, 1655, p. 17. 'la variété des vices ... contre l'ordre de la Nature.'

⁷⁸ *Consultations choisies*, vol. 6, 1750, p. 272. 'il recouvrera dans une peu une sante parfaite.' The M. Verni may have been the well-known Montpellier physician Jean Verney (fl. 18th C.).

⁷⁹ *Consultations choisies*, vol. 9, 1751, pp. 122-128.

⁸⁰ Ramel, p. 155. 'Toutes les secrétions et les excréctions étoient dans l'ordre naturel avant l'invasion de cette maladie.'

Confusion over the difference between symptoms and signs occurred in the minds of some practitioners as, particularly in the eighteenth century, the two terms became conflated. This could lead to misdiagnosis of the underlying malaise.⁸¹ Bordeu in a treatise on acute diseases contended that ‘Effectively, there are some signs that indicate the approach of the illness or its formation; there are others that mark its [present] state and its termination, for better or worse.’⁸² As an example, symptoms, signs, causes and treatment were clearly expressed in correspondence between a *médecin ordinaire* and Le Thieullier. The *ordinaire* described the symptoms as a hard tumour near the umbilicus, about palm-sized and sensitive to the touch, which hurt when the patient was lying down or getting up and when walking. She suffered frequent vomiting accompanied by violent headaches, diarrhoea, a heavy fever and a weak pulse. Le Thieullier’s response was that she had an obstruction to the mesentery. The signs were a tension and retention around and under the stomach. The causes were the quality of food and difficulty in digestion, occasioning a dissipation of the spirits. The extensive and detailed therapeutic regime proposed was intended to open the engorged passages and correct the disturbance of the innards and to evacuate the polluted humours, without neglecting from time to time the appropriate remedies to support or repair the strength and to fortify the weakened spirits.⁸³ This response does not appear to be written in a highly technical manner.⁸⁴ The associated *mémoire*, which probably came from an *ordinaire*, was expressed more in contemporary medical terminology such as ‘schirre’, ‘hernie ventrale’, ‘petit lobe du foye’, than was Le Thieullier’s reply, which might indicate that the latter was moderating his linguistic form for the

⁸¹ *Une société de Médecins et de Chirurgiens, Dictionnaire des science médicales*, Paris, Panckoucke, vol. 51, 1821, p. 267. ‘Nous disons que, pour établir les signes pathologiques, il faut joindre le raisonnement à l’observation; c’est afin de faire sentir la distinction qui existe entre le signe et le symptôme; car ces deux choses ont été longtemps confondues, et il est encore aujourd’hui des médecins qui regardent ces deux termes comme synonymes.’

⁸² Théophile de Bordeu, *Œuvres complètes*, p. 833. ‘Il est effectivement des signes qui indiquent les approches de la maladie ou sa formation; il est d’autres qui marquant son état et sa terminaison heureuse et malheureuse.’

⁸³ Le Thieullier, vol. 1, pp. 46-54.

⁸⁴ *Ibid.*, pp. 50-51. ‘Les causes qui produisent cette maladie sont ordinairement des alimens de mauvais qualité et difficile à digérer, des peines et des contentions d’esprit continuelles que en occasionnant une dissipation considérable des esprits ... il faut au moins remplir les indications qu consistent à ouvrir le voyes engorgées, à corriger l’intempérie des viscères, et à évacuer les humeurs viciées, sans négliger en meme tems les remèdes propres à soutenir ou réparer les forces épuisées et à fortifier les ressorts affroibls.’

sake of the patient's understanding.⁸⁵ Having noted the symptoms and the signs Le Thieullier reached the point where he had to make decisions - to define what ailment he had to deal with, to state his prognosis, and to recommend how it could be treated. The essential point for the consultant was to distinguish between what were simply symptoms, and what lay as the underlying cause of disease which had to be addressed.

Thus far the notion of medical theory has been described as though it were the sole property of the physicians, particularly when they dealt with internal medicine. Yet consultations by surgeons are indistinguishable from those of physicians in terms of the way they diagnosed and prognosed on the patients' symptoms and they employed the same terminology. Whilst obviously consulting surgeons found themselves writing on their speciality such as stones, broken bones and wounds, when they did venture into what might have been considered the domain of the physician, the diseases of concern were of the kind covered also by physicians.⁸⁶ For example the surgeon Henri-François le Dran provided a consultation for a woman suffering 'vapeurs convulsives hystériques' treatment for which matched those typically proposed by physicians for this condition.⁸⁷ The consultations requested by *chirurgiens ordinaires* from elite physicians and surgeons also dealt with a wide range of maladies. This supports the view that in many areas of France the surgeon was a primary health-care provider as argued in chapter 3.⁸⁸

For the most part, epistolary consultations were concerned with chronic rather than acute diseases. What distinction was made between these types of condition? Physician Jean-Claude Adrien Helvétius defined the difference thus: 'acute diseases are those which run into the third to fifth day, but which may extend to the fortieth day'. Chronic diseases he defined as those which might

⁸⁵ Ibid., p. 46.

⁸⁶ See for example Bibliothèque municipale de Metz, MS 1317A, Manuscrits du docteur Antoine Louis, né à Metz secrétaire perpétuel de l'Académie de Chirurgie de Paris, chirurgien en chef de la Salpêtrière (1723-1792), For example Louis consulted for a scorbutic ulcer (Folio U6), a typical surgical subject, and for *fleurs blanches* (Folio U32), a typical medical subject.

⁸⁷ Henri-François le Dran, *Consultations sur les pluspart des maladies qui sont du ressort de la Chirurgie*, Paris, P. Fr. Diderot le jeune, 1765, pp. 409-412.

⁸⁸ See chapter 2, particularly page 8.

continue 'for months, even years'.⁸⁹ Bordeu was of the same view.⁹⁰ As observed in the previous chapter it was not uncommon for a disorder to have plagued the patient for months, often years, before a consultant's help was sought. The celebrated Montpellier physician Charles Barbeyrac (1629-1699) wrote a 1693 consultancy for a woman who had been suffering from a cough for six or seven years.⁹¹ Worse still was a man for whom a consultation was sought from Antoine Deidier after suffering an ulcerated ear for eleven or twelve years.⁹² Acute incidents such as apoplexy arose in the letters by virtue of patients requiring advice for the consequent disabilities. A *médecin ordinaire* wrote to Le Thieullier in September 1735 concerning a patient who had two attacks the previous December.⁹³ Le Thieullier's reply written eight days after the original *mémoire* offered treatment for the after-effects of the attacks, and to prevent recurrences. Typically however the immediacy of an acute incident simply did not lend itself to consultation by letter. Likewise communicable diseases such as smallpox, measles and the greatly feared plague, *la peste*, were acute.⁹⁴ These were afflictions of short duration, frequently occurring as

⁸⁹ Jean-Claude Adrien Helvétius, *Idée generale de L'œconomie animale, et observations sur la petite verole*, Lyon, chez Freres Bruyset, 1727, pp. 1-3. 'Les unes s'appellent maladies Vives ou Aigië parce qu'elles se terminent promptement, et sont quelquefois décidées dès le troisième ou le cinquième jour. Elles peuvent néanmoins se prolonger jusqu'au quarantième. Les autres se nomment maladies longues ou chroniques; d'autant qu'elles peuvent durer plusieurs mois, et même plusieurs années.' Fevers were a condition which usually fell in the category of acute, but could become chronic. They were considered a particularly important symptom. A large proportion of the *mémoires* sent by *médecins ordinaires* or patients made reference to fevers or their absence. Pierre Chirac considered fevers particularly significant because they were responsible for changes to the blood and organs. Pierre Chirac, *Traité des fièvres maligne, des fièvres pestilentielles, et autres*, Paris, chez Jacques Vincent, vol. 1, 1742, p. 2.

⁹⁰ Bordeu, *Œuvres complètes*, p. 210. Bordeu wrote: 'Toutes les maladies aiguës se terminent en quarante jours.'

⁹¹ Charles Barbeyrac, 'Une consultation inédite de Barbeyrac', Reproduced by Mirko Grmek, 'Le Néohyppocritisme Montpelliérain au XVIIe siècle: l'énigme Barbeyrac.', *Congrès nationale des sociétés savantes*, Montpellier, 1985, p. 110. Grmek interpreted her condition as pulmonary phthisis.

⁹² Antoine Deidier, *Consultations*, vol. 2, pp. 150-175.

⁹³ Le Thieullier, vol. 1, pp. 38-45.

⁹⁴ Chirac, *Traité des fièvres*, vol. 2, pp. 16-17. 'En second lieu la déclaration de la peste jette l'épouvante et la terreur dans tous les esprits; et cette terreur n'est pas d'un moment ni d'un jour; elle dure pendant tout les tems que la malaise régné dans une ville ou dans un pays. Elle occupe l'esprit la nuit le jour' and at p. 27 'Tous les habitants d'une ville sont dans une si grande consternation ... il les jette tous dans un état de terreur'. François Chicoyneau who attended the 1720-22 outbreak of *la peste* in Marseilles did not consider it to be a contagious disease. 'nos Observations ... concluant pour établir que la Peste n'est pas contagieuse. J'ai crû être dans l'obligation de vous communiquer icy en peu de mots quelque autres faits, et reflexions qui nous ont déterminés à préférer et adopter le sentiment de la Noncontagion'. François Chicoyneau, *Lettre de Monsieur Chicoyneau, Conseiller du Roi, ... , écrite à Monsieur de la Monière, Doyen du Collège des médecins de Lyon, pour prouver ce qu'il a avancé dans*

epidemics, from which the patient either recovered, or often, died.⁹⁵ Such short duration diseases simply did not lend themselves to consultation by letter.⁹⁶ Smallpox, for all its significance and widespread occurrence, only arises in the consultations on a secondary basis, that is to say, about the after-effects of the disease.⁹⁷ For example, Antoine Fizes treated a young boy for ulcerated nostrils which were the result of smallpox.⁹⁸ Similarly many of the consultations that dealt with ocular problems noted the patient had at some stage suffered from smallpox as eye damage was a commonly occurring consequence of this illness.⁹⁹ Treating the after effects of smallpox was one thing; dealing with the disease itself with its high mortality rate was apparently not called for by letter.¹⁰⁰

In general, analysis of the letters suggests that the distinction between any chronic and acute disease, whilst theoretically capable of definition, was largely meaningless. The paucity of acute conditions as subjects of written consultations can reasonably be attributed to their unsuitability for treatment at a distance. Whatever confusion existed over the meaning and interpretation of symptoms and signs, these were issues argued in the academy but which did

ses observations et réflexions touchant la nature, les événements et le traitement de la peste de Marseille et d'Aix, du 10 décembre 1720, Lyon, Frères Bruyset, 1721, pp. 5-6.

⁹⁵ *Consultations choisies*, vol. 2, 1757, pp. 23-31. This refers to a visit by Montpellier physicians to the site of an epidemic, but it is of the nature of a report rather than a consultation. The other reference uncovered of an epidemic arose when a physician sought advice on an area wide outbreak which he believed to be a venereal disease.

⁹⁶ Thus although the title of *Consultations choisies* proclaimed that it dealt with acute diseases, in the preface was stated: 'the nearness of many towns gives the facility to consult the Montpellier consultants on acute diseases ... the march of acute illnesses is so quick that it is hardly possible to resort to other's counsels that one can have in the place where the patents live.' *Consultations choisies*, vol. 1, p. xvii. 'Car, bien que le proximité de plusieurs villes donne plus de facilité pour consulter les Médecins de Montpellier sur le maladies aiguës ... la marche des maladies aiguës est ordinairement si précipitée qu'il n'est gueres possible de recourir à d'autres conseils qu'à ceux qu'on peut avoir dans le lieu du domicile des malades.'

⁹⁷ Samuel Tissot, *Avis au peuple sur sa santé*, 2nd ed., Lyon, chez Jean-Marie Bruyset et Benoît Duplian, vol. 1, 1763, p. 252. Samuel Tissot estimated that of 100 persons, only 4 or 5 escaped it.

⁹⁸ *Consultations choisies*, vol. 2, p. 378. 'nous concluons que la maladie actuelle est une suite de la petite-verole'.

⁹⁹ For example a Fizes consultation concerned 'an infant' who had completely lost the sight in the right eye as a result of smallpox. *Consultations choisies*, vol. 4, 1757, p. 311.

¹⁰⁰ Smallpox mainly affected children, accounted for a seventh of all illnesses in the period. Samuel Tissot, *Avis au Peuple*, vol. 1, p. 252. What is more, it had a mortality rate of around one in seven in eighteenth-century France prior to the introduction of inoculation and those that survived were disfigured and many suffered damage to their eyesight. Elise Lipkowitz, 'The Physicians' Dilemma in the 18th-Century French Smallpox Debate', *Journal of the American Medical Association*, vol. 290, 2003, pp. 2329-2330.

not surface in the consultations. The consultants generally distinguished between symptoms and causes, but this is less clear with *ordinaires* who would enter into describing signs, though seldom involving themselves with diagnosis.

Evidence of theoretical stances in diagnosis and prognosis

The 'learned physician' dealt with a *mémoire* much as he would have done when face to face with the patient, moving from diagnosis, to prognosis, and then to recommending treatment. This nominal structure to a greater or lesser degree is characteristic of the written consultations although the prognosis was usually limited, if not omitted entirely. The consultant noted the symptoms and took account of the descriptive language of the patient and interpreted these into his own theoretically-based model to decide upon the cause of illness. Such activities constituted acts of mediation and reformulation. This was demonstrated most noticeably in the letters when patients described their symptoms when suffering from melancholia. This disease, characterised by a plethora of symptoms which patients reported at length, was typically reduced by the consultant to a derangement of the digestion.¹⁰¹ A prescription of treatments could then be justified, relying on the physician's knowledge and experience.¹⁰²

In all but a few isolated cases, the consultants provided a diagnosis, apparently even when at times they regarded it as difficult. There were two sources of problems that they could be confronted with: insufficient information and, less commonly, information which could lead to more than one diagnosis. Lack of information was the case when Jean-Jacques Montagne was providing a consultation for a woman suffering bilious headaches, and great stomach pains:

One notes moreover that since the beginning of March a suppression of the periods has been observed, without indicating if this symptom still continues, or if it has passed. In the state of marriage, where it seems

¹⁰¹ See chapter 6.

¹⁰² Volker Hess, 'Medical Semiotics in the 18th. Century: a Theory of Practice?', *Theoretical Medicine and Bioethics*, vol. 19, no. 3, pp. 203-213.

that the lady finds herself, it will be necessary to know whether she is pregnant or not. The patient's lifestyle is also unknown.¹⁰³

The *mémoire* having come from a *médecin ordinaire*, written in July of that year, three to four months after her periods ceased, Montagne might reasonably have expected him to have commented on whether or not he thought she was pregnant, even if there was uncertainty. Another problem which the consultant could face was when the information supplied led to more than one possible diagnosis. This arose for example in a 1739 Le Thieullier consultation when he wrote to the *ordinaire* involved: 'it is impossible to decide with certainty on the true state of Madam the patient, some symptoms combined represent two illnesses equally capable of being diagnosed.'¹⁰⁴ He added a footnote which stressed the need for full information to be provided when seeking advice:

[t]his history and the response is only given in order to make it known that it is not necessary to decide thoughtlessly on some memoirs , which are often sent incomplete, and in order to instruct the necessary people to give some detail of the illness.¹⁰⁵

Whether in this case Le Thieullier was criticising the *ordinaire* or the family, or both, is unclear. As it was added as a footnote in a published work it was possibly meant to provide guidance to anyone who might seek a written consultation. François Chicoyneau was confronted with a similar problem when he described as very difficult to determine if the patient had a stone or a growth

¹⁰³ *Consultations choisies*, vol. 3, pp. 341-342. 'On marque d'ailleurs qu'ils est survenu une suppression des regles vers le commencement de mars, sans indiquer si cet accident subsiste encore, ou s'il est passé, Dans l'état de mariage, où il semble que le Dame le trouve, il auroit été nécessaire de sçavoir s'il y a eu des grossesses, ou non. Le régime de vivre de la malade reste aussi inconnu.'

¹⁰⁴ Le Thieullier, vol. 2, p. 35. 'il est impossible de décider avec certitude sur le véritable état de Madame la malade; des symptômes réunis representent deux maladies également susceptible du même dianostic.'

¹⁰⁵ Ibid., p. 39. 'Cet Exposé et la Réponse ne sont donnés que pour faire connoître qu'il ne ne [sic] faut pas décider légèrement sur des Mémoires qui sont souvent envoyés imparfait, et pour instruire des personnes qui sont la nécessité de donner quelque détail de maladie.'

in his urethra. Having considered it and examined all the choices he decided to address the matter without choosing one or the other.¹⁰⁶

As is shown in this thesis, the information supplied to the consultants was at times regarded as lacking in the detail which would have been preferred, although such shortcomings did not prevent them from proceeding to complete their consultations. However it raises the question of just what information did the learned physician hope to receive? In *Avis au peuple sur la santé* (1761) the Swiss physician Samuel Tissot set down a list of questions to be addressed by those seeking a written consultation. This would provide the information that he believed *should* be available in both general terms and additional specifics he considered necessary when the patients were women or children.¹⁰⁷ His list is reproduced in Figure 5.1.¹⁰⁸ He added that in some disorders additional information should be supplied, presumably expecting his readership to anticipate what that might be. More importantly, perhaps was his expressed desire to avoid the need for a second letter which implied that he would seek more information before completing a consultation:

It is to be hoped that persons of all classes who write for consultations would very much want in their letters to observe a plan a little like this; they would obtain more satisfaction and save themselves the pain of writing new letters to clarify the original. The success of remedies depends on an exact knowledge of the disease, and that knowledge of the information given to the physician.

This is different to the consultations examined here, where the physicians would complain about a lack of information but proceed to provide the consultation anyway. Perhaps this was a form of rhetoric which protected them in the event

¹⁰⁶ *Consultations choisies*, vol. 7, pp. 14 -15. 'Je vous avouerai d'abord avec ingénuité qu'il est très-difficile de déterminer si vous avez la pierre, ou une carnosité, y ayant des raisons pour et contre très bien déduites dans votre relation: cependant après avoir murement examiné toutes choses, je vous dirai, sans m'engager dans une discussion inutile, qu'il me paroît qu'on peut expliquer votre incommodité principale sans avoir recours ne à l'une ni à l'autre cause.'

¹⁰⁷ Tissot, *Avis au peuple*, vol. 2, pp. 696-700.

¹⁰⁸ Taken from Samuel Tissot's, *Advice to People in General with Regard to Their Health*, 5th ed., Dublin, n.p., 1769, pp. 374-376. This influential work was translated into thirteen European languages.

of treatment failure.

<p style="text-align: center;">‘Questions to which it is absolutely necessary to know the answers when one goes to consult a physician.’</p> <p>It takes a lot of attention and experience to judge the state of a patient that one has not seen, even if one is informed as well as one can be from a distance; but this difficulty is greatly increased and even changed to an impossibility when the information is not exact; and it often arrives to me having questioned the ‘peasants’ who come from outside, I dare prescribe nothing to them, because they have not been able to instruct me enough to put me in a position to consider the illness. It is in order to inform that inconvenience that I have attached here a list of questions to which it is necessary to be able to respond.</p> <p style="text-align: center;">General questions</p> <p>What is the patient's age? Is he generally healthy? What is his general way of life? How did his illness start? Has he a fever? Is his pulse firm or weak? Has he all his strength, or is he weak? Does he keep his bed all day or get up? Is he in the same condition all hours of the day? Is he restless or quiet? Is he hot or cold? Has he pains in the head, the throat, the chest, the stomach, the belly, the kidneys, or in the limbs? Is the tongue dry? deteriorated? an ill taste in the mouth? wanting to vomit? loss of appetite? Does he go to stool often or seldom? How are his stools? Does he make much urine? What are they like, do they change often? Does he sweat? Does he spit? Does he sleep? Does he breathe easily? What regimen does he follow? What medicines has he taken? What effects have they produced? Has he ever had the same distemper before?</p> <p>The diseases of women and children are attended with peculiar circumstances; so that when consulting for them, it is necessary to respond, not only to the general question for all sick people, but also those which are peculiar to them.</p> <p style="text-align: center;">Questions with regard to women.</p> <p>Have they arrived at their periods, and are they regular? Are they pregnant? Since when? Are they about to deliver? Was the delivery happy? Has the mother cleansed sufficiently? Has she some milk? Does she suckle the infant herself? Is she subject to the whites?</p> <p style="text-align: center;">Questions relating to children</p> <p>What is the child's exact age? How many teeth has he cut? Does he cut them painfully? Is he knotted up? Has he had the smallpox? Does he have worms? Is his stomach swollen? Is his sleep quiet</p>
--

Figure 5.1: Tissot's Questionnaire for use by persons seeking written consultations

From Samuel Tissot's, *Advice to People in General with Regard to Their Health*,
5th ed., Dublin, n.p., 1769, pp. 374-376.

Tissot's questionnaire is symptom-based and does not suggest any particular theoretical stance. The correspondence that has been examined for this thesis would not in any instance come close to meeting Tissot's *desiderata*, either in the general sense, nor the specifics which related to women and children. It may be that Tissot was writing the ideal with no real expectation of patients or even *ordinaires* meeting it. One significant question he did not include was 'How long had the patient been ill?' This omission might be explained if he had assumed that this information would be provided, and the evidence of the correspondence is that it almost universally was.

Tissot did not state what his target readership was; it can be reasonably inferred that it was for the lay public as much as for *ordinaires* who might have been preparing a *mémoire*. The notion of a pro-forma questionnaire was not novel. Faith Wallis for example has examined the subject in the early medieval period.¹⁰⁹ Relevant to the period of interest here Théophraste Renaudot (1586-1683), physician and philanthropist, published a pamphlet that Roy Porter described as 'designed to allow the sick from the provinces to have their illnesses diagnosed and treated by post', however, none of the letters are known to have survived.¹¹⁰ Tissot made clear his purpose in producing such a document, and it is reasonable to suppose that he made use of it in his regular practice. He sought to have the appropriate information provided to him at the outset of any given case, noting that this had not always been the case. Tissot's publishing of his questionnaire and its structure, would suggest that such a methodical approach was not always, perhaps even not often, taken by his anticipated readership. Examination of the sources gives no indication that a template has been used. Nonetheless, the sameness of structure in the *mémoires* noted in the introduction implies that there was a general

¹⁰⁹ Faith Wallis, 'Signs and Senses: Diagnosis and Prognosis in Early Medieval Pulse and Urine Texts' *Social History of Medicine*, vol. 13, no. 2, 2000, pp. 265-278.

¹¹⁰ Théophraste Renaudot, *La Presence des absens ou facile moyen de rendre présente au médecin consultans charitablement à Paris pour les pauvres malades avec les figures des corps humaine ... ensemble l'instruction ... Par Théophraste Renaudot*, Paris, n.p., 1642. See Roy Porter, *The Greatest Benefit to Mankind*, London, Harper/Collins Publishers, 1997, p. 209. This service was run in conjunction with Renaudot's Bureau which provided medical help to the poor of Paris. See See Giles de la Tourette, *La Vie et les oeuvres de Théophraste Renaudot, fondateur du journalisme et des consultations charitables*, Paris, Éditions du Comité, 1893, particularly pp. 26-27. Renaudot obtained his doctorate in Montpellier but was Paris based for most of his life.

understanding about how such letters should be constructed and what they should contain. How this information was obtained has not been elucidated. Roger Chartier has examined the publishing, and popularity, of books of 'model letters' in early modern France.¹¹¹ He describes many different types of such letters, but does not include examples that could have been used when seeking a medical consultation.

In the *mémoires* analysed in this thesis, the most common features would be to provide the age, gender and principal symptoms. The presence or absence of fever was invariably noted, but a patient's pulse was almost never commented upon, perhaps indicating that this was something *ordinaires* did not routinely check, or they did not know how to interpret the result.¹¹² The majority would give some, albeit incomplete, indication of treatment that had been tried. The personality type of the patient such as melancholic or sanguine were more regularly included by the patients themselves than by *ordinaires*, indicating the significance accorded by the patients to this factor. Perhaps this signifies that patients adhered more closely to humoral theory than did the *ordinaires*, a topic returned to in the next chapter.

With female patients the regularity or otherwise of their menses would be mentioned and whether or not they suffered from 'the whites'. Tissot's other questions specific to women were focussed on child-bearing and nursing and few of his questions would be answered in the consultations; however that has to be qualified by noting that very few of them were related to child-bearing. A woman's marital status would usually be stated, indicating sexual activity, but only rarely the number of times she had been pregnant. Perhaps childbearing was regarded as something which did not normally impact on a woman's physical well-being but was within the natural capacity of the female body. Tissot noticeably did not define what he meant by children. In the collection

¹¹¹ Roger Chartier, Alain Boureau and Cécile Dauphin, *Correspondence: Model Letter-writing from the Middle Ages to the Nineteenth Century*, Oxford, Blackwell Publishing Ltd, 1997. See in particular pp. 59-111.

¹¹² During the eighteenth century, the pulse was usually recorded in terms such as weak, irregular, strong. In 1754 Bordeu published his research on the pulse which opened with a brief history of observing the pulse which indicated that it had been in use before the eighteenth century in Théophile de Bordeu, 'Recherches sur le poulx', Paris, 1754, in Théophile de Bordeu, *Œuvres complètes*, pp. 253-421, particularly pp. 253-260.

employed in this thesis this term seems to have been applied up to the age of puberty and sometimes beyond. Likewise the term infant in the consultations is employed vaguely, but appears to have meant those still suckling. The only information that was regularly given was whether or not they had had smallpox or quinsy; other childhood infectious diseases were never mentioned. In providing separate questions for women and children Tissot clearly conceptualised the adult male as the normative body.

In Michael Stolberg's analysis of therapy in the eighteenth century he declared that the physician's 'ability to determine a diagnosis, and an exact diagnosis depended on the collaboration of the patient and the immediate family.'¹¹³ Stolberg was not only reinforcing the point made by Tissot, but that obtaining compliance to a therapeutic regime required the involvement of patient and family as was explored in Chapter 3. The significance of a patient's family background was also important and was raised in a Montagne consultation of 1743, for a man suffering from convulsions: 'In the *mémoire* that has been sent, one does not speak of the age of the patient, nor his way of life, nor the particular disposition that can be noted in the family.'¹¹⁴ Another instance arose in a 1734 consultation in which the Parisian physician Jacques Molin complained that whilst the patient's age, temperament and some of her symptoms had been provided: 'the *mémoire* never said if she has a sluggish stomach although I suspect it. The *mémoire* does not speak of the remedies which have been used; which would provide some information for what remains to do.'¹¹⁵ Whether in this instance the *mémoire* had come directly from the patient or from an *ordinaire* cannot be ascertained with certainty. If it were an *ordinaire* perhaps Molin would have expected better. Despite the shortcomings of the information he had 'in this uncertainty', Molin proceeded to nominate

¹¹³ Michael Stolberg, 'La négociation du régime et de la thérapie dans la pratique médicale du XVIII^e siècle', in Olivier Faure (ed.), *Les Thérapeutiques savoirs et usages*, Lyon, Collection Fondation Marcel Merieux, 1999, p. 360. 'Sa capacité à établir un diagnostic, et un diagnostic exact dépendait de façon décisive de la collaboration de patient et de ses proches.'

¹¹⁴ *Consultations choisies*, vol. 5, 1750, p. 198. 'Dans le Mémoire qui a été envoyé, on ne parle point de l'âge du malade, ni de sa manière de vivre, ni des dispositions particulières qui peuvent avoir été remarquées dans sa famille.'

¹¹⁵ Pierre Chirac and Jean-Baptiste Silva, *Dissertations et consultations médicales*, Paris, Durand, vol. 2, 1734, pp. 251-252. 'Le mémoire ne dit point si elle a le ventre parasseux, mais je le soupçonne ... Le Mémoire ne parle point des remèdes qui pouvant avoir été fait; ce qui fourniroit des indications pour ce qui reste à faire.'

treatment. One of the weaknesses of consulting by letter compared with a face-to-face consultation was the physician's inability to ask pertinent questions to fill in gaps in the patient's story. The obvious solution would have been to write back and ask for more information, but as previously noted there is no evidence to suggest this happened.

Prognosis was a topic on which the university-trained physician asserted authority over his competitors. The entry on the subject in *Encyclopédie méthodique* (1792) written by Paris-trained physician Philippe Petit-Radel (1749-1815) claimed: 'This prerogative [prognosis] of the true practitioner that raises him to the highest point of glory; he knows that it announces a happy or disastrous event, it cannot be carried out by the ignorant'.¹¹⁶ Since it could involve making predictions about life and death, it also risked predicting God's will, and the Church viewed the timing of death as a matter for God alone. Whatever confession of faith the physicians and surgeons admitted to, they did not seek confrontation with the Church.¹¹⁷

There is only limited evidence in the consultations of a prognosis being given despite the claims that the ability to do so distinguished the university-trained practitioner from his 'lesser competitors'. Nonetheless, surgeon Georges de La Faye (d.1781) included a section on prognosis in *Principes de chirurgie* (1766) which he described as: 'prognostics are those which help us anticipate the duration and outcome of an illness. They derive from the difference and the complications of illnesses, their causes, the nature of the patients and their needs for life and health'.¹¹⁸ In this La Faye placed great emphasis on monitoring the pulse as a prognostic tool.¹¹⁹ Prognosis can be viewed in two

¹¹⁶ *Encyclopédie méthodique, chirurgie, par M. de La Roche et M. Petit-Radel*, Paris, Panckoucke, vol. LAC-ZIG, 1792, p. 241. 'Cette prérogative [prognostic] du vrai Practicien qui l'élève au plus haut point de gloire; soit qu'il annonce un évènement heureux ou funeste, ne peut être le portage de l'ignorant.'

¹¹⁷ Brockliss, 'Extending the Medicable', pp. 22-23.

¹¹⁸ Georges de La Faye, *Principes de chirurgie*, Paris, chez D'Houry père et Laurent D'Houry, 1746, p. 124. 'prognostics sont ceux qui nous sont prévoir la durée et l'issue d'une maladie. Ils se tirent du degré de la difference et de la complication des maladies, de leur causes, de la nature des parties malades et de leur nécessité pour la vie et la santé'.

¹²¹ *Ibid.*, pp. 124-127.

¹²² See for example, *Consultations choisies*, vol. 3, p. 42, a case of paralysis of the right leg, 'est presque incurable', and, vol. 4, p. 136, a case of 'vapeurs ou affection hystérique, 'Madame reviendra en parfaite santé'.

ways, as an expression of the likely course of a disease left untreated, or how this course might be expected to be modified by treatment. Instances in the consulting letters where the expected outcome was set down are infrequent and they range from declaring a condition incurable to an expectation of complete recovery.¹²⁰ But these are a small minority. In general, prognosis was limited to comments such as 'this illness is very serious, very dangerous; because, if one does not fight it with the particular remedies, the patient among other illnesses is exposed to a mortal suppression of urine.'¹²¹ At the other extreme, melancholia was often described as 'neither mortal nor even dangerous'.¹²² There is however an absence of information provided on the stages through which a malady was expected to progress let alone any time scale. No instances have been encountered where the consultants have commented on what would happen if an illness was left untreated, presumably indicating an assumption on their part that their advice would be followed. Likewise, there is an absence of how progress would proceed if advice was followed. Perhaps the patients had no expectations in this regard; they did not pose the question in any of their letters and for the most part treatment regimes were protracted. If the responses were directed to local practitioners, it may be because the consultants assumed that through their university training they would know the answers to such questions.

It is at the stage of describing the consultants' diagnosis that vocabulary might have been an issue when the patient did not fully comprehend what had been written. One of the most frequently encountered causes of various ailments was the state of the patient's blood. When Montpellier consultant Claude Chaptal wrote to a patient: 'the blood is dry and acrimonious' what was the patient to make of this?¹²³ Patients may or may not have been puzzled at the logic of calling a fluid dry, and what did that term acrimonious mean? What

¹²³ *Consultations choisies*, vol. 10, 1755, p. 38. In this case of a long-standing virulent gonorrhoea, 'Cette maladie est très-sérieuse, et même très dangereuse; car si on ne combat par les remèdes propres, le malade entr'autres maux est exposé à une suppression d'urine mortelle.'

¹²¹ *Consultations choisies*, vol. 10, 1755, p. 38. In this case of a long-standing virulent gonorrhoea, 'Cette maladie est très-sérieuse, et même très dangereuse; car si on ne combat par les remèdes propres, le malade entr'autres maux est exposé à une suppression d'urine mortelle.'

¹²² *Consultations choisies*, vol. 1, p. 17. 'Cette maladie n'est pas mortelle, ni même dangereuse.'

¹²³ For example *Consultations choisies*, vol. 7, p. 204. 'du sang est ... sec et acrimonieux'.

information did that convey to them? Even the *ordinaire* might have been uncertain - Boerhaave had defined no less than five different sorts of *acrimonies des humeurs*, all of which could have been applied to the blood.¹²⁴ This was the kind of situation where the *ordinaire* would have had a role in facilitating the transfer of information and knowledge in both directions.

In summary, the physician had to draw conclusions and propose treatment on the basis of the written information he received which was at times incomplete. What is noticeably missing in the consultations is significant attempt at informing the patient of how he could expect the illness in question would progress, whether treatment was followed or not. This was despite the fact that prognosis was supposedly the high point of the physician's art.

The correspondence shows that through the seventeenth and eighteenth centuries, as other scholars have contended, rather than displacing or undermining the Hippocratic-Galenic model, new theories to describe the functioning of the body were grafted onto it. Iatrochemistry came and largely went again. Iatromechanics took its place, held on, and became useful as a theoretical construct in practice as is evidenced in the letters. As Harold Cook argued, physicians' theoretical approaches could not be placed in discrete boxes. They appear to have taken what they wished from any system that would satisfy their individual understanding.

The consultations did not of themselves have a role in the creation of theories, but they did provide a means for elite physicians to disseminate them at least to *ordinaires*. Several of the printed collections declared that they had an educative purpose; it was however only rarely that this point was made directly in individual consultations. Whether the patients understood emerging theories cannot be ascertained as there is insufficient correspondence after the consultation was sent to make any judgement.

Almost every consultation included a diagnosis which the physician could use to justify the therapies propounded. Even if the consultants were in receipt

¹²⁴ See *Encyclopédie méthodique, chirurgie*, vol. 1, 1727, p. 126.

of inadequate information in the requesting *mémoire*, they would deliberate on such information they had and draw sufficient conclusions to justify treatment proposals. The crucial point to come from this chapter is that the physician believed that his medical construct could be justified on a theoretical basis. He had a rationale for making diagnoses, prognoses and of offering therapy. In this way the sources provide a valuable insight into the thinking of the early modern physician in his everyday work. On the other hand, the letters yield little information on prognosis, which despite it supposedly having been one of physician's strengths, was in fact poorly addressed.

There is no discernable difference in the construction or language employed in the consultations, whether were sent to the patient or to an *ordinaire*. However, for the most part it is impossible to know whether an involved *ordinaire* was a physician or a surgeon. If it were a surgeon, it would be unsafe to assume that a consultation would have been as well understood as perhaps would have been the case with a physician.¹²⁵ On the other hand an *ordinaire*, whether physician or surgeon, may have played a role in guiding a patient to write a *mémoire* in terms that the consultant could readily frame into his own construct. The table of desired information set down by Tissot would have been useful for a patient or *ordinaire* to have to hand, for their letters clearly show that they fell well short of what was desirable.

That the theories produced in the seventeenth and eighteenth centuries were largely abandoned later does not equate to a total inactivity by medical theorists over the period. It might be argued, with hindsight, that rather than a period of stagnation, the eighteenth century represented a period of failed theories. How patients by contrast perceived the body in sickness and health is the subject of the next chapter.

To a degree this is inevitable given that as a theory it only started gaining traction in the middle of the eighteenth century, by which time the majority of the cases written about in this thesis, manuscript or printed, were completed. A survey of the letters suggests that the animism of Stahl and the vitalism of

¹²⁵ Many of Ramel's consultations are known to have been requested by surgeons.

Bordeu had no impact on the way physiology was described in the letters, iatrochemical motions appeared to a degree, but iatromechanical theory was often evident. Whilst Hippocratic-Galenic postulates remained almost unaltered, it would appear that a mechanical model provided an explanation of bodily functioning which would be more readily understood by patients than perhaps a chemical one.

Did changes in theory have a fundamental effect on the manner in which medicine was practised on an everyday basis, in particular on the way in therapies were arrived at? Explanations for disease and treatment that consultants offered to patients were inconsistent. Indeed in many of the consultations a rationale for therapeutic recommendations was not provided; perhaps *ordinaires* were expected to understand them, or it was considered unnecessary for patients. For instance Harvey's conclusions on the circulation of the blood should have rendered irrelevant the question for bloodletting, of where the blood should be taken from, yet throughout the eighteenth century, physicians and surgeons alike made a point of nominating which veins blood should be drawn from, be it the arms, the feet or even in some cases the jugular.¹²⁶ There were those who argued it should be taken from the side opposite the affected part of the body, those who argued for the same side.¹²⁷ There were similarly arguments made in favour of taking blood from as far away from the source of illness as was practical, and counter arguments to get as close as possible. This was an argument which was at its peak in the sixteenth century.¹²⁸ Brockliss and Jones have said that Harvey's theory was not accepted by all French physicians until the mid-seventeenth century.¹²⁹ Yet the evidence of both *mémoires* and consultations suggests that whilst circulation of the blood may have been accepted theory, daily therapeutic practice could contradict this through the eighteenth century. The continuance of site-selection

¹²⁶ Use of the arteries as bleeding points was not normal practise.

¹²⁷ See Laurence Brockliss, *Calvet's Web: Enlightenment and the Republic of Letters in Eighteenth-Century France*, Oxford, Oxford University Press, 2002, pp.180-181.

¹²⁸ See Sachiko Kusawawa, 'The Medical Renaissance of the Sixteenth Century: Vesalius, Medical Humanism and Bloodletting', in Peter Elmer and Ole Peter Grell (eds), *The Healing Arts: Health, Disease and Society in Europe, 1500-1800*, Manchester, Manchester University Press and the Open University, 2004, pp. 66-68.

¹²⁹ See Brockliss and Jones, p. 143.

for bleeding described above defies the logic of Harvey's discovery; perhaps this practise was maintained to meet patients' expectations.

In summary, the Galenic theoretical basis for learned medicine was threatened in the seventeenth and eighteenth centuries by alternative explanations for how the body functioned. However the evidence of the correspondence is that these newer chemical and mechanical explanations, rather than supplanting Galenism, were incorporated into the age-old explanations. In essence the approach of physicians of the period could be regarded as pragmatic. Yes, they acknowledged and wrote in the academy about new theories of physiology and pathology, but at the practical level of dealing with patients, for the most part they stuck to the tried and accepted notions of the past. Humourism remained at the core of medical physiology. The letters consultants wrote to patients and *ordinaires* included reference to these new ideas, but as will be shown in a later chapter had no impact on the therapies they offered. Whilst they may have served an incidental educational role to *ordinaires* and to patients, there is scant evidence to suggest that they were written with this in mind.

PATIENTS' PERCEPTIONS OF THE BODY, HEALTH AND ILLNESS

An earlier chapter examining authority revealed that patients could be quite vocal about challenging the medical knowledge of official practitioners. This raises questions to be explored in this chapter – what were patients' perspectives of the body, of health and of sickness? Where did these frameworks come from? When their expressions were transmitted to a consultant through the agency of a local practitioner, did this result in a distortion of the clients' perceptions of their sufferings or were there challenges for local practitioners to transmit patient perceptions of their suffering to consultants? It must be borne in mind that in developing the conclusions of the thesis that it is not possible to be certain whether or not published patients' letters have been the subject of a selection process, which had this been the case, might have an influence of the conclusions that have been drawn. The particular example of hypochondria, with its varying nomenclature, will be used to further examine these questions as to its perceived nature and cause.

Perceptions of health and disease

The maintenance of health was an important matter beyond that of a life free of pain or discomfort, people wanted to be able to conduct their lives in a manner to which they were accustomed; that is, when they were healthy. However, when patients wrote to physicians they rarely indicated what they understood 'healthy' to mean. Some indication of perceived normality can be gleaned by the example of one patient who towards the end of his letter wrote that he 'was not normally sick and lived in a manner not at all given to infirmities or illnesses.'¹ When *médecins ordinaires* wrote on a patient's behalf they would sometimes present a limited *exposé* of their patient's state of health prior to becoming ill,

¹ Louis-Jean-Baptiste le Thieullier, *Consultations de médecine*, Paris, Charles Osmont, 1739, vol. 2, p. 310.

based either on what the patient told them, or from having had an ongoing relationship.

How did the individual in seventeenth- and eighteenth-century France conceive health and illness? Mary Lindemann has made the generalisation that at least until the late seventeenth century most people would have perceived the body in humoral terms.² When they felt well the humours were in balance, and when sick the humours were out of balance. This was no black and white situation; of course there were degrees of wellness. But it was the maintenance of what each individual regarded as normal that was sought, and this was largely affected by diet, exercise, environment, sleep and voidages, that is, the non-naturals, barring accidents or externally caused maladies such as the plague. Such a state was not perpetual; the aging process for instance was recognised as inevitable and was to a large degree perceived as a humoral drying process, hence such internal ailments as increased susceptibility to gout, rheumatism and stones and visual symptoms such as wrinkling skin, with concomitant changes required to maintain health.³ In a Louis-Jean-Baptiste le Thieullier consultation of 1738 for example, the patient postulated that his excessive urination was simply due to his being over sixty-years old.⁴

Whilst in some cases disease might still have been perceived in terms of God's visitation, for the most part patients viewed bodily malfunction as an inevitable part of life. Causation they understood in cases like venereal diseases, but generally this was a matter for the medical practitioner to pronounce. The patients' prime concerns were the symptoms that attacked their senses, and from which they sought relief. Thus even though illness and disease were commonplace, it was these that effectively defined the healthy state by contrast, rather than it being an absolute concept, whether expressed by the providers or receivers of advice. So was it in 1676 after treatment for a number of symptoms that Madame de Sévigné after spending some time at

² Mary Lindemann, *Medicine and Society in Early Modern Europe*, Cambridge, Cambridge University Press, 1999, pp. 12-13.

³ Pierre-Jean-Georges Cabanis, *Rapports du physique et du moral de l'homme*, Paris, Fortin et Masson, 1843, p.184-185. 'L'endurcissement de la peau ... qu'on observe particulièrement chez les vieillards.'

⁴ Le Thieullier, vol. 1, p.393. 'Il [pressé d'uriner] faut ajouter ... que j'ai plus de 60 ans'.

Vitré in Brittany away from the capital, wrote to her daughter: 'I am very well, the change has done marvels for me' then continued: 'but my hands still cannot take part in this recovery.'⁵ She was suffering from what she described as 'cruel rheumatism'. The two parts of this quote appear incompatible, but this is evidently how she saw normality for her health at that time. Furthermore it was rare for the patient to write after treatment to say they were completely cured. Indeed, the very notion that individual characteristics played a significant role in a person's well-being, led to the corollary that health was relative. When the patient wrote a description of his or her state of health it was in terms of symptoms which they considered to be a deviation from normal, even if it were not expressed in comparative terms.

The degree to which patients were removed from an ideal healthy state was reflected by their symptoms. Minor inconveniences were expected to pass or were probably treated at the household level. It was only when disorders became prolonged, failed to respond to simple treatments or became in some other way unacceptable, such as pain or paralysis, that the help of a physician or surgeon was sought. Extended periods of time which a patient had been suffering before seeking the help of a consultant were a marked characteristic of the epistolary consultations. In many instances this ran into ten or more years.⁶ This may have been cost-driven, although given that the majority of the patients were in an elite class they were probably financially able to meet the costs of a physician. Perhaps they ended up with the consulting physician when other avenues to regaining their health had proved fruitless. Certainly there are cases in the correspondence as has been shown, where another practitioner's advice had already been sought. If this were not the cause of the delay, either they showed a remarkable stoicism, or they had concluded in many instances that help was not forthcoming.

⁵ Yves Pouliquen, *Mme. de Sévigné et la médecine du grand siècle*, Paris, Odile Jacob, 2006, pp. 129-130. 'Je me porte très bien; le changement me fait des merveilles ... mais mes mains ne veulent point encore prendre part à cette guérison'.

⁶ For example, Henri-François le Dran's advice was sought for a thirty-four year old man who had suffered a haemorrhoidal flux for thirteen years; the patient had sought the help of a *chirurgien ordinaire* during that time. Henri-François le Dran, *Consultations sur la pluspart des maladies qui sont de resort de la chirurgie*, Paris, chez P. Fr. Didot, 1765, p. 210.

There was nothing patients or *ordinaires* wrote about that they expressed as being trivial, nor for that matter that the consultants saw as trivial in their responses. But how serious did the patients consider their various afflictions to be? There were disabling conditions; loss of sight or hearing for instance, whilst not life-threatening, had significant impact on the patients' normal lives. In 1740 a cleric wrote to his sister to seek out an experienced physician in Paris when he suddenly found he could not read the church offices. He had tried spectacles to no avail, and local physicians had offered a variety of diagnoses and therapies with little improvement.⁷ A lifestyle-threatening problem occurred for a man who wrote in 1736 to the Paris physicians that: 'I felt a beginning of ringing in the ear starting last year. I found myself troubled by a continual dizziness, and such that I was unable to suffer anything on the head ... it continued without interruption until the present time' [a period of eighteen months].⁸ Paralysis, partial or otherwise was obviously disabling, and often involved loss of speech. Apoplexy was recognised as one of the most dangerous conditions. One woman wrote about her husband's apoplexy: 'the violence of the attack had left his left side paralysed.'⁹ As will be shown shortly, there were also other conditions such as hypochondria that were perceived as fearsome and life-threatening.

Patients' expressions of illness were driven in part by the extent to which they saw their symptoms as threatening. Some of course may have been included for the sake of providing complete information to the physician. Paris physician Jean-Baptiste Silva wrote to one patient who was suffering with attacks of dizzy spells. 'The illness that you have detailed to me, Monsieur, is more frightening than dangerous. It appears to me to be no prelude to apoplexy nor paralysis, and I regard it absolutely as the vapours ... If after 15 or 20 days of these remedies you think you need my advice, it would be a real pleasure for me to respond exactly to your letters.'¹⁰ This invitation to write again if a cure was not obtained is unique in the consultations that have been examined. Apoplexy and hemiplegia were perhaps the ailments causing most concern to

⁷ Le Thieullier, vol. 2, p. 177.

⁸ Pierre Chirac and Jean-Baptiste Silva, *Dissertations et consultations médicales*, Paris, Durand, 1744, p. 340.

⁹ Le Thieullier, vol. 2, p. 93.

¹⁰ Chirac and Silva, pp. 207 and 209.

patients. Patients and practitioners alike, were well aware of how debilitating, let alone life-threatening, these could be.¹¹

On the whole the letters show patients describing their health problems symptomatically, presumably expecting the physician to define their illness. The rhetoric employed in epistolary consultations has to be considered within its particular social and cultural environment for as Lester King has pointed out even what constitutes a disease is culturally defined.¹² The correspondence examined in this thesis was created between particular groups within French society of the period in question. David Harley has commented that 'social constraints shaped the *style* [my italics] and content of medical enquiries, as well as everyday conduct'.¹³ How the correspondents separately and collectively defined disease has to be seen in that context.

To state the obvious, it was the patient who felt the pain and suffering. She or he had to portray their perceptions of disorder to a physician in order to obtain remedial advice. The manner in which they did this would have been conditioned by what they, and perhaps their family, thought to be pertinent, their knowledge of medical terminology, and social norms. This would have been true whether the patient wrote directly to a consultant, or if they were describing their condition to another physician or surgeon for transmittal to a consultant. As Séverine Pilaud and Micheline Louis-Courvoisier put it, the patients' descriptions of their ailments were an exteriorisation, through words, of the sensations they actually felt.¹⁴ They added that during the Enlightenment: 'Medical language was not very specialised or technical, so lay people could communicate with doctors and transmit valuable information with some instruction without too much difficulty'.¹⁵ The evidence in the sources here is in agreement with that observation.

¹¹ See for example the case in Le Thieullier, vol. 2, pp. 92-102 which was discussed in Chapter 3.

¹² Lester King, *Medical Thinking a Historical Preface*, Princeton, N.J., Princeton University Press, 1982, p. 138.

¹³ David Harley, 'Rhetoric and the Social Construction of Sickness and Healing', *Social History of Medicine*, vol. 12, no. 3, 1999, p. 413.

¹⁴ Séverine Pilaud and Micheline Louis-Courvoisier, 'The Intimate Experience of the Body in the Eighteenth Century: Between Interiority and Exteriority', *Medical History*, vol. 47, no. 4, 2003, p. 454.

¹⁵ *Ibid.*, p. 454.

Whilst the majority of the *mémoires* were couched in the medical jargon of the period, there was little hesitation to resort to vernacular terminology when it was perceived to be the most appropriate way of describing something. Patients made use of analogy through everyday concepts to express themselves. Thus a patient described the development of a tumour, 'it came to me on the neck, a small thick lump as big as a large pigeon's egg'¹⁶ In another case a patient wrote of his maxillary glands 'there formed at the side of each maxillary a small gland, fat and round like a very hard pea.' After treating them he found they were now 'two small glands that felt not more than a grain of lead'.¹⁷ Yet another described his pain as comparable with 'being pricked by very fine needles'.¹⁸ And as a last example, a patient described his indigestion to Antoine Deidier as follows: 'When I worked a long time before taking a meal, the portions that I swallowed were like kinds of tenter-hooks which tore into my chest.'¹⁹ This selection shows how patients employed everyday objects to describe the size and nature of their discomforts. They used terms which they understood, and which the practitioners would also grasp easily.

Some resorted to more medical terminology. This was the case with the patient writing in 1720 to Antoine Deidier: 'The undigested material and phlegm which starts this malady, mixed up with bile and pancreatic juice causing fermentations in the abdomen that are consistent with his swollen [stomach] and a borborygmus that gives the patient harsh pains.'²⁰ The medical terms are

¹⁶ Le Thieullier, vol. 1, p. 241. 'Il me vint aussi au col, une petite tumeur grosse comme un gros œuf de pigeon.'

¹⁷ Le Thieullier, vol. 2, p. 295. 'Il s'est formé à coté de chaque gland maxillaire une petite glandule grosse et ronde comme un pois fort dure.' And after treatment, 'les deux petites glandules, de façon qu'on ne le sent plus que comme un grain de plomb.'

¹⁸ Antoine Deidier, *Consultations et observations médicales de M. Antoine Deidier*, Paris, chez Jean-Thomas Hérissant, 1754, vol. 1, p. 320. 'douleurs qu'on comparoit à des piquûres d'aiguës extrêmement fines.'

¹⁹ Deidier, vol.1, pp. 281-282. 'Quand j'ai travaillé long -tems avant que prendre les repas, les morceaux que j 'avale sont comme des especes de cloux à crochets qui me déchirent la poitrine.'

²⁰ *Consultations choisies de plusieurs médecins célèbres de l'Université de Montpellier sur des maladies aiguës et chroniques*, Paris, Durand et Pissot, 1750-1757 vol. 7, 1750, p. 89. 'Les matieres indigestes et glaireuses qui commencent cette maladie, se mêlant avec la bile, et le suc pancréatique causent des fermentations dans le bas-ventre qui sont suivies de son

consistent with those which might have been written by his consultant. At the same time this patient was writing in the third, rather than the first person. A stylistic method was discussed earlier. It appears to be a strategy used by some patients as a distinction between their self-perception as a person in control of themselves and a body subject to pain and disease which was not under their control.

The important issue was for the consultant to understand what the patient was saying, whether he or she used medical or vernacular terminology. Ramel commended one patient by remarking, 'the history of the illness of M** was presented with much order, clarity and precision in the *mémoire*.'²¹ This suggests that this was not always the case.

Patients in pain

The experience of pain is a matter which inevitably arises in the correspondence, more so in letters of patients and their *ordinaires* than in the consultants' responses. In this section consideration is given to how pain was expressed. Did the *ordinaires*' rhetoric dilute the sensations which pain involved? Was it portrayed differently by men and women? Psychiatrist Horatio Fabrega and linguist Stephen Tyma have described the phenomenon of pain as:

Involving however elusively, a consideration of the body as a physical thing which is also alive. The response to and avoidance of noxious stimulation is an elemental factor in the adoption of all living systems. This is obviously also the case for man, though here his capacity for symbolization introduces a different dimension to the problem. The phenomenon of pain touches on the whole question of how the brain and

gonflement [d'estomac], et d'un borborigme qui donne au malade de cruelles douleurs.' What the patient also did in this case, which is uncommon, was to give an explanation, if not a full diagnosis for his complaint.

²¹ M.F.B. Ramel le fils, *Consultations médicales et mémoire sur l'air de Gemenos*, La Haye, chez Les libraires associés, 1785, p. 44. 'L'Histoire de la maladie de M** présentée avec beaucoup d'ordres de clarté et de précision dans le Mémoire'

mind "read", interpret, and communicate about the body and its perceived states.²²

This modern description of pain is equally appropriate for an earlier period, with the recognition that the 'symbolization' would be varied for time and culture. Pain is something everybody experiences yet is essentially personal. It is perhaps not surprising that Roy Porter has described pain as 'one of the most puzzling, and neglected, topics of the history of medicine' yet one that was 'central to the healer's art'.²³

When a patient complained of pain it could have been expressed simply as 'a small pain', or more emphatically, such as 'I am tormented by pain all the time'.²⁴ According to Lisa Smith, pain was the dominant subject of consulting letters.²⁵ More contentiously she has claimed: 'the immediacy of their [French patients] pain experience has been lost ... the majority of illness narratives had been filtered out through the more 'scientific' gaze of medical practitioners.'²⁶ Her conclusions warrant consideration in the light of the broader range of sources employed here. The correspondence examined in this thesis does not generally support the notion that pain was a dominant feature or that it was a reason why correspondence was entered into. It is possible that pain was a sensation which the eighteenth-century patient as a rule simply accepted stoically, but opiates were prescribed in many instances.²⁷ The most marked absence of comment on pain is in the correspondence on matters essentially surgical – cuts, burns, abscesses and the like – where it is very rarely mentioned. Perhaps the incidence of pain in such matters, which must often have been extreme, was simply assumed and it was necessary to provide this information to determine what actions were required.

²² Horatio Fabrega Jr., and Stephen Tyma, 'Culture, Language, and the Shaping of Illness: an Illustration Based on Pain', *Journal of Psychosomatic Research*, vol. 20, 1976, p. 323.

²³ Roy Porter, 'Pain and Suffering', in W.F. Bynum and Roy Porter (eds), *Companion Encyclopedia of the History of Medicine*, London, Routledge, vol. 2, 1993, p. 1574.

²⁴ Deidier, vol.1, p.85. 'une petite douleur en urinant', *Consultations choisies*, vol. 1, 1757, p. 72. 'tourmenté d'une douleur qui tantôt occupe tout à la fois.'

²⁵ Lisa Smith, *Women's Health Care in England and France (1650-1755)*, University of Essex, Ph. D. thesis, 2001, p. 91.

²⁶ *Ibid*, pp. 127-128.

²⁷ The term *opiate* did not necessarily mean substances containing opium or its derivatives. In fact these were seldom recommended, but in *Consultations choisies* some form of sedative was prescribed in 36.4% of the cases.

The suggestion of linguistic moderation which Smith has made is an important issue and is applicable to any form of suffering, not simply pain. When the patient's words and those of the *ordinaire* are both available for the same situation this suggestion can be tested. This was the case when in a letter to the Paris Faculty of Medicine a *médecin ordinaire* described his patient as:

[a] lady ... disturbed for around five years by a continual noise in her head with pain and an unbearable ringing in the ears, The illness increases day after day when she is lying down; it seemed to her like the noise of the shooting of canons in her head.²⁸

The woman's own description, which was also published, read as follows:

It is not the deafness which hampers me. I can put up with that, it is the noise of mills, of drums, above all at night, increase to the point that I cannot sleep, and the banging that rings from one ear to the other.²⁹

Whilst the two used different metaphors, it would be unreasonable to suggest that the *médecin* had filtered out the significance of the woman's suffering when these two descriptions are compared. A woman described a not dissimilar case, though less emphatically, when she wrote to Deidier:

An almost continual pain in the head which extended from the back of the nose to the front, and sometimes up to the back of the head, with throbbing that she felt when the head was on a pillow and even being up.³⁰

²⁸ Le Thieullier, vol. 1, pp. 277-278. 'Une dame ... incommode depuis environ cinq années d'un bruit continu dans la tête, avec douleur et tintement d'oreille insupportable ... La maladie augmente de jour en jour quand elle est couchée; il lui semble qu'on tire les coups de canon dans la tête.'

²⁹ Ibid. p. 283. 'Ce n'est point la surdité qui m'embarrasse, je la suis peu, c'est un bruit de moulins, de tambours, sur-tout la nuit, sitôt que je me mets la tête sur le chevet, cela augmente d'une façon à n'avoir point de repos, et des coups qui se tirent d'une oreille à l'autre.'

³⁰ Deidier, vol. 1, pp. 370-371. 'D'une douleur de tête presque continuelle qui s'étend depuis le dos du nez jusques au front, et quelquefois jusques au derrière de la tête, avec des battemens qu'elle y ressent quand elle a la tête sur le chevet, et même étant levée.'

These last two examples pose the question as to whether acceptance of such a level of suffering was culturally regarded as normal for a woman compared to a man.

Summarising then, the patients saw their state of health and ill-health in relative terms. The relationship between the two was essentially personal and would have varied with their life experiences. Pain was a factor which entered into many ailments but has not been found to be a pervasive issue in patients' letters. As to how patients saw the disease process itself, they relied largely on a humoral model, which although perhaps expressed in different words to those of the physician, meant that both parties were employing similar concepts.

Describing the body

The patients wrote about their organs, the heart, the liver, the brain and so forth as they saw pertinent to whatever the problem was. Some knowledge of the organs cannot to be regarded as surprising; after all animal organs would have been everyday butchery sights and they used the same terms for the major organs as did the practitioners. Equally they wrote about the internal fluids and their outflow from the body. This suggests that they were conceptualising bodily function in humoral terms and as was pointed out in chapter 4 many would have had access to medical or 'home-help' texts. The use of a humoral model corresponds with how Barbara Duden considered the internal and external movement of fluids as defining the perception of the body held by the mainly female patients of Eisenach physician Johannes Storch.³¹ The physicians employed much the same knowledge system, though overlaid with greater anatomical detail and the introduction of newer chemical and mechanical concepts as was discussed in the last chapter.

The letters of many patients suggest that the internal workings of their bodies were out of sight and consequently largely a mystery. What went on

³¹ Barbara Duden, *The Woman Beneath the Skin: a Doctor's Patients in Eighteenth-century Germany*; trans. T. Dunlap, Cambridge Mass., Harvard University Press, 1991, pp. 104-178, particularly pp. 105-106.

within was for the most part inaccessible; they could feel a pulse or a pain, they could hear borborygmus, but much else was out of reach of the senses. The following extract from a 1741 letter to Le Thieullier indicates how a male patient himself expressed a range of bodily sensations:

[b]eing seated on a settee, in an armchair, lying in a bed, leaning on a balcony, standing in his room, to feel as if the settee, the armchair, the bed, the balcony, the floor were agitated with tremors; although effectively everything was at rest, and there was nothing which could visibly produce that sensation. To feel stinging like insect bites and wounds made with the surgeon's instruments [*ferremens*]. Suddenly to feel hot as if one was in a very hot bath; at other times cold as if one was exposed to the north wind; though one is near a fire or in a bed with all the precautions in common use to guarantee oneself from the cold; to sense good or bad odours which one knew the cause was not near to oneself.³²

The notable feature of this letter is that almost all the senses were being affected. A whole of body experience was presented, yet the use of the third person in this part of the letter creates a sense that the patient had almost dissociated himself from the symptoms. The remainder of the letter atypically of most patient letters was mostly in the first person. This was a case of melancholia and there were a multitude of physical symptoms which he also described. Perhaps this diversity of bodily malfunctions and the distressed state he was in were responsible for an attempt to dissociate himself from his world of dreams.

What structure of medicine did patients employ when describing illness?

³² Le Thieullier, vol. 2, pp. 308-309. 'Etant assis sur une chaise, dans un fauteuil, couché dans un lit, appuyé sur un balcon, debout dans sa chambre, sentir que ce l'en sentiroit si la chaise, le fauteuil, le balcon, le plancher étoient agité avec secousse; quoiqu'effectivement le tous soit en repos, et qu'il n'y ait rien qui puisse visiblement produire cette sensation. Sentir des aiguillons comme de piqures et blessures, fait avec des ferremens; sentir tout-à-coup de la chaleur comme si l'en étoit dans un baine très-chaude; d'autre foit du froid, comme si l'on étoit expose au vent du nord; quoique l'on soit près du feu ou dans un lit avec toutes les précautions usitée pour se garantir du froid; sentir des odeurs bonnes ou mauvaises dont ou sçait la cause n'être pas proche de soi.' The term *ferremen* was a generic term for surgical instruments. See *Dictionnaire de l'Académie française*, Académie française, Paris, 1694, p. 445.

As noted at the start of this chapter, Mary Lindemann considered humoral theory to lie at the heart of patients' medical theorising.³³ That at the start of almost every patient letter there would be a description of their temperament in humoral terms such as sanguine, choleric, bilious or more rarely phlegmatic, is indicative of this. But as examples have already shown, this may be a somewhat simplistic view. Hence the case referred to earlier where patient in a letter to Deidier spoke of fermentations taking place in his abdomen. This expression of the concept of fermentation was not an isolated occurrence. In 1740 a patient wrote to Parisian physician Le Thieullier about a variety of symptoms which he attributed to a long arduous journey to Paris in a cart:

That for once I may say what I think. My legs have received for four days, the hail attached to my stockings, and always a cold rain; that obstructed the pores so much, that it did not allow me to perspire, so that they were obliged to receive all the humours which fall there like a sack; could not the constant movement of the carriage have made the bile of the gall come back into the stomach, which being incorporated with the food and fermented in the blood, would settle among the guts and on the parts which are most affected?³⁴

Here the patient was describing the immediate cause of his complaints in predominantly humoral terms, but he also introduced the iatrochemical concept of fermentation.³⁵ Le Thieullier in this instance, whilst acknowledging that intemperate weather would have contributed to his condition, did not consider it to be the prime cause.³⁶ The Galenic tradition of humours had been around so long that it is impossible to suggest when and how they devolved

³³ Lindemann, *Medicine and Society*, p. 10.

³⁴ Le Thieullier, vol. 2, pp. 222-223. 'Qu'il me fois permis de dire que ce je pense. Mes jambes ont reçu pendant quatre jours la grêle attachée à mes bas, et toujours une pluie froide; cela en a tellement obstrué les pores, qu'il ne se peut faire de transpiration, de sorte qu'elles sont obligées de recevoir toutes les humeurs qui y tombent comme un sac; l'agitation de la voiture ne pourroit-elles pas avoir fait remonter la bile du fiel dans l'estomac, laquelle étant incorporée avec les alimens et fomentant dans le sang, se seroit fixée parmi les boyaux et sur les parties qui ont le plus souffert ?'

³⁵ However, there is a humoral precedent for the use of the term fermentation which was used to describe the process whereby spirits could be produced and distributed in the body.

³⁶ *Ibid.*, pp. 223-224. 'Quoique l'intempérie de l'air ait infiniment contribué à procurer la maladie ... le régime que Monsieur a gardé, n'a pas moins favorisé le progrès des symptômes il est constant que la transpiration ou supprimée, ou diminuée, donne lieu à l'obstruction des viscères'.

from physicians to the public at large. Iatrochemistry however was a relatively new concept and one might reasonably suppose that it was through physician – patient contact, both face to face and by letter, that such notions could have been promoted to a wider audience. However these are the only two instances uncovered where patients have used terminology that can be described as iatrochemical and none which were explicitly iatromechanical. The evidence is that, to the extent that patients theorised at all, they engaged with the long-established humoral theory as Mary Lindemann had claimed.

The patients had an understanding of the workings of the body founded on the organs and their interaction with humours. There is at least a suggestion that iatrochemical concepts were beginning to be adopted by them.

The perception of death

Eighteenth-century Europe has been described as ‘a fearful place [where] life expectancies were low, infant mortality enormous, disease rampant, cures uncertain and surgery frightful’.³⁷ The healthy state was certainly not something that could be assumed. The biblical notion of man’s life-span being three-score years and ten was at odds with an actual life expectancy of around twenty-six years.³⁸ This figure includes child mortality but even at the age of five, the figure for men in 1750 was only 40.25 years and for women 41.2, a long way short of 70 years.³⁹ With epidemics ever likely to break out, death could strike at any time. The people of France were not to know that the 1720 Marseilles outbreak of plague was to be the last occasion of this particularly frightening disease in Western Europe on a major scale.

³⁷ Mary Lindemann, ‘Medicine, Medical Practice and Public Health’ in Peter Wilson (ed.), *A Companion to Eighteenth-Century Europe*, Oxford, Blackwell, 2008, p. 159.

³⁸ Robert Fogel, *The Escape from Hunger and Death, 1700 – 2100*, Cambridge, Cambridge University Press, 2004, p. 1. Life expectancy in France in 1750 was around 26 years in 1750 and the threat of disease and death was ever present. Psalm 90 verse 9 gives the biblical claim that ‘The days of our years are three score years and ten’.

³⁹ See Laurence Brockliss and Colin Jones, *The Medical World of Early Modern France*, Oxford, Clarendon Press, 1997 p. 369, fn. 69 where they quote from Daniel Roche, *La France des Lumières*, Paris, Fayard, 1993, p. 442.

Death therefore was not a remote concept and yet it was a topic which seldom appeared in epistolary consultations. Some references are made by *médecins ordinaires* of patients fearing they were going to die.⁴⁰ Explicit records of such fears by the patients themselves are however rarely encountered. In 1733 a patient wrote somewhat dramatically to Jacques Lazerme at Montpellier after an incident when he reacted to eating a portion of a peach during a meal:

I was feeling near to suffocating, I got up quickly from the table, said “I am dead”, and pleaded with one of the dinner guests to give me some blows to the back of the neck. This *Monsieur* was so diligent that he expected to dislocate the wrist by striking me on the shoulder. Later the lady who had given me the peach made me swallow a glass of water, that I vomited on the floor through the nose, with so much redoubling of efforts and of fear, that I did not ask more of God than a quarter of an hour in order to put my conscience in order, and in consequence I called for a confessor.⁴¹

The man evidently was not about to meet his maker, but at the time he clearly thought that this was imminent.⁴² A fear of death then was expressed by patients when they saw life to be threatened, and their hopes of recovery acknowledged as being in God’s hands. What is not found in the correspondence is acknowledgement, once the crisis had passed, that death had been avoided. Perhaps they left that to be said in prayer.

In her 1994 study of the socio-cultural dimensions of medicine of western societies, sociologist Deborah Lupton argued that in the sixteenth and first half

⁴⁰ *Consultations choisies*, vol. 9, 1751, p. 431. ‘une crainte excessive de la mort’.

⁴¹ *Ibid.*, vol. 1, 1757, pp. 8-9. ‘Me sentant prêt à être suffoqué, je me levai brusquement de table, en disant, *je suis mort*, et priant un des convives de me donner quelques coups de chignon. Ce Monsieur fut si officieux qu’il pensa se démettre donné la pêche le poignet en le frappant sur l’épaule. Cependant La Dame qui m’avoit donné la pêche me fit avaler un verre d’eau, que je rendis sur le champ par le nez, avec un tel redoublement d’efforts et de peur, que je ne me demandois plus à Dieu qu’un quart d’heure pour mettre ordre à ma conscience, et qu’en conséquence je fis venir un confesseur.’

⁴² *Ibid.*, pp. 7-21. The patient had written complaining of various problems with his stomach and oesophagus. This particular incident he pointed out followed a four-day journey in the height of summer, and an accompanying note from his *médecin ordinaire* attributed the problems to the patient’s habit of not wearing a hat in summer, even though he had little hair on his head. Lazerme put the patient’s condition down to melancholy and the vapours.

of the seventeenth centuries that '[b]oth Protestant and Catholic religions insisted that a member of the Clergy should be in charge of the deathbed, rather than the medical practitioner, who left when it became clear that nothing more could be done.'⁴³ A 1735 report by Le Thieullier recorded the last few days of a patient suffering from a diseased liver.⁴⁴ He noted how the patient devolved his authority, gave instructions for the distribution of his wealth and received the final sacrament. This was followed by negotiations between the practitioners and the patient to agree that a post-mortem should be performed, the patient's acquiescence apparently having been obtained on the understanding that it would be done at no charge.⁴⁵ This case is unique amongst the material examined, but it demonstrates how a dying man could negotiate to the very end. Perhaps it was significant that he was a merchant; in this instance the adage 'old habits die hard' was taken to the extreme'.

There is an extensive literature on the subject of death with its medical, theological and social aspects. A comprehensive analysis of eighteenth-century attitudes to death has been achieved by John McManners.⁴⁶ Whilst he discusses the role of medicine as a defence against death, no discussion is included on epistolary consultations. He writes of the dechristianisation of death in France through the eighteenth century. This is not evidenced in the sources used here, but the instances where the issue of death is raised are too few to make a realistic comparison.

The medical practitioner could perhaps prevent untimely death and could in some cases ameliorate the patient's suffering, but death was, and is, the ultimate fate of everybody. Where the physician could play a significant role was in reducing or removing a patient's fear that death was close to hand when their condition did not warrant such pessimism.

⁴³ Deborah Lupton, *Medicine as Culture: Illness Disease and the Body in Western Societies*, London, SAGE Publications, 1994, p. 44. At the same time it is recognised that many clergy particularly in the country involved themselves in providing treatment and medication for the sick. See for example Brockliss and Jones, pp. 656-657 and 747-749.

⁴⁴ Le Thieullier, vol. 1, pp. 418-423.

⁴⁵ Ibid., vol. 1, pp.421. 'le malade devoir incessamment périr, que je demanderois qu'on me permît d'en faire faire l'ouverture, ce que j'obtiendrois d'autant plus facilement, que je serois dire qu'elle seroit *gratis*.'

⁴⁶ John McManners, *Death and the Enlightenment: Changing attitudes to Death in Eighteenth-Century France*, Oxford, Oxford University Press, 1985.

Patient knowledge

One important source of medical knowledge for patients was the printed text. According to historian William Coleman, in the eighteenth century French regular book trade, 'one encounters a truly astonishing number of elementary therapeutic and hygienic manuals, these being commonly the product of practising physicians writing for a literate and comfortable audience intent on self preservation, improvement and charitable acts'.⁴⁷ That such numbers of books were being produced suggests that either through ownership or by borrowing from friends and neighbours, access to textual knowledge would not have been difficult. Lisa Smith claims that women were 'avid consumers of medical knowledge and popular science in [early modern] France and England'.⁴⁸ Roy Porter, in discussing contributions to the eighteenth-century *Gentleman's magazine*, noted: 'it is impossible to judge whether they have been written by members of faculty or lay authors ... because ... contributions by lay and medical men alike are typically pitched at comparable levels of assumed medical expertise'.⁴⁹ Matthew Ramsey has explored the origins and nature of printed popular texts employed through the early modern period.⁵⁰ He pointed out that not only were there works produced by the medically untrained, but that many were also produced by established physicians, often for allegedly charitable reasons. The patient could have accessed a number of 'familiar texts'. There were those produced by non-medical persons such as Madame Fouquet's (1590-1681) *Recueil des remedes faciles et domestiques*, which between 1675 and 1740 ran to sixteen editions and was in production for over sixty years.⁵¹ Colin Jones has noted that from the late seventeenth century

⁴⁷ William Coleman, 'The People's Health: Medical Themes in 18th-century French Popular Literature', *Bulletin of the History of Medicine*, vol. 51, 1977, p. 61.

⁴⁸ Lisa Smith, *Women's Health Care in England and France (1650-1755)*, University of Essex, Ph.D. thesis, 2001, p. 134.

⁴⁹ Roy Porter, 'Laymen, Doctors and Medical Knowledge in the Eighteenth Century: The Evidence of the *Gentleman's Magazine* in Roy Porter (ed.), *Patients and Practitioners: Lay Perceptions of Medicine in Pre-industrial Society*, Cambridge, Cambridge University Press, 1985, pp. 292-293.

⁵⁰ Matthew Ramsey, *The Popularization of Medicine in France, 1770-1830: The Social World of Medical Practice*, Cambridge, Cambridge University Press, 1988, pp. 97-133.

⁵¹ Madame Fouquet (1590-1681), *Recueil des remedes faciles et domestiques*, 2 vols, 1675-1734. See Olivier Faure, *L'Histoire sociale de médecine*, Paris, Anthropus, 1994, p. 28. The earliest edition encountered by this author is 1675 and the latest 1739. For an exemplar see

when setting out to establish new charitable institutions Sisters of Charity were equipped with a copy of Fouquet's book.⁵²

There were also those produced by physicians, for example from the seventeenth-century, the joint edition of Louis Guyon's (fl.17th C.) *Le Cours de medecine en françois contenant le miroir de beauté et santé corporelle*, and *la Theorie avec un accomplissement de pratique selon les principes tant dogmatiques, que chimiques* by Lazare Messsonier (1611?-1673) was widely read and ran to six editions.⁵³ In the eighteenth century there were works ostensibly aimed at the poorer ranks of society in works such as that of the Jansenist physician and member of the Paris Faculty of Medicine Philippe Hecquet (1661-1737).⁵⁴ Many such books were produced with the claim that they could provide the patient with guidance. Significant numbers of medical texts were to be found in the libraries of the well educated. For example, the library of the lawyer Armand-Thomas Hue de Miromenil (1723-1796) of 3368 works included 136 medical books, mostly eighteenth-century, in French and Latin.⁵⁵ They covered anatomy, pathology, midwifery, pharmacy and general health. The collection also included a 1685 edition of Madame Fouquet's *Remedes Charitables* and a 1573 edition of Liebault's *Remedes Secrets*; whether these two works were employed for medical guidance or as collectables is of course unknown.⁵⁶

Books of this kind provided knowledge and a vocabulary that enabled patients to write letters to consultants using much the same vocabulary as was

Madame Fouquet, *Recueil des remedes faciles et domestiques*, vol.1, Paris, chez Jean Musier, 1739.

⁵² Colin Jones, *The Charitable Imperative: Hospitals and Nursing in Ancien Regime and Revolutionary France*, London, Routledge, 1989, p. 196.

⁵³ Louis Guyon, *Le Cours de Medecine en François contenant le Miroir de Beauté et Santé corporelle*, Lyon, chez Daniel Gayet, 1673, et *La Theorie avec un accomplissement de Pratique selon les Principes tant Dogmatiques, que Chimiques, Augmenté du Traité des Maladies nouvelles, extraordinaire, spirituelles, et astrales, avec des Recheches curieuses par Lazare Meyssonier*, Lyon, chez Jacques Faeton et Daniel Gayet, 6th ed., 1673.

⁵⁴ Philippe Hecquet, *Le Médecine, la chirurgie, et la pharmacie des pauvres*, Paris, chés Clousier, David fils, Durand, et à S. Etienne, Damonnville, 1740-1742.

⁵⁵ *Catalogue des livres que composent la bibliothèque de M. Hue de Miromenil*, Garde de Sceaux de France, Paris, de Valade, 1781.

⁵⁶ The *Catalogue des livres* marks these books as *Les Remedés Charitables de M^{de} Fouquet*, Lyon, Certe, 1685 and *Remedes Secret par J Liebaut*, 1573.

used by the physicians. For example in 1741 a patient wrote to François de Paule Combalusier (1713-1762) in Montpellier:

I have emphysema. It is actually tormented by a pain which sometimes occupies all the time all the regions of the abdomen ... this pain I feel very strongly in the epigastric region and the umbilicus; the lumbar suffer sometimes in their turn, as do the right and left hypochondrium ... Exteriorly there have appeared many growths which seem to have their seat in the cellular tissue.⁵⁷

The patient in this case was clearly familiar with medical terms for disorders and with anatomy.

Did this mean that patients kept up with trends in medical theorising? In a period when medical theory was changing, would the patient have been aware of, let alone have accepted, emerging medical theories? Michael Stolberg maintains that 'the sick and their relatives were [closely acquainted] with the major physiological and pathological concepts of their time'.⁵⁸ On the other hand, David Harley contends that, '[w]henver models change patients are thrown into confusion'.⁵⁹ It has been suggested that at least in an English context, physicians had to tailor their theories and remedies to meet the patient's expectations.⁶⁰ In the limited number of instances where there is feedback from the patient after receipt of a consultation in the letters studied, there is no evidence to back up Harley's claim. On the contrary, when there were instances of patients contesting the advice given to them, as is shown through

⁵⁷ *Consultations choisies*, vol. 1, pp. 72-73. 'J'ai ... un emphyseme. Il est actuellement tourmenté d'une douleur qui tantôt occupe tout à la fois toutes les régions du bas ventre ... cette douleur se fait sentir très-vivement dans la région épigastrique et l'ombilicale; les lombaires souffrent quelquefois à leur tour, de même que les hypochondres droit et gauches ... Il s'y élève extérieurement plusieurs tumeurs qui paroissent avoir leur siège dans le tissu cellulaire'.

⁵⁸ Michael Stolberg, 'Medical Popularization and the Patient in the Eighteenth Century', in Willem de Blécourt and Conelie Usborne (eds), *Cultural Approaches to the History of Medicine: Mediating Medicine in Early Modern and Modern Europe*, Basingstoke, Palgrave Macmillan, 2004, p. 90.

⁵⁹ David Harley, 'Rhetoric and the Social Construction of Sickness and Healing', *Social History of Medicine*, vol. 12, no. 1, 1999, p. 423.

⁶⁰ Nicholas Jewson, 'Medical Knowledge and the Patronage System in Eighteenth Century England', *Sociology*, vol. 8, no.3, 1974, p. 376.

this thesis, it was not about medical models but about therapy, or less frequently, diagnosis.

The use of self-help texts is posited on literacy. French historian Robert Muchembled quotes literacy figures for the whole of France of 29% for males and 14% for females in 1686-1690, and 47% and 27% respectively in 1780-1790.⁶¹ The data is based on the assumption that ability to sign one's name was a measure of literacy and he indicated that in the south of France literacy figures were about half those quoted.⁶² These numbers may underestimate the ability to read advisory texts, particularly of women at the social levels being dealt with in this thesis. As François Furet and Jacques Ozouf have pointed out, the education of women, through the period of interest here, often included reading but not writing.⁶³ As to patients' understanding the terminology employed, Philippe Hecquet included a glossary of the medical, surgical, pharmaceutical, chemical, anatomical, physiological, geometric and mathematical terms that he had used in his text.⁶⁴ A glossary of terms was also included in the Fouquet text referred to above.

It is reasonable to deduce that patients had sufficient medical knowledge, or could readily access it, to be able to understand the language of the physician and surgeon. Although the number of letters subsequent to receipt of a consultation is small, there are no instances where the patient had suggested they did not comprehend what had been written. When patients had contested the consultations, the practitioner may have responded that they were in error but there are no cases where the suggestion was made that the patients had misunderstood the contents of the report.

⁶¹ Robert Muchembled, *Culture populaire et culture des élites dans la France moderne (XV^e – XVIII^e siècles)* Paris, Flammarion, 1977 pp. 346. Muchembled relied on figures from Roger Chartier, Dominique Julia and Marie-Madelaine Compère, *L'Éducation en France du XVI^e ou XVIII^e siècle*, Paris, Société d'Édition d'Enseignement Supérieur, 1976, p. 295.

⁶² It appears to be widely accepted that the ability to sign is a very rough guide to the ability to write. Not all signers were able to write and there is not necessarily a correlation between the number who can sign and who can read, an important issue for this thesis.

⁶³ For a detailed examination of literacy levels in France see François Furet and Jacques Ozouf, *Reading and Writing: Literacy in France from Calvin to Jules Ferry*, Cambridge, Maison des Science de l'homme and Cambridge University Press, 1982. On differences between reading and writing levels see in particular pp. 166-191 and 206-210.

⁶⁴ Hecquet, vol. 2, pp. 448-524

Bathing as a form of therapy, at spas and in the home, was frequently recommended in the consultations; it was one area where perhaps patient attitudes changed over time. Georges Vigarello has argued that bathing was a rare event in seventeenth-century France, and that when it did take place it was for medical reasons. Furthermore he suggests that it was regarded as an unhealthy undertaking, an attitude which he claimed extended to at least the middle of the eighteenth century.⁶⁵ The objection was based on the perception that the skin was porous, and the immersion resulted in the water entering the body with deleterious results. The exceptions were if the effect was to drive out harmful humours through the pores.⁶⁶ In general when baths were recommended as therapy in the epistolary consultations the specific purpose was not given. An exception was for a patient of Montagne suffering in 1743 from headaches when douching the head was suggested to cool the blood.⁶⁷ If as Vigarello suggests bathing was considered potentially hazardous to health, the patient advised to take as many as twenty baths must have been shocked at the prospect.⁶⁸ Montagne recognised that a patient might object to takings baths when in a 1743 consultation setting out a programme of eleven baths, he wrote: 'suppose that Monsieur cannot bear a full bath, one substitutes a hip-bath.'⁶⁹ These baths were invariably to be dosed with various medicaments. Unfortunately there are no letters which directly indicate the views of patients on this topic. Nonetheless, the regularity with which bathing features as a form of treatment either defies Vigarello's contention, or it was regarded as yet another procedure which had potential untoward consequences which patients accepted, however reluctantly. There may have been a shift in attitudes by the eighteenth century as visiting spas had become more fashionable indicating that the fears of which Vigarello wrote had been overcome.⁷⁰ Brockliss and

⁶⁵ Georges Vigarello, *Concepts of Cleanliness: Changing Attitudes to Cleanliness in France Since the Middle Ages*, trans. Jean Birrell, Cambridge, Cambridge University Press, 1988, pp. 8-17. 'A body which had been bathed was, for the elite of classical France, a mass invaded by liquid, disturbed by surfeits and swellings, all porous coverings and impregnated flesh. The pores seemed simply so many openings, the organs so many receptacles, while examples of obscure penetrations abounded.' p. 228.

⁶⁶ *Ibid.*, p. 228.

⁶⁷ *Consultations choisies*, vol. 1, p. 107.

⁶⁸ *Ibid.*, p. 55.

⁶⁹ *Ibid.*, p. 116. 'Suppose que Monsieur ne puisse pas supporter le bain entier, on substituera le demi-bain seulement.'

⁷⁰ On the other hand, professor of literature Steven Connor claims: 'the Hippocratic doctrine that taking a bath that was hotter than the body's temperature had a weakening effect on the

Jones claim that bathing became a regular therapy much earlier than Vigarello contends.⁷¹ As will be shown in chapter 7, the evidence of the sources supports Brockliss and Jones rather than Vigarello on this issue.

Hypochondria: patient perceptions and practitioner advice

Hypochondria was a widespread complaint, both in the general sense and specifically to the correspondence. Its very nature, presenting a multitude of symptoms, lent itself to this mode of consultation. The obsessed patient could well choose to contact all manner of different correspondents. It was a disorder with a complicated nosology in the period covered by this thesis. The exploration of these complexities demonstrates the way in which patients and practitioners expressed their ideas on health and disease. For the patients it was a distressing, even fearful and potentially dangerous complaint. For most physicians it was a condition that was hard to cure but not dangerous. It was a disorder to which they attributed a physiological cause, but they invariably drew attention to the necessity for patients to amend their lifestyles. This accords with the Hippocratic-Galenic theory that lifestyle influenced humoural balance so that physiology and lifestyle were inextricably inter-related.

There was a level of ambiguity about this group of disorders. The patients or their local practitioner reported an extensive set of physical symptoms, many of which were common to most cases. But at the same time, the state of mind of the patient is frequently mentioned by the *médecin ordinaire*. Patient and *ordinaire* alike supplied the usual description of the patient's characteristic temperament, whether or not they were choleric, phlegmatic, sanguine or melancholic, terms used by all the participants in the correspondence, evidence that Galenic principles were still in use by both lay and professional participants.

The letters of patients who suffered from melancholia were characteristically lengthy; as one patient admitted when writing to Le Thieullier,

constitution well into the nineteenth century.' Steven Connor, *The Book of the Skin*, Ithaca, Cornell University Press, 2004, p. 23.

⁷¹ Brockliss and Jones, pp. 313-315.

'I fear, Sir, that you might find my letter a little long.'⁷² Indeed, Montpellier physician Honoré Petiot commented that a very long *mémoire* characterised hypochondria.⁷³ The length of these letters was no doubt in part due to the multiplicity of symptoms which the patient suffered, and perhaps the patient felt it necessary to spell out all of them in detail. The kind of rhetoric shown in consultations from the sixteenth and seventeenth centuries above, continued to appear in patients' letters of the eighteenth century. In addition to a wide range of physical symptoms, nightmares were a feature of this condition. An example is the following description in a letter written to Montpellier around 1730:

[t]he oppressions of the chest did not cease; very far from it, they were frequent and longer, accompanied by a thousand fearful dreams, sad and dismal, sometimes it was devils sleeping on his chest, sometimes an old witch with a horrible face, sometimes that he found himself crushed under the ruins of a house, sometimes driven into water; finally a thousand dreams of that nature are all the more frightening, always with efforts to arouse without the power to do so, a sound of a plaintiff voice, that which was often accompanied by spasms, especially towards the muscles of the abdomen with a crushing and cramping outside and inside the navel, the same cramping passes at first to the fleshy part of the leg, going next towards the thigh, rendering it painful and weak; during the day which follows the night of the attack, the patient is dazed, stunned, absent-minded, melancholic, taciturn, seeking solitude, dreaming continually of his illness.⁷⁴

⁷² Le Thieullier, vol. 1, p. 187. 'J'apprehende, Monsieur, que vous ne trouviez ma lettre un peu longue.'

⁷³ *Consultations choisies*, vol. 10, 1755, pp. 147-148. 'un mémoire bien plus long, caractérise au vrai un état de mélancholie hypochondriaque'.

⁷⁴ *Consultations choisies*, vol. 8, 1750, pp. 2-3. 'les oppressions de poitrine ne discontinuer point; bien loin de-là, elles furent plus fréquent et plus longues, accompagnées de mille songes affreux, triste et lugubres, tantôt c'étoit des diables couchés sur sa poitrine, tantôt un vieille sorcière d'une figure horrible, tantôt c'étoit sous les ruines d'une maison qu'il se trouvoit comprimé, tantôt enfoncé dans l'eau; enfin mille songes de cette nature tous des plus affligeans, toujours avec efforts pour s'éveiller sans le pouvoir, un ton de voix plaintif; ce qui étoit pour le plus souvent accompagné de mouvements spasmodiques, sur-tout vers les muscles de l'abdomen avec un enfoncement et un tiraillement au nombril du dehors en dedans; ce même tiraillement se communique d'abord au gras de la jambe, montre ensuite vers la cuisse, la rend douloureuse et foible; pendant le jour qui succède à la nuit de l'attaque, le malade est comme étourdi, ébété, mélancolique, taciturne, cherchant la solitude, rêvant continuellement à son mal'

The use of the third person when patients wrote requesting advice has already been discussed. However, in cases of hypochondria, this generalisation does not hold for letters written by the patients particularly before the eighteenth century as is shown in the above case. It was also demonstrated in the description given earlier in this chapter of a man seemingly dissociated from his body in waking hours and was again a case of hypochondria. This disorder was not normally considered by physicians to be a dangerous condition, but disturbing, even alarming and not easily cured.⁷⁵ Patients wanted their manifest ailments addressed which the physicians attempted to do.

The variety of names accorded to the same set of symptoms is possibly unique, *hypochondrie*, *melancholie*, *les vapeurs* and *hysterie* which in turn are at times further qualified by words such as *convulsive* or *de l'âme*.⁷⁶ These names were often used interchangeably, in combination, and to complicate matters further, on occasions in association with epilepsy and mania. In the text *Consultations choisies*, 104 of the 740 consultations came under one of these headings, and this excludes other cases where these disorders were considered to be contributory to the principal cause of illness.⁷⁷ This variability is shown in Figure 6.1.

Figure 6.1: Incidence of different names for hypochondria used in relevant cases taken from the ten volumes of *Consultations choisies* (1750-1757).

⁷⁵ See for example, *Ibid.*, vol. 5, p. 64.

⁷⁶ Examples taken from *Consultations choisies*: 'Melancholie', vol. 1, p. 177; 'Hypochondrie', vol. 1, p. 18; 'Les vapeurs', vol. 4, 1757, p. 136; 'Hysterie', vol. 2, 1757, p. 44; 'Melancholie convulsive', vol. 2, p. 157; 'Melancholie de l'âme', vol. 5, 1750, p. 168.

⁷⁷ Epilepsy and mania were both associated by physicians with this group of ailments.

Sometime professor at Montpellier and at Marseilles Antoine Deidier explained hypochondria to a *médecin ordinaire* as:

the melancholic temperament which ... is the father of the illness hypochondria that is itself called by another name hypochondriacal melancholy. That melancholy takes its name from the swelling of the hypochondrias, which is produced by wind, like those by the disturbance of the digestion in the stomach, this digestion is disturbed by too much application of the mind of the patient, and excess in the use of food, and it is that excess that makes the patient ... eating too much, and digesting badly that has caused him to fall into a hypochondriacal condition.⁷⁸

In this way he linked the patient's temperament, the changing nosology, the symptoms and the cause.

What was it that led to such apparent variation in terminology? The topic of early modern nosology was considered in more detail in the previous chapter, but the term hysteria is particularly interesting. Medical historian Mark Micale has traced its history back to Egyptian times and some modern historiography suggests that hysteria *per se* is a historically identifiable medical entity.⁷⁹ In 1767 Arles physician Pierre Pomme (1728 -1814), in his highly regarded *Traité des affections vaporeuses des deux sexes*, called *affections vaporeuses hysteriques* for females, and *hypochondriaque* (or *melancholique*) for males, because the ancients regarded the former as a derangement of the uterus, and the latter as having a cause in the hypochondrias and the lower gut. Nonetheless he concluded that the difference between the two was essentially

⁷⁸ Deidier, vol. 1, pp. 452-3. 'le tempérament mélancholique; lequel ... est appelé le père de la maladie hypochondriaque, qui est appelée elle-même d'un autre nom mélancholie hypochondriaque. Cette mélancholie prend son nom du gonflement des hypochondres, lequel est produit par les vents, comme ceux ci par le dérangement de la digestion de l'estomac, cette digestion est dérangée par le trop d'application de l'esprit du malade, et l'excès dans l'usage des alimens; et c'est cet excès qui fait que le malade, ... mangeant-trop, et digérant mal ... tombé dans l'affection hypochondriaque'.

⁷⁹ Mark Micale, *Approaching Hysteria: Disease and its Interpretations*, Princeton, Princeton University Press, 1995.

one of degree.⁸⁰ Notwithstanding the Greek root of the word hysteria, *hysterikos* - from the womb - there is no suggestion in any of the letters examined here, that the source of hysteria, or its homologues, was due to the womb. It was as though the word itself had lingered on, whilst the attribution had not. Nonetheless, it is noticeable in Figure 6.1, that the term hysteria is only used for females.

Hypochondria confronted early modern medicine with problems of definition. Such was the prevalence of this disorder in seventeenth- and eighteenth-century Europe that Angus Gowland has even considered whether or not there might have been an epidemic, or epidemics, of it.⁸¹ Diagnoses of hypochondria, melancholy, the vapours and hysteria recur time and again in epistolary consultations. Significantly, this category of disorders constitutes the single largest group of ailments covered by the ten volumes of *Consultations choisies*, an indication of its frequent occurrence and possibly its intractability. In a number of instances, the terms listed above were employed interchangeably within the consultation, clearly supporting Gowland's contention.

The literature of the early modern period on this topic was extensive, due both to the common incidence of the complaint and to its unusually complex pathology. Discourse on this malaise was to continue well into the nineteenth century and beyond.⁸² Elizabeth Williams has described medical texts of the Enlightenment devoted to hysteria as, 'classifying its varieties, enumerating symptoms, analysing causes and offering remedies'.⁸³ It was this multiplicity of symptoms which simultaneously led to a *mélange* of terminology employed in the early modern period, and the need for physicians to address different

⁸⁰ Pierre Pomme, *Traité des affections vaporeuses des deux sexes*, Lyon, B. Duplan, 1765, pp.1-9. 'J'appelle affection vaporeuse, cette affection générale ou particulière du genre nerveux ... Elle est appelée hystérique chez les femmes, parce que les Anciens regardoient les différents dérangements de l'uterus comme unique cause de ces maladies. On l'appelle hypochondriaque chez les hommes parce que les mêmes Auteurs assignent la cause dans les hypochondres, et dans les viscères du bas-ventre ... Si l'on remarque quelque différence entr'elles ce sera, si l'on veut, dans l'affection hypochondriaque, qui rarement est portée à ce haut degré de force, mais qui en revanche est plus rebelle.

⁸¹ Angus Gowland, 'The Problem of Early Modern Melancholy', *Past and Present*, vol.19, 2006, no. 1, p. 83.

⁸² *Ibid.*, pp. 3-65, particularly pp. 7-8.

⁸³ Elizabeth Williams, 'Hysteria and the Court Physician in Enlightenment France', *Eighteenth-century Studies*, vol. 35, no. 2, winter 2002, pp. 247-255.

symptoms. This diversity is evidenced repeatedly in the *mémoires* and the resulting consultations. A typical example of the complex symptoms is provided by a woman who had been suffering for a number of years. The multiplicity of symptoms listed by Jean-Jacques Montagne, which presumably he must have obtained from the patient, is typical of the problems expressed in consultations:

[h]er different symptoms that remain can be reduced to some pains in the head more or less violent, and accompanied by ringing in the ears; habitual bad stomach-aches which oblige her to eat many times during the day, and during the night, without observing any order between meals; some very inconvenient burping and that turning sour; a warmth and dryness of the chest with a worrying cough: some fires in the intestines, and the kidneys; some palpitations of the heart; some rheumatic pains in different parts; and some leucorrhoea which does not disappear when the periods start; a feeling of very violent cold in the lower extremities; a very disagreeable insomnia, and finally a loss of weight with general weakness.⁸⁴

Montagne followed this by listing at length her negative attitudes to life:

All these inconveniences have been accompanied by a great sadness, a distaste for company, and for life, an extreme preference for solitude and retreat, a continual fear of falling into an illness leading to a quick death, or sensible of its incurability, an essential absence for all that can provide some signs of flattering hope; and finally a consternation that makes useless all efforts at reason.⁸⁵

⁸⁴ *Consultations choisies*, vol. 5, pp. 380-381. 'les différens accidens qui subsistoient pour-lors pouvoient se réduire à des douleurs de tête plus ou moins violent, et accompagnées de tintement d'oreilles; à des maux d'estomac habituels qui l'obligeoient à manger plusieurs fois durant le jour, et même pendant la nuit, sans observer aucune règle entre les repas; à des rapports très- incommodes et qui tournoient sur l'aigre; à un chaleur et sécheresse de poitrine avec une toux inquiétante; à des feux dans les entrailles, et aux reins; à des palpitations de cœur; à des douleurs rhumatiques dans différentes parties; à des pertes blanches qui ne disparaissent, qu'à l'arrivés des rouges; à un sentiment de froid très-violent dans les extrémités inférieures, à une insomnie très désagréable, et enfin à une grande maigreur avec une foiblesse générale.'

⁸⁵ *Ibid.*, p. 381. 'Toutes ces incommodités étoient jointes à une grande tristesse, à un dégoût pour la société, et pour la vie, à un penchant extrême pour la solitude et la retraite, à une crainte continuelle de tomber dans une maladie suivie d'une morte prompte, ou qui tiendrait de

He labelled her illness as a melancholic affection or hysterical vapours. The cluster of symptoms which in consultations were diagnosed as melancholy, were frequently recorded as being perceived by patients as grave and even life-threatening.

Patients could evidently be confounded by the complexity of this condition. The Leiden-trained physician Bernard de Mandeville (1630-1733) in an alleged conversation between a physician and his patient reported that the patient had said, 'You Gentlemen of Learning make use of very comprehensive Expressions; the Word *Histerick* must be of a prodigious Latitude, to signify so many Evils, unless you mean by it a Disease that, like the Sin of Ingratitude, includes all the rest: Whoever cures me, I am sure must encounter with half a score of Distempers at once.'⁸⁶ This may have been fictional; if it is not true, then at the least it indicates de Mandeville's thinking on the subject. If it is true, it shows the patient's perplexity and the vivid language that could be applied to describe this condition.

The language used to describe the symptoms of patients suffering from melancholia by physicians and patients can be described as dramatic. Jean Fernel gave a 1582 description, posthumously published in English, of one patient's symptoms included the following:

[The patient's] neighbouring parts are full of naughty humours, not simply melancholic, which is as it were the dreggs of the blood, but rather black cholerick; ... it enters into the neighbouring heart.... Part of the vapour being carried higher into the Brain, breeds watchings,

l'incurabilité, à un éloignement essentiel pour tout ce qui pourroit lui fournir des motifs d'une espérance flatteuse; et enfin à une consternation qui rendoit inutile tous les efforts de la raison.'

⁸⁶ Bernard de Mandeville, *A Treatise of the Hypochondriack and Hysterick Diseases, in Three Dialogues. By B. Mandeville, M.D. The Second Edition: Corrected and Enlarged by the Author*, London, n.p., 1730, p. 196.

dreams, frightments with Hobgoblins, full of fear and sorrow, as if it were some admixture of Melancholy.⁸⁷

This kind of language is not encountered in his consultations for other types of malady. Nearly a hundred years later, the Parisian physician Guy Patin having consulted on a case of melancholia wrote the following to F.C:

I have consulted for a Breton gentleman ... who became in a few days melancholic and this melancholy succeeded a species of mania with a continual fever and appalling convulsions. A monk had fear lest he be possessed. ... He was so harshly tormented by this demon of continual fever, that he became frenetic ... This frenetic delirium was succeeded by two other symptoms, epileptic movements, and a hydrophobic passion, like that from the bite of a rabid dog, with thirst and an aversion to liquids.⁸⁸

Patin's description, much of which must have come from the patient, was perhaps slight tempered from that of Fernel, but not greatly. Patin recorded that he had successfully treated the patient after extensive bleeding, purging and use of enemas. Interestingly, even a deeply religious man like Patin was inclined to place medicine ahead of miracles.⁸⁹ Thus even amongst physicians prior to the eighteenth century, there was a manner of describing the symptoms of hypochondria in a manner which was quite different to that applied to other disorders, imbued with phraseology which can hardly be described as 'medical'. This changed in the eighteenth century when physicians took to attributing the

⁸⁷ Jean Fernel, 'Select Medicinal Counsels of the Renowned Johannes Fernelius', In Nicholas Culpeper, Abdiah Cole and William Rowland, *The Practice of Physick in Two Volumes, Very Much Enlarged*, Printed by Peter Cole, London, n.p., 1658, p. 372.

⁸⁸ Guy Patin, *Lettres de feu Mr Guy Patin*, Cologne, chez Pierre de Laurens, 1691, vol. 3, pp. 76-77. 'J'ai ... en consulte un Gentilhomme Breton ... qui divint dans peu de jours mélancolique, et à cette mélancolie succeda un espece de manie avec un fièvre continuë et des convulsions effroiables. Un moine avoit peur qu'il ne fut possédé. ... Il fût si rudement tourmenté de ce Démon de fièvre continuë, qu'il en divint frénétique ... A ce délire frénétique succédèrent deux autres symptomes, des mouvemens Epileptique, et une passion Hydrophobique, comme ce qui ont été mordus d'un Chien enragé, avec la soif et l'aversion des choses liquides.'

⁸⁹ Ibid., p. 77, After detailing the treatment administered he commented: 'There are many men who call for a miracle for the slightest events, but nature alone, knowledge of illnesses and the application of good remedies go a long way.' 'Il y a bien des gens qui crient au miracle de moindres événemens, mais la nature seul, la connaissance des maladies et l'application des bons remèdes vont bien loin'.

primary cause of the disease to problems with the patients' digestive systems. But the rhetoric of the patients describing their symptoms remained vivid.

This section has been focussed on how patients perceived their suffering when afflicted by hypochondria and how they expressed them to practitioners. To the early modern patients, the symptoms suffered were real enough, at times affecting the body from head to foot and as Jacques Lazerme expressed it in one instance, the patient had described 'a multiplicity of bizarre symptoms'.⁹⁰

There is cause to briefly consider the consultants' view of hypochondria. However they named it, physicians treated the condition as having a physical cause. It is thus the exceptions to the majority of consultations which are of particular interest. The surgeon Henri-François le Dran was asked to consult for a twenty-two-year-old woman who had been attacked by convulsive hysterical vapours which came several times a month and each lasted a good quarter of an hour.⁹¹ In his reply Le Dran wrote to the *ordinaire* that he had observed that these sorts of vapours were more a part of the imagination than a defect in the body fluids; he made a point of this, perhaps intending that it should not go to the patient. Then after discussing the value of bleeding in such ailments, added that 'when it was a matter of the imagination, bleeding was of little use.'⁹² Ramel clearly had similar thoughts when he wrote that he 'had seen many patients attacked by these vaporous ailments caused by an erroneous imagination'.⁹³ Perhaps it took the more practically-minded, a surgeon, or a country physician to be more forthright than were the more conservative learned physicians. Even an apothecary could be more candid; one told a patient suffering from the vapours that 'he did not need medicine, nor bleeding, nor enema but rest and some good soup.'⁹⁴ In this last case notwithstanding this

⁹⁰ Ibid., vol. 7, p. 259. 'La multiplicité et la bizarrerie des accidens qu'on a observé dans cette maladie.'

⁹¹ Le Dran, pp. 409-412. In a case of 'des vapeurs hystériques convulsives' Le Dran wrote at p.410, 'Je me bornerai à vous marquer ce que j'ai fait dans ces sorte de vapeurs, ayant toujours remarqué que l'imagination y avoit plus de part que le vice des liqueurs.'

⁹² Ibid., p. 411, 'Mais quand c'est une affaire d'imagination, ces saignées sont peu utiles.'

⁹³ Ramel, pp. 318-319. 'Nous avons vu plusieurs malades affligés de ces maladies vaporeuses, causée par un imagination erronnée.'

⁹⁴ Didier, vol. 1, p. 280. 'M. Raucin, Apoticaire, que je consultai, me dit qu'il ne me falloit ni médecine, ne saignée, ne lavement, mais du repos, de bon bouillons.'

advice, the patient had proceeded to seek the advice of a learned physician, Antoine Deidier. Perhaps simple solutions did not match this patient's expectations.

Melancholy has been considered because of its widespread occurrence in epistolary consultations and as a disorder which was labelled and described in different ways. It demonstrates is the manner in which patients described their symptoms and expressed their fears over this worrisome complaint. For the patients it was a physical, often frightening condition, requiring amelioration and cure. The structure of patients' letters and the rhetoric they employed is noticeably different to those which were written for other complaints; they were much more personalised.

The focus of this chapter has been client perceptions, of the body, of how health and sickness were perceived and written about, which could differ from how physicians were shown to view these issues in the previous chapter. Corporeal awareness was not restricted to moments of illness, but it was at such times that it came to the forefront. Sickness was a condition better defined by an individual than was wellness, but both can be deemed to be socially constructed; after all what was 'normal' in the period? It was deviance from the individual's perception of normal and the extent to which it interfered with his or her usual everyday activities that dictated what symptoms were related to the physician.

Physiology may have been important to the physician's understanding of bodily function and malfunction but all that the patient needed was a means of describing his symptoms. If he employed the terminology of the physician well and good, it provided both parties with a common understanding. When he or she employed a more vernacular turn of phrase, there is no reason to suppose, nor evidence in the consultations, to suggest that the practitioner had difficulty in understanding the intent. The occasional hint that patients engaged in medical theory were infrequent, if they expressed a sense of a theoretical structure it was long-established humouralism.

. It has been suggested by one scholar that pain was the issue of primary concern to patients, but that its significance had been reduced in the correspondence through medicalisation of patients' perceptions by *médecins ordinaires*. The evidence in the documents examined does not support this contention. Indeed there is little evidence, if any, to suggest that local practitioners failed to convey a representative picture of the patient's sensations and concerns.

Melancholy used as an example because of its widespread occurrence in epistolary consultations and as a disorder which was labelled and described in different ways. What if any impact the varying nomenclature employed by physicians would have had on the patient is unknown. What the patient sought was a cure and that was what the consultant offered. If physicians had doubts about the physical origins of these disorders they did not as a rule express them. It was the surgeon Henri-François le Dran who excised the traditional cant employed to attribute physical causes for the disorder and openly declared that healing of the spirit was the required salve. How the treatment of disease more generally was approached is the subject of the next chapter.

THE DEPLOYMENT OF THERAPIES

With an illness diagnosed, the practitioner had to offer suggestions of corrective or palliative treatment. Barbara Duden has succinctly described the prescription as ‘the doctor’s last word. It was the final seal on his acknowledgement of the complaint, his interpretive reflections, and his advice’.¹ Proposed treatments were the outcome of consideration by the ‘rational physician’ of the information he had. In other words, ostensibly, there was a theoretical rationale behind his prescriptions. Humoural theory was shown in chapter five as dominating medical thinking in the period. Therapy to address illness on this basis demanded that action be taken to enhance the natural processes by which humoural imbalance could be restored or morbid humours eliminated.

If disease was idiosyncratic, then therapy proposals would have to necessarily be varied from patient to patient. If it was hereditary, then any proposals would rationally be aimed at symptom amelioration, not cure. If as was contended in the previous chapter, Galenic humouralism, or a variation on it, was still pre-eminent in the mind-set of the period as shown in the last two chapters for both patients and practitioners what did that mean for the therapies that were employed? Owsei Temkin remarked that even if the Galenic science of medicine was perceived to be failing by contemporaries by the eighteenth century, ‘[this] was not identical with the fall of Galenic practice of medicine ... Galenic dietetics and therapy had been practised for hundreds of years and supposedly had prevented and cured diseases. There was no reason for thinking it had stopped doing so.’² Whether a Galenic framework governed therapeutic recommendations is a core issue explored in this chapter in the context of the sources employed, and which will add a French dimension to existing analyses. The eighteenth century was a period when the medical

¹ Barbara Duden, *The Woman Beneath the Skin: a Doctor's Patients in Eighteenth-century Germany*, trans. T. Dunlap, Cambridge, Mass., Harvard University Press, 1991, p. 172.

² Owsei Temkin, *Galenism: Rise and Decline of a Medical Philosophy*, Ithaca, Cornell University Press, 1973, p. 165.

'profession' strove to be, and be seen, as increasingly scientific, yet is there evidence that therapeutic practices reflected this or did they remain essentially unchanged? To what extent might therapies be made to suit patient knowledge and expectations, as much as contemporary medical transitions?

Under the Galenic system, excretion was the natural way to remove unwanted humoural material, whether through urination, defecation, sweating or vomiting. The physicians' treatments could aid nature by enhancing such processes. Medical historian Bruno Halioua has remarked that in the seventeenth century '[t]he therapeutic arsenal of physicians always employed the ancestral methods such as bleeding, diet, exercise and purging.'³ Of the eighteenth century he added that therapy was little changed from that which had preceded it.⁴ In essentially the same vein Olivier Faure commented for the eighteenth century that '[i]n the daily medicine of physicians in town and country, the therapeutic arsenal remained desperately poor and unchanged.'⁵ There has been a degree of consensus amongst historians on what constituted the therapeutics of the period and their unchanging nature.⁶ This chapter looks in some detail at the major therapeutic techniques employed in the late early modern period and uses the correspondence to quantify their use to substantiate or confound the claims made in the secondary literature about the nature of eighteenth-century therapeutics. An analysis of the main therapeutic options employed by physicians has been undertaken in a sub-set of the

³ Bruno Halioua, *Histoire de la médecine*, 2nd edn, Paris, Masson, 2004, p. 136. 'Au XVII^e siècle, l'arsenal thérapeutique de médecins comportait toujours les méthodes ancestrales telles que la saignée, la diète, l'exercice et les purges.'

⁴ Ibid., p. 151. 'Dans l'ensemble, la thérapeutique a peu évolué au XVIII^e siècle. Les anciennes thérapeutiques étaient encore utilisées.' See also Christa Habrich, 'Characteristic Features of Eighteenth-century Therapeutics in Germany', in 'Essays in the History of Therapeutics', William Bynum and Vivian Nutton (eds) *Clio Medica*, vol. 22, Amsterdam, Rodopi, 1991, p. 39, and Laurence Brockliss and Colin Jones, *The Medical World of Early Modern France*, Oxford, Clarendon Press, 1997, p. 577.

⁵ Olivier Faure, *L'Histoire sociale de médecine*, Paris, Anthropus, 1994, p. 34. 'Dans la médecine quotidienne des médecins provinciales et de campagne, l'arsenal thérapeutique reste désespérément pauvre et inchangé.'

⁶ It perhaps indicates how little happened to change therapeutics in the period of interest that the entry 'Medical Science' by Thomas Broman in 'The Medical Sciences', in Roy Porter (ed.), *The Cambridge History of Science*, vol. 4, "The Eighteenth Century," Cambridge, Cambridge University Press, 2003, pp. 463-484 covered physiology and pathology but made no mention of therapeutics. Similarly in the chapters on the seventeenth and eighteenth centuries in Ronald Mann's encyclopaedic *Modern Drug Use: An Enquiry on Historical Principals*, Lancaster, MTP Press Limited, 1984, pp. 237-387, very little is written about therapeutics.

correspondence to give a tentative numerical analysis of the extent to which these treatments were proposed.

There is a spectrum of historians creating essentially the same static picture of therapeutics. Perhaps because of these views, there has been little investigation by modern historians of the drugs employed. Dictionaries have been produced of drugs, identifying substances many of which have long since disappeared from the pharmacopœia.⁷ Roger Teyssou's *Dictionnaire mémorable des remèdes d'autrefois* (2007) has the advantage of being focussed on French *materia medica*, and gives some information of the use of the materials which it includes.⁸ Such works however do little to link the materials employed to the theory behind their use. William Broadbank made a comparison of the groups of substances contained in the 1618 and 1787 editions of the London Pharmacopœia.⁹ One of the major differences was a marked diminution of the number of substances contained in the 1787 edition compared with its earlier version. No comparable analysis has been undertaken of French works of this kind, although Roger Teyssou also noted a marked reduction in the number of entries in French pharmacopœia at the commencement of the eighteenth century. The sources analysed here present an opportunity to explore this field in more depth than has been generally undertaken to date.

Historians have studied a variety of aspects of medication in the early modern period. Those studies have ranged from consideration of the placebo effect to eighteenth-century attempts at clinical trials.¹⁰ General agreement that procedures such as blood-letting and purging were standard medical fare is to be found in most medical histories. But questions such as 'How?', 'How often?' and 'Were they effective?' have been skirted around and there does not appear

⁷ J. Worth Estes, *Dictionary of Protopharmacology: Therapeutic Practices, 1700-1850*, Canton, Mass., Science House Publications U.S.A., 1990. This work covers only a limited range of substances and has an English focus.

⁸ Roger Teyssou, *Dictionnaire mémorable des remèdes d'autrefois*, Paris, L'Harmattan, 2007.

⁹ William Broadbank, 'Sovereign Remedies, a Critical Depreciation of the 17th Century London Pharmacopœia', *Medical History*, vol. 8, 1964, pp. 1-14.

¹⁰ On the placebo effect see Francis Schiller, 'An Eighteenth Century View of the Placebo Effect (Rétif de la Bretonne)', *Clio Medica*, vols 1-2, 1984, pp. 81-86. For an example of an eighteenth-century clinical trial see Micheline Louis-Courvoisier, 'Que faut-il ne pas dire à qui? Le secret médical au XVIII^e siècle', *Revue médicale Suisse*, no.141, 2008, pp. 242-246.

to have been attempts at quantification. There is a lack of scholarly analysis of specific treatments employed to treat various ailments and what each was supposed to achieve in relation to contemporary theory. It is admittedly a difficult area, because for the most part, practitioners at that time lacked a coherent pharmacology; they relied on tried and true empiricism.¹¹ The five main treatment systems employed, phlebotomy, purging, medicaments, changes to lifestyle and the use of bathing, were not prescribed as sole curative methods. Visiting spas to bathe has been mentioned earlier. In addition, there were baths taken within the home as a form of therapy. The basis of this treatment has been discussed in Chapter 6.¹² To what extent were combinations of therapies seen as necessary to improve the patient's health? Other questions posed are to what extent do the letters show evidence of self-medication and were practitioners' and patients' expectations of a cure being achieved? What evidence is found in the sources of claimed efficacy? Finally, cases of epilepsy will be explored in some depth to show how these medical tools were deployed for one particularly well recognised disease in the latter half of the seventeenth and eighteenth centuries.

Reassessing the practice of phlebotomy

The bleeding of patients was a long-standing practice, the legitimacy of which was largely, though not entirely, unchallenged until the mid-eighteenth century. It was probably the most frequent activity of the average surgeon, one which was often undertaken under or on the direction of a physician.¹³ In the context of excess humours Silvia de Renzi described phlebotomy as 'a linchpin of

¹¹ The doctrine of 'similars' was still being put forward in the eighteenth century. For example Pulmonaria (lungwort) was being employed for diseases of the lung. Robert James, *Dictionnaire médicale universel de médecins-traduite de l'anglais par Mrs. Diderot, Eidous et Toussaint, Brianson*, David l'ainé, Paris, Durand, 1746, pp. 789-790. For a note on the doctrine of similars see Sir Henry Cohen, 'The Evolution of the Concept of Disease', *Proceedings of the Royal Society of Medicine*, vol. 48, no. 3, 1955, pp. 155-160.

¹² Visiting spas to bathe has been mentioned earlier. In addition, there were baths taken within the home as a form of therapy. The basis of this treatment has been discussed earlier. See Chapter 6, p. 227.

¹³ Louis Daniel Arnaud de Nobleville, *Le Manuel des dames de charité ou formules de médicaments faciles à préparer*, 5^{ème} edn, Paris, chez Debure l'ainé, 1765, p. 471. 'Cette opération est très-ancienne, et une des plus ordinaires de la Chirurgie.'

medical practice'.¹⁴ The many surviving paintings and some of the literature suggests that at least amongst the monied classes bleeding was a commonplace practice, although as will be shown that perspective deserves some qualification. Many of these are satirical, possibly aimed at those who were bled as much as at those who promoted this procedure. Even special porcelain was produced for collecting the blood, as is shown in Figure 7.1:

Figure 7.1: Seventeenth-century palette for collecting blood.

Author's photograph May 2007.

(Example – Chateau de Flaurgergues, Montpellier)

Despite being perceived as commonplace, phlebotomy was a practice that had its detractors amongst medical practitioners and the wider community including an element of mockery amongst contemporary literature and art. Pierre Boyer de la Prébandie (fl. 17th C.) wrote a condemnation of excessive bleeding practised by some physicians and surgeons, pointing out that 'nature rarely cured by haemorrhage'.¹⁵ Antoine Louis in an undated *mémoire* questioned the

¹⁴ Silvia de Renzi, 'Women and Medicine', in Peter Elmer and Ole Peter Grell (eds), *The Healing Arts: Health, Disease and Society in Europe, 1500-1800*, Manchester, Manchester University Press and The Open University, 2004, p. 202.

¹⁵ Pierre Boyer de la Prébandie, *Les Abus de la saignée démontrés par les raisons prises de la nature, et de la pratique des plus célèbres médecins de tous le tems*, Paris, chez Vincent, 1759,

safety of bleeding in cases of inflammation, particularly from the jugular vein.¹⁶ Supporting the practice however, physician Louis-Jean-Baptiste le Thieullier commended one surgeon by saying: 'It is pleasing that the surgeon has known to overcome the deceptive bias of the public against bleeding in most [cases of] oedema'.¹⁷ François Bayle (d.1709), a professor of medicine at the University of Toulouse, attributed the aversion of patients to this practice as being due to the influence of charlatans.¹⁸ There was therefore a body of contemporary practitioners maintaining that phlebotomy was an essential part of medical treatment, but there were detractors from this view amongst both the public and the 'profession'. Reading some 2000 consultations for this thesis certainly gives one the impression that blood-letting was a common practice. The practitioner took into account not only whether to bleed, but how much blood to take, when, how often and from where it should be drawn. The decisions around these variables were, according to learned university medicine, determined by the particular complaint and the particular patient.

The quantity of blood to be drawn could be substantial. The largest quantity recommended to be taken in the letters examined was five palettes drawn by a *médecin ordinaire*, that is, roughly 45 ounces (over one litre).¹⁹ Amounts of one or two palettes were more typical and this did not seem to vary with the patient's gender. A woman complained in 1736 of the volume of blood taken from her in a letter to Boerhaave: 'I had a pleurisy which obliged the Doctors to order me to have sixty ounces of blood taken from me in four days,

p. 29. 'La nature guérit rarement par les hémorragies.' In addition to writing this book Boyer de la Prébandie translated a number of English medical texts into French.

¹⁶ Bibliothèque municipale de Metz, MS 1320, Manuscrits du docteur Antoine Louis, né à Metz secrétaire perpétuel de l'Académie de Chirurgie de Paris, chirurgien en chef de la Salpêtrière (1723-1792).

¹⁷ Louis-Jean-Baptiste le Thieullier, *Consultations de médecine*, Paris, Charles Osmont, 1739, vol. 1, p. 233. 'Il est heureux que M. le Chirurgien ordinaire ait sçu vaincre le préjugé trompeur dans lequel est le Public contre la saignée dans la plupart des œdématis [sic], il ne doit point attendre plus de résistance contre la conduire qui nous prescrivons, et que le succès justifiera.' In this instance the patient had been bled three times.

¹⁸ François Bayle, 'Dissertation sur quelques questions de physique et de médecine', in *Ouvrages en relation avec celui-ci, présentation Bayle*, Toulouse, n.p., 1688, pp. 22-23. '[l'aversion ... pour la saignée] n'avoit toujours été encore fomentée par les charlatans.'

¹⁹ Pierre Chirac and Jean-Baptiste Silva, *Dissertations et consultations médicales*, Paris, Durand, 1744, vol. 2, p. 329. 'On lui a tiré cinq palettes de sang à l'occasion d'une fluxion de poitrine'.

the loss of so much blood I did not recover in a great while.'²⁰ Age could be a factor though, with some consideration given to the reducing the amount drawn from the elderly or even excusing them altogether. As was pointed out in chapter six, aging was perceived as a drying process in humoral terms and consequently there was perhaps thought to be less blood available to be drawn. The quantity to be drawn from children was not stated, and one can only presume it was left to the judgement of the person doing the venisection and possibly the ease with which the blood ran. In the correspondence ages are often not given for the young, ill-defined terms such as infant or child being used.²¹

Some physicians contended that those from the south of France could not cope with as much blood being let as could those from the north of the country. Professor of anatomy at the Paris Faculty Jean Riolan the younger (1577-1637) noted in *Curieuses recherches sur les escholes en médecine de Paris et Montpellier* (1651) that those at the Paris latitude 'could blithely be bled three or four palettes of blood while those from Provence and Languedoc, fell down weak with light bleedings.'²² Whether this view on bleeding was still held in the eighteenth century has not been established, but a patient's geographical roots still counted as a factor when prescribing treatment. It would be interesting to pursue this aspect further; however, the sources did not provide evidence to allow this.

Brockliss and Jones maintain that in the fifteenth and sixteenth centuries

²⁰ Boerhaave's *Medical Correspondence: Containing the Various Symptoms of Chronical Distempers*, London, Nourse, 1745, p. 139.

²¹ Philbert Guybert, *docteur regent* at the Paris faculty of medicine in a 1670 critique of Galen who was opposed to the use of bleeding children under the age of fourteen, contended that experience had shown it to be common at the age of two or three years, but also noted, 'The practice today shows obviously the opposite [to Galen], in that one bleeds many children who are not more than two to three months [old].' Philbert Guybert, *Toutes les œuvres de Philbert Guybert*, Paris, chez Pierre le Mercier, 1670, p. 474. 'la pratique d'aujourd'huy montre evidemment le contraire [a Galien], en ce que l'on saigne plusieurs enfans qui n'ont pas plus de deux ou trois mois'.

²² Jean Riolan, *Curieuses recherches sur les escholes en médecine de Paris et de Montpellier, nécessaires d'estres sceuës pour la conservation de la vie, par un ancien docteur en médecine de la faculté de Paris*, Paris, G. Meturas, 1651. 'les personnes ... qui supportoient alaigrement la saignée de trois ou quatre palettes au climat de Paris, dans la Provence et le Languedoc ... tomber dans la foiblesses par de legeres saignées.'

medical professors advocated drawing blood in every illness apart from exclusions for some specific conditions but that the practice hardly changed well into the eighteenth century.²³ A selection of sources have been analysed to test this variance, as well as other therapeutic practices analysed in this chapter. Those chosen were the Montpellier-based source *Consultations choisies*, one volume taken at random from ten, one from a Paris-based physician Le Thieullier, and one from a country-based physician, M.F.B. Ramel le fils.²⁴ Collectively this sample, referred to in subsequent text as the proxy sub-sample, represents around 8% of the total available and covers consultations over a sixty-year period. This gives a sample which varies in the geographical location of the physicians, was of reasonable size and covered a variety of illnesses. Including the volume from *Consultations choisies*, with the fifteen physicians involved, tends to eliminate potential individual consultant bias. A larger sample would have required a great deal more manipulation to provide comparable information from which useful conclusions could be drawn. For example, most of the manuscript sources were numerically considerably smaller than the printed material employed, and would have introduced an unacceptable additional set of variables.

Analysis of the data shows that phlebotomy was recommended at generally much lower rates than Brockliss and Jones suggest as indicated in Table 7.1.

Table 7.1: Proxy sub-sample frequency of prescribed phlebotomy

<u>Source</u>	<u>No. /Dates</u>	<u>Blood-letting incidence</u>
<i>Consultations choisies</i>	70 cases (1725-1745)	46%
Le Thieullier	47 cases (1735-1738)	74%
<u>Ramel</u>	<u>46 cases (*)</u>	<u>23%</u>
Mean		54%

* only partially dated, up to 1784.

²³ Brockliss and Jones, pp. 569-571.

²⁴ *Consultations choisies, de plusieurs medecins celebres de l'Université de Montpellier sur des maladies aiguës et chroniques*, Paris, Durand et Pissot, vol. 2, 1757; Le Thieullier, vol. 1; M.F.B. Ramel le fils, *Consultations médicales et mémoire sur l'air de Gemenos*, La Haye, chez Les libraires associés, 1785.

Brockliss and Jones suggested that there may have been differences between individual practitioners, which perhaps the above data goes some way towards supporting.²⁵ Paris-based Le Thieullier for example appears to have applied this therapy far more than did Ramel. Based on the content of medical texts Brockliss and Jones suggest that there was little difference in the attitudes of faculty members of Paris and Montpellier towards blood-letting, but added that those from Paris 'supported a much more intensive recourse to Phlebotomy than their colleagues in the Midi'.²⁶ If Le Thieullier's cases can be relied on to represent Parisian practice, this claim is supported. Certainly the data indicates that the practice of blood-letting was far from universal.

The use of bleeding as a form of therapy by surgeons is more difficult to ascertain with any degree of precision because many of the consultations provided by them were for cuts, shot-wounds and broken bones where such a technique might not be regarded as appropriate. However analysis of the consultations of surgeon Henri-François le Dran, including only those cases which a physician would have addressed (*chaude-pisse*, venereal diseases, hydropsy and the like).²⁷ My analysis shows that bleeding was employed in only eleven out of thirty-four such cases. This low percentage contradicts any notion that surgeons would employ bleeding as a first option.²⁸ Thus the letters indicate that blood-letting was not as frequently-used a procedure as much of the contemporary literature would suggest. It was to a large extent dependent on the condition to be treated. The amount drawn when it was employed was also very variable. For example in 1745 a man of un-stated age with the vapours was provided with individual consultations by five Montpellier physicians.²⁹ On the matter of phlebotomy one called for bleeding from the arms but did not specify a quantity, the next called for two palettes again from the arms; the next did not mention taking blood, the next left it to the *médecin ordinaire* to decide and the last did not consider bleeding necessary at all. One

²⁵ Brockliss and Jones, p. 156.

²⁶ *Ibid.*, p. 157.

²⁷ Henri-François le Dran, *Consultations sur les pluspart des maladies qui sont du ressort de la Chirurgie*, Paris, P. Fr. Diderot le jeune, 1765.

²⁸ For most surgeons, blood-letting was the primary source of income and it has been called the 'queen of remedies'. See Brockliss and Jones, pp. 155 and 318.

²⁹ *Consultations choisies*, vol. 6, 1750, pp.150-190.

would like to know what the *ordinaire*, let alone the patient, concluded from this conflicting advice, but no such information is available. The actual blood-letting was often left to a surgeon to perform rather than being done by physicians, although it was usually specified in the consultation where blood should be drawn from. The method employed was to cut a vein or artery, which was usually specified in the consultations.³⁰

In summary, the practice of phlebotomy was a common form of treatment throughout the seventeenth and eighteenth centuries, but the evidence suggests that it was not as universal as is sometimes suggested. Evidence has been shown that there was some objection to the procedure amongst the public at large and patients were recorded in the *mémoires* as being reluctant to accept it.

Medicinal therapies

The second major technique employed to remove humoral matter was purging. The principal ingredients employed for this were senna, manna, rhubarb, *fleurs des pêcher* and *sel végétal*. Seldom taken singly, more usually these substances were combined. The amounts employed and the proportions in mixtures were variable. Purging as it appears in the consultations was a corrective procedure in the case of illness. In the proxy sub-set, 79% of consultations recommended purging. The use of the purge was however a routine practice even amongst the healthy.³¹ The Marquise de Sévigné clearly implied that a monthly purging was normal for her and her contemporaries in a 1679 letter to her aunt Mme. de Coulanges.³² Neither sex, nor age was a barrier to this practice though the very young and the elderly might be given some concessions as was indicated above for blood-letting. For instance, when in 1739 Montagne was providing a consultation for a ninety-two-year-old woman suffering from inflammation of the chest, he recommended a laxative rather

³⁰ Georges de La Faye provided very precise instruction regarding the types of instruments to be used and the operation was to be conducted according to where the blood was to be drawn from. Georges de La Faye, *Principes de chirurgie*, Paris, chez D'Houry père et Laurent D'Houry, 1746, pp. 337-345. No examples of using leeches were encountered in the sources employed.

³¹ See Brockliss and Jones, p. 467.

³² Yves Pouliquen, *Mme. de Sévigné et la médecine du grand siècle*, Paris, Odile Jacob, 2006, p. 319.

than a purgative, did not recommend bleeding her and added: 'it is difficult to counsel more long term remedies ... considering her great age, which calls for an extremely simple treatment.'³³ In a 1742 consultation for a breast-feeding infant suffering from anal inflammation, Nicholas Fournier recommended that he be purged then given an enema. In this instance the child was spared bleeding as well as 'it was not considered necessary to balance the effect of the purge'.³⁴ That it was necessary for the consultant to make this comment indicates that it would have been considered by the physician and possibly the patients' family as a normal thing to do. This demonstrates that procedures were not to be considered individually, but that treatment regimes had to be considered as a whole in their effect on the body and the restoration of health.

The near-universality of purging that scholars in secondary sources indicate is supported to a degree by the data found here. The preparation of the purges, their composition and the timing of their administration was typically spelled out in some detail. Who was responsible for overseeing the process is often not set down, but it would appear to be a reasonable assumption that this task fell on the *ordinaire*. Using the same proxy sub-set as was used for phlebotomy, the frequency with which purging was recommended is given in Table 7.2

Table 7.2: Proxy sub-sample frequency of prescribed purging

<i>Consultations choisies</i>	94%
Le Thieullier	85%
<u>Ramel</u>	<u>48%</u>
Mean	79%

The most obvious point of note in this table is the comparatively low figure for recommending purging by Ramel. The most probable explanation for this is to be found in Table 7.3 where it is shown that this physician proposed the use of

³³ *Consultations choisies*, vol. 6, p. 224. 'Il est difficile de conseiller de plus longs remèdes ... soit par rapporter son grand âge, qui demande un traitement extrêmement simple.'

³⁴ *Ibid.*, vol. 5, p. 47. 'il ne faut pas balancer à lui faire une saignée du pied.'

enemas to a significantly larger extent than was the case in the other two sources.

The third part of what Yves Pouliquen has termed the *célèbre trépied thérapeutique*, was the *lavement* or *clystère*, the enema.³⁵ Enemas were proposed in 26% of the proxy sub-set consultations, much less than the 79% for purging, but nonetheless a significant proportion. Contemporary paintings, usually caricatures showed this procedure. Whether the practitioners, or the patients who accepted this procedure, or both, were the targets of the artists is unknown. The enema would quite likely have been administered by a surgeon but on the instruction of a physician. Ramel frequently stated that he left the *ordinaire* to implement his recommendations and most of them were surgeons rather than physicians. Perhaps the image of the medical practitioner holding a large syringe such as that in figure 7.2 was simply an attractive way of mocking the medical practice of the period.

Despite portrayals of the syringe-touting physician, as is shown in Table 7.3, the use of enemas was not necessarily as universal a practice as might be imagined. The recommendation for this procedure by Ramel is significantly higher than in the other two sources. This may be no more than the therapeutic preferences of an individual practitioner but at the least it would suggest that there was no diminution of use of this treatment across the eighteenth century.

Table 7.3: Proxy sub-sample frequency of prescribed enemas

Source	No. /Dates	Use of enemas
<i>Consultations choisies</i>	70 cases (1725-1745)	18%
Le Thieulier	47 cases (1735-1738)	17%
<u>Ramel</u>	<u>46 cases (*)</u>	<u>46%</u>
Mean		27%

* only partially dated, up to 1784.

³⁵ Poulequin, p. 317.

Figure 7.2:

‘A physician giving a patient an enema, by a French doctor’ ca.1700.

Reproduced with the Permission of Wellcome Library, London

Image L00115211

Amongst the other classes of medication employed, opiates were quite often prescribed. In 48% of the proxy sub-set consultations the use of an opiate was recommended. At that time, the term “opiate” did not necessarily involve the use of opium or its variants *per se*, it was used to describe any medicament

that had a soporific effect. The majority were based on valerian, cinnabar, powdered peony, or syrup of absinthe, none of which were considered by practitioners to be hazardous.³⁶ Indeed, the true opiates, based on *Papaver somniferum* which had been known from Greek times, are not frequently encountered, accounting for only 4% of the 48% total referred to above.³⁷ Louis Daniel Arnaud de Nobleville (1701-1778) provided a list of conditions for which it was useful or unsuitable, but warned that there was public hostility to its use.³⁸ Arnaud ascribes this objection to the problems associated with using too strong a dose, when the benefits that this substance could offer were outweighed by its negative effects. Montpellier-trained professor of medicine Antoine Deidier appears to have prescribed it more than most of his contemporaries, using it, by way of example, as a pain killer - 'if the pains are violent, one must employ liquid laudanum in an appropriate liquid'.³⁹ On another occasion Deidier recommended a sufferer of phthisis to take one grain to induce sleep.⁴⁰ At the same time he was aware of dangers in abusing this particular drug. In an observation he noted:

I have seen two young women who had been advised to take laudanum for their chlorosis without any real need. They found themselves at the end of eight days so strongly tormented with sharp rheumatic pains that they were obliged to continue to use this remedy for many years. They could only free themselves little by little of that cruel subjection, since then suffering from very strong pains mixed up with convulsive movements.⁴¹

³⁶ Valerian is mildly soporific and was considered to be a specific in the treatment of epilepsy; *yeux écrivasse* is a calcareous concretion found under the river crayfish and its only therapeutic action would probably be as an antacid; peony has been used as an antiepileptic and has mild anodyne properties. Cinnabar (mercuric chloride) has been a traditional Chinese medicine used as a children's sedative. Opium is not usually prescribed in the consultations. One exception was as means of dealing with insomnia, see *Consultations choisies*, vol. 5, p. 416, when *Pillules de Matheu ou Starkey* were suggested. These two named tablets were of the same composition and contained 14% opium. See Estes, pp. 124 and 182.

³⁷ Teyssou, *Dictionnaire mémorable*, pp. 199-201.

³⁸ Arnaud de Nobleville, pp. 190-193. 'il y a un préjugé si terrible répandu dans le Public contre ce Médicament [opium], que lorsqu'on parle aux les Malades de faire dormir par les secours d'*Opium*, il semble qu'on veuille les jeter dans les bras de la mort, et leur procurer le repos éternel.'

³⁹ Antoine Deidier, *Consultations et observations médicales de M. Antoine Deidier*, Paris, chez Jean-Thomas Hérissant, 1754, vol. 2, p. 480. 'Si les douleurs sont violentes, il faut employés le laudanum liquide dans une liqueur approprié.'

⁴⁰ Ibid., vol. 2, p. 116, 'lorsqu'il sera question de lui procurer une bonne nuit'

⁴¹ Ibid., vol. 3, p. 112. 'J'ai vu deux jeunes filles qui s'étoient avisées de prendre pour les pâles-couleurs du laudanum sans aucune nécessité. Elles se trouvèrent au bout de huit jours si forts

This consultation was probably addressed to the *ordinaire* involved. Its inclusion in a printed work may have been deliberate to warn a wider audience of the potential dangers of laudanum. The addictive nature of opium or its derivatives is not mentioned in the consultations other than Didier's cautionary tale. Nicholas Lemery (1645-1715), whose *Pharmacopée universelle* and *Dictionnaire ou traité universel des drogues simples*, ran through several editions and were widely used in eighteenth-century France made no mention of this risk.⁴² It appears that eighteenth-century French medical practitioners were not cognisant of the problems of addiction and tolerance with opium and its derivatives.

Just as recommendations for bleeding were variable between physicians, so were those for the use of the other medicaments. To return to the case of the five physicians writing consultations for one patient suffering from the vapours referred to previously, all five proposed much the same in terms of using purges, laxatives, domestic baths, and dietary restrictions. In addition, four recommended the use of opiates and of mineral waters. But none employed the same active ingredients; even the simple mineral waters were different in each case.

In summary, the long-established procedures of bleeding, purging and clystering are shown in the consultations as being employed widely; reiterating the analysis, mean values for these treatments were respectively 54%, 79% and 27% of the sub-sample. They are perhaps not as universally employed as scholars have suggested. When pain or insomnia was involved, opiates were

tourmentés de vives douleurs de rhumatisme qu'elles furent obligées de continuer plusieurs années l'usage de ce remède. Elles n'ont pû se délivrer que peu à peu de cette cruelle sujétion, souffrant pour lors de très-vives douleurs entremêlées de mouvemens convulsifs.' On chloriosis see Helen King, *The Disease of Virgins: Green Sickness, Chlorosis and the Problems of Puberty*, London, Routledge, 2004, pp. 2-3. Helen King points out that many names were given to chlorosis in the seventeenth and eighteenth centuries. The most common term encountered in the correspondence employed in this thesis was *pâle couleurs*.

⁴² Nicolas Lémery, *Pharmacopée universelle: contenant toutes les compositions de pharmacie qui sont en usage dans la médecine, tant en France que par toute l'Europe, leurs vertus, leurs doses, les manières d'opérer les plus simples et les meilleures, avec un lexicon pharmaceutique, plusieurs remarques nouvelles, et des raisonnemens sur chaque opération*. 1748, Paris, chez Charles-Maurice D'Houry, 1748, and Nicolas Lemery, *Dictionnaire ou traité universel des drogues simples*, Amsterdam, Aux dépens de la Compagne, 3rd edn, 1716, pp. 391-392.

prescribed, the frequency of which demonstrates that physicians were alert to offering patients the means of alleviating pain, or relaxing them.

The materia medica

The majority of medicaments employed were of vegetable origin, but animal products were occasionally employed included *yeux écrevisse*, coral, viper and bezoar.⁴³ Remedies used generally required little preparation other than boiling to prepare an extract, an exercise which in many cases could be performed at the household level. Some would have to have been prepared by an apothecary as concentrates and distillates.⁴⁴

According to Ronald Mann, the first Paris pharmacopœia, *Codex medicamentarius seu pharmacœia Parisensis, Lutetiæ Parisiorum*, was produced in 1639.⁴⁵ Pharmacopœia in French were circulating in the seventeenth and eighteenth century, such as Moyse Charas' *Pharmacopée Royale, Galénique et Chemique* (1676) and Lemery's *Pharmacopée* referred to above.⁴⁶ New products were seldom added to the *materia medica*. The major exceptions were *quinquina* and ipecacuanha, both introduced from the Americas in the seventeenth century and which were rapidly adopted.⁴⁷ The rapid take-up in the late seventeenth century of *quinquina* was influenced by Thomas Sydenham's demonstration of its effectiveness in treating some

⁴³ Insects were also used to derive therapeutics, though less commonly, such as oil of scorpions, prescribed by Le Thieullier in a case of kidney stone. Le Thieullier, vol. 1, p. 378. In the proxy sub-set the occurrence was *yeux écrevisse* and coral each five times, viper four times. Bezoar was not encountered.

⁴⁴ The logic behind distillation was to concentrate the 'essence' that a natural remedy contained; repeated distillation would yield its 'quintessence'. See Stata Norton, 'The Origins of Pharmacology in the Sixteenth Century', *Molecular Interventions*, vol. 5, no. 3, 2005, pp. 144-149.

⁴⁵ Mann, p. 73. Philippus Harduin de Saint Jacques, *Codex medicamentarius seu pharmacopœia parisensis, Lutetiæ Parisiorum*, sumpt, Oliverii de Varennes, 1639. The first official pharmacopœia produced in France was *Codex medicamentarius sive pharmacopœia gallica, editus a facultate medica parisiensi*, Paris, Hacquart, 1818. For a history of pharmacopœia see George Udang, 'The Development of Pharmacopœias: 'A Review with Special Reference to the Pharmacopœia Internationalis'', *Bulletin of the World Health Organisation*, vol. 4, 1951, pp. 577-603.

⁴⁶ Moyse Charas, *Pharmacopée royale, galénique et chemique*, Paris, chez l'Autour, 1676.

⁴⁷ *Quinquina* is some times referred to as kina-kina, in England it was most commonly known as Peruvian bark.

fevers.⁴⁸ The story of ipecacuanha is somewhat less straight-forward. After its introduction into Europe, Jean-Adrien Helvétius (1661-1727) used it in a secret remedy which was widely promoted and being efficacious against dysentery, was a success particularly after it had successfully been used on the Dauphin.⁴⁹ *Quinquina* and ipecacuanha appear with regularity in the consulting letters; in the consultation sub-set each was included in medicines in 8% of the consultations. The use of imported medicaments was decried in the preface to *Consultations choisies*: 'why would foreign remedies be necessary to cure illnesses of our climate!'⁵⁰ Items such as chocolate, coffee and tobacco whilst introduced, were goods which were only mentioned in the consultations in terms of diet, mainly as things to be avoided. If there was only limited addition to the physician's therapeutic weaponry, it would at least appear that there was little reluctance to employ new substances which were found to be effective.⁵¹

Medicaments were not prescribed in isolation, as this would have supposed that the substance in question was curative on its own for the disorder concerned and the adoption of multiple types of therapy would not be justified. Even when a specific existed it was not common to employ it alone. As was noted in chapter three, mercury in various forms was regarded as specific for the treatment of *la vérole*.⁵² Yet invariably patients were given in addition to the mercury other medications such as sudorifics to increase sweating.⁵³ In most cases bleeding and purging were also carried out.

Typically, medicines were compounded mixtures, often of many components, the use of which had a long pedigree. The traditional

⁴⁸ Harris Coulter, *Divided Legacy: A History of the Schism of Medical Thought*, vol. II, 'The Origins of Modern Western Medicine: J.B. Van Helmont to Claude Bernard', Washington, D.C., Wehawken Book Co., 2000, pp. 214-215.

⁴⁹ Helvétius was supposedly paid 1000 louis d'or for his formula by Louis XIV who then made it public.

⁵⁰ Preface to *Consultations choisies*, vol. 1, 1757, pp xix-xx. 'pourquoi faudroit-il des remedes etrangers pour guerir les maladies de notre climat!' In this context, 'our climate' was referring to the south of France, ostensibly adding a further complication to remedy selection.

⁵¹ The controversy which raged throughout the eighteenth century over inoculation as a preventative measure against small-pox shows that practitioners of the period were concerned to assess benefit against the risk of undesirable consequences.

⁵² See chapter 3.

⁵³ The basis for using sudorifics was that the mercury adsorbed the venereal *virus* and by increasing the perspiration, the mercury with contained *virus* could be excreted that way as well as through salivation.

polypharmaceuticals, *le thériaque* and *le mithridat*, were still widely employed in the seventeenth century although their use was reduced by the eighteenth century.⁵⁴ These particular mixtures of which there were a number of formulations could contain eighty or more individual substances. In the case of theriac, preparation was subject in some areas to regulations requiring it to be compounded annually, in the presence of physicians and in public.⁵⁵ It was furthermore a relatively expensive item. The 1765 price for theriac quoted by Arnaud de Nobleville was 50 *sols* for 0.5 litres compared with imported and therefore ostensibly expensive items such as *quinquina* at 6 *sols* an ounce and ipecacuanha at 12 *sols* an ounce.⁵⁶ The quality of these preparations could be an issue. In an unattributed 1735 *mémoire* in Chirac and Silva's *Dissertations et consultations médicales*, an *ordinaire* questioned whether he should prescribe theriac for a patient suffering from melancholy as the mixture might not be in good condition.⁵⁷ The response, rather than commenting on the condition of the theriac, stated that it would have no appreciable effect on the patient's complaint.⁵⁸

There were a small number of instances of theriac being recommended in the consultations and in keeping with its reputation as a medicine to rid the body of noxious material, for different disorders. Thus in 1744 Henri Haguenot and Antoine Fizes suggested using theriac after they had investigated an epidemic fever at Aigues Mortes.⁵⁹ Le Thieullier prescribed theriac in 1736 for a sixty-five-year-old man who was having great difficulty keeping his food down.⁶⁰ Antoine Fizes, Honoré Petiot and Charles Serane recommended an opiate

⁵⁴ A form of theriac remained in the official French Pharmacopœia as late as the end of the nineteenth century. *Le mithridat* was very similar to *la thériaque* but did not contain viper. Louis Dulieu, *La Pharmacie à Montpellier de ses origines à nos jours*, Avignon, Les Presses Universelles, 1973, p. 6. Although, Dulieu claimed that theriac did not survive at Montpellier after the Revolution. p. 55.

⁵⁵ *Ibid.*, p. 7.

⁵⁶ Preface to Arnaud de Nobleville, pp. xxxii-xxvii.

⁵⁷ The reason for the *ordinaire*'s hesitancy is not given, but one suspects its quality was in doubt.

⁵⁸ Chirac and Silva, vol. 2, pp. 30-332. 'On lui a conseillé ici l'usage de la thériaque; mais soit que le remède ne fut pas bien appliqué, ou qu'il fut mal conditionné, il ne fait quelque bien, que dans le commencement. In some places, theriac and mithridate were made by apothecaries once a year, with great ceremony and under the supervision of physicians. See also Brockliss and Jones, pp. 160-161.

⁵⁹ *Consultations choisies*, vol. 2, p. 31.

⁶⁰ Le Thieullier, vol. 1, pp. 171-181.

containing 15 grains theriac for a melancholic.⁶¹ *Ordinaires* and professors alike continued to employ medicines like theriac which as far as they were concerned had stood the test of time and were suitable to treat a diversity of ailments.⁶² However, mithridate has not been mentioned in the correspondence at all, and theriac was not encountered in the proxy sub-set.

Exotica such as theriac did not have universal approval. Parisian physician Gui Patin in a 1665 letter complaining about apothecaries, wrote, probably to fellow physician Charles Spon (1609-1684), that: 'I have never ordered bezoar, cordial waters, theriac, mithradate, confection of hyacinth, emetic wine, pearls nor precious stones, nor others of the Arab bagatelle; that I like the small remedies that are neither rare nor expensive; and that I make medicine as simple as is possible.'⁶³ He preferred to use remedies that were neither rare nor expensive.⁶⁴ This sentiment in favour of simplicity was repeated by the authors of *Consultations choisies* some eighty years later that in their consultations, 'We only find some extremely simple formulae, composed of medicaments that are very gentle. There are scarcely two-dozen different ones.'⁶⁵ Despite this contention, adding up the individual substances prescribed in *Consultations choisies*, the mooted 'two dozen' is exceeded before half-way through the first volume. Evidently this view was not fully shared well into the eighteenth century at either Paris or Montpellier as the above examples demonstrate. On the other hand, the only 'exotic' substance which occurred in the proxy sub-set to which Patin had objected was emetic wine, on just two

⁶¹ *Consultations choisies*, vol. 1, p. 77.

⁶² Louis Dulieu, *La Médecine à Montpellier*, vol. 3, 'l'Époque Classique', Avignon, Les Presses Universelles, 1983, p. 525. Dulieu says that the annual production of theriac was supervised by the Montpellier faculty at least as late as 1767.

⁶³ Guy Patin, *Lettres choisies de feu Mr Guy Patin*, Cologne, chez Pierre de Laurens, 1691, vol. 3, p. 119. 'Je n'avois jamais ordonné du Bezoar, d'Eaux cordials, de Thériaque, ni de Mithridat, de confection d'Hyacinthe, ni d'Alkermès, de poudre de Vipère, ni de vin Emétique, de Perles ni des Pierres précieuses, ni autre telles bagatelle Arabesque: que j'aimois les petit remèdes qui n'étoient ni rares ni chers: et que je faisois la Médecine le plus simplement qu'il m'étoit possible.' No reference to *mithridat* has been encountered in this study. Theriac was supposedly a good antidote for poisons, one reason for which was the inclusion of viper in it. In a 1728 alleged case of poisoning, neither the *médecine ordinaire* nor the consultant, Antoine Deidier suggested its use; however, the *médecin ordinaire* had been trying viper, another remedy for poisoning. *Consultations choisies*, vol. 9, p. 39.

⁶⁴ Patin, vol. 3, p.119. 'j'aimois les petis Remèdes, qui n'étoient ni rares, ni chers.'

⁶⁵ *Consultations choisies*, vol. 1, p. xvi.' On n'y trouve que des formules extrêmement simples, et composées de médicamens dont l'opération est très-douce. A peine y en a-t-il deux douzaines de différens.

occasions. This suggests that on that particular aspect, Patin's views had become widespread in France by the eighteenth century.

Biological medicaments were augmented by a relatively small number of minerals. To give an indicative order of the use of these materials, their occurrence in prescribed medications in the proxy consultation sub-set has been analysed. Mercury was employed in all cases but one involving *la vérole* for which it was regarded as a specific, though not used exclusively for that complaint.⁶⁶ It was also employed to treat most of the cases of *la gonorrhée*. In most forms mercury had widely known unpleasant side effects, a fact which was acknowledged by consultants and patients in their correspondence.⁶⁷

Antimony was another metallic to be employed regularly. Analysis of the proxy consultation sub-set shows that antimonials were included in 26% of prescribed medicaments.⁶⁸ Less common was iron at 20%, however this figure can be misleading.⁶⁹ The introduction of metals into the physician's range of medicaments to a degree stemmed from their promotion by Paracelsus.⁷⁰ The use of antimony had been a source of great dissention in French medical circles, leading to the so-called antimony wars between its adherents mainly at the Montpellier school of medicine, and its opponents chiefly at the Paris faculty of medicine.⁷¹ Although this was predominantly in the seventeenth century, Ian McCullum claims this disputation continued into the eighteenth century.⁷² The letters examined in this thesis provide many examples of antimony being

⁶⁶ Le Thieullier, vol. 2, p. 36. As an example, mercury oxymel was prescribed to a woman with chest complaints, 3 oz., twice daily.

⁶⁷ See for example *Consultations choisies*, vol. 1, p. 468. See also Chapter 3.

⁶⁸ This percentage is the frequency with which an antimony-based substance appeared in a medication. It takes no account of how often the medication was to be taken, neither is it a percentage of the total number of formulations in the sub-set. Antimony was used in many forms, most commonly as kermes mineral (Sb_2S_3). The metal was employed in the preparation of antimony wine, when wine was left in a cup made of the metal to dissolve some of this element. The amount of antimony taken into solution was uncontrolled with consequential varying results to those who drank the end-product. See Ian McCullum, *The Use of Antimony in Medicine*, Edinburgh, The Pentland Press, 1999, pp. 48 – 70.

⁶⁹ Of the 20%, 13% was from the volume of *Consultations choisies* used, in the form of *safran de mars*, a form of iron oxide which appears to be a preferred ingredient in Montpellier opiates.

⁷⁰ See chapter 5.

⁷¹ Dulieu, *La Médecine à Montpellier*, vol. 3, pp. 444-448.

⁷² McCullum, pp. 18-21 and 71-79.

employed, particularly as tartar emetic and Kermes mineral, by consultants and *médecins ordinaires*.⁷³

The occurrence of antimonials in the proxy sub-set is shown in Table 7.2. This indicates, within the limitations of the sampling, a bias towards its use in Parisian medicine rather than the south, which is the opposite of the historical support for such substances.

Table 7.4: Occurrence of antimonials in proxy sub-sample

<u>Data source</u>	<u>Percentage of antimonials</u>
<i>Consultations choisies</i> (Montpellier)	23
Le Thieullier (Paris)	32
Ramel (Aubagne)	26

The literature on the topic is essentially qualitative with little in the way of quantitative data to compare with the numbers above. McCullum in his description of the dispute relies on treatises and pamphlets to describe the dispute. Dulieu quotes a 1606 Latin treatise that looked at the use of chemical medications in 201 observations, but does not indicate how many of those may have included antimony-based components.⁷⁴

Other mineral substances employed included Epsom salt (magnesium sulphate) and Glauber's salt (sodium sulphate), laxatives discovered in 1695 and 1625 respectively and therefore representing for the period relatively new introductions.⁷⁵ Neither was referred to as novel substances by the consultants, nor their use questioned by *ordinaires* or patients. Thus, whilst the secondary

⁷³ Brockliss and Jones at p. 423 state that Kermes mineral was invented by Pierre Chirac. Brockliss has in an earlier work simply credited Chirac with introducing Kermes mineral to the pharmacopœia. Laurence Brockliss, *French Higher Education in the Seventeenth and Eighteenth Centuries: A Cultural History*, Oxford, Clarendon Press, 1987, p. 431. On the other hand in *Une Société de Médecins et de Chirurgiens, Dictionnaire des science médicales*, Paris, Panckoucke, vol. 22, 1818, pp. 481-485, its invention was attributed to a Frère Simon, apothecaire des Chartreux de Paris.

⁷⁴ Dulieu, *La Médecine à Montpellier*, p. 446.

⁷⁵ An *ordinaire*, M. Gacier, was treating a patient with Epsom salt in 1736. Deidier, vol.1, p.150.

literature suggests that there were few if any changes or innovations in the late seventeenth and eighteenth centuries, this is contradicted by the evidence. What did remain unchanged was the theory behind the use of these new substances; they fell within the evacuative principles of old. Borax on the other hand had been in use for a variety of medical purposes since Greek time even though it was known to be potentially poisonous, a fact that is not mentioned in the consultations where its use is proposed. In the proxy set of consultations, borax only occurred as an ingredient in three formulations (<2%).

Whilst substances approved by the regular medical hierarchy are all that appear in the consultations, there was no shortage of empirically compounded proprietaries being offered on the market, many of which claimed the ability to cure each and every imaginable ailment. Few such products were mentioned in the consultations and then usually as something the patient had taken before seeking elite advice.⁷⁶ However the letter form could also be employed to promote proprietary products. The merits of M. Arnault's 'Antispasmodic Sachets' were presented as a series of letters in *Dissertation en forme de Lettres sur l'Effet des Topiques dans les Maladies Internes, Ecrite par un Médecin de Paris, à un Médecin de Provence*.⁷⁷ The letters involved differ from the consultations, in that they are by named users of the product, often with an accompanying letter 'authenticating' the signature. The precise nature of this powder has never been established. The fact that patients and *ordinaires* refer to having taken medications supplied by empirics implies that the patients were taking proprietaries, even if unnamed ones.

The use of mineral waters was approved and recommended by physicians. These were accessed by visiting the various spas, to imbibe the waters as well as bathe in them and through a trade in bottled waters that developed in the eighteenth century.⁷⁸ The letters contain many references to drinking specific waters, amounting to some 25% of the sub-set. Mineral

⁷⁶ See for example the use of Madame Morel's patent purgative in chapter 2 pp. 20-21.

⁷⁷ Guillaume Arnault, *Dissertation en forme de lettres sur l'effet des topiques dans les maladies internes, écrite par un médecin de Paris, à un médecin de Provence*, 5th. edn, Paris, chez Moutard, 1769.

⁷⁸ Brockliss and Jones, pp. 637-638.

springs existed in many regions of France. For instance the surgeon Georges de La Faye listed Aix la Chapelle, Bagnoles, Barreges, Bourbonnes, Mont d'or, Passy, Plombiere, Sainte Reine, Spa, Val, and Vichy and discussed the values of different types of water internally and externally.⁷⁹ This list does not cover all the available sources in France but indicates the range of waters that were available. Montpellier-based physicians often recommended Eau de Balurac, a source close to the city, but it was also recommended by physicians in other parts of the country. In some instances it was evident that patients were expected to travel to spas to bathe in the waters, but more frequently, the advice was to drink the water, or use it to make up liquid medications. The Montpellier physician M. Verney and surgeon Pierre Barancy, advised a woman suffering from torticollis, to sponge her shoulders and spine with a preparation made up with *Eau de Bareges*. Barèges is in the Hautes Pyrénées, but the consultants told her she could obtain it year-round from a merchant-apothecary, M. Sage, in Toulouse.⁸⁰ The manner in which quite particular waters are specified clearly suggests that the consultants were aware of that differences which existed between them, with perceived differing medicinal benefits. This is reinforced by the fact that where such waters were not specified, the patients were often advised to drink fountain water.

The timing of therapy was one variable that the consultant could, and did, make use of. In instances of a perceived need for immediate treatment, then the sooner the better therapy was commenced. This was not always the case with some forms of treatment, when delay to the appropriate time of year was not uncommon. For example an epileptic was advised to cease using a laxative through autumn and winter and take instead a mixture of *citronelle* and *poudre guttete* (itself a complex mixture with claimed antispasmodic properties).⁸¹

⁷⁹ La Faye, p. 174. Eau de Balurac was particularly favoured by Montpellier consultants as its source was close to the town, but it was recommended by other physicians including those in Paris, so that the geographical source was not the sole imperative, composition was probably more important. For example the ferruginous Eau de Forges was another source often recommended by consultants. For a description of contemporary opinions on the nature and value of this water see *Encyclopédie méthodique, médecine, par une société de médecins*, Paris, Panckoucke, vol. 6, 1793, pp. 455-456.

⁸⁰ *Consultations choisies*, vol. 4, 1757, p. 382.

⁸¹ *Consultations choisies*, vol. 9, 1751, p. 111.

When physician Jean-Jacques Montagne was dealing with a patient with difficulty breathing and tightness of the chest, he advised that '[t]his [July] was not the time to carry out the cure he proposed, it should be left until the autumn.'⁸² The idea that the seasons were closely linked through temperament, to both health and illness had been long established as a part of humoral theory.

There was a wide range of therapeutics to which the patient had access through regular and irregular suppliers of health care. Judging by the letters written by patients and their *ordinares*, whether pleasant or otherwise, with few exceptions treatments and medications appear to have been accepted as necessary for regaining normal health. But dominating them were those used for eliminating body excreta.

Lifestyle - The use of the non-naturals

Maintenance of health demanded following a healthy lifestyle. Rooted in the Hippocratic-Galenic tradition was the concept of the six non-naturals, activities which impacted on the body and over which the individual had a large degree of control. They were air, food and drink, exercise (including sexual activity) and rest, sleep and wakefulness, bodily evacuations and the passions of the soul.⁸³ In this section, those of prime concern are air, the aliments, exercise, rest and *mode de vie*.

Medical historian Antoinette Emch-Davies has argued that during the eighteenth century physicians increasingly stressed the need for attention to the six non-naturals to improve health as opposed to the use of violent medications such as purgatives.⁸⁴ Cultural historian Madeleine Ferrières found between 1701 and 1762 that the *Journal de Trévoux* devoted fifty-eight articles to air pollution, and thirty-five articles to food, health, and diet (62% and 48%

⁸² Ibid., vol. 5, 1750, p. 25. 'La saison n'est guere avantageuse pour exécuter des remèdes propres à combattre l'oppression dont le malade est fatigué ... en attendant l'automne on sera les remèdes'

⁸³ Brockliss and Jones, p. 113.

⁸⁴ Antoinette Emch-Davies, 'The Non-Naturals Made Easy', in Roy Porter (ed.), *The Popularization of Medicine 1650-1850*, London, Routledge, 1992, pp. 134-159.

respectively of the total number of articles).⁸⁵ Her analysis indicates public concern regarding these topics. In a number of instances in the consultations it was suggested that sea air was unhealthy. In the epistolary consultations such matters take a secondary position to other forms of treatment, often occupying at most a line or two out of several pages. Three factors are probably responsible for this. The first, and perhaps most significant, is the expectation of the patient for some tangible and preferably fast-acting fix to whatever the problem was. Secondly, the consulting physician was likely to want to use the letter to demonstrate his erudition beyond merely saying that the patient ought to adopt a healthier lifestyle. Finally, the patient probably did not want to be told that his lifestyle was at fault. That said, those few lines referred to, marked the closure of the vast majority of consultations. Thus in 1734, Antoine Fizes advised a woman suffering from a long-standing headache and glaucoma to 'abstain entirely from wine, avoid cold and malign vapours, the wind, smoke, the sun, humidity and to exercise moderately.'⁸⁶ In another instance a young woman with a dry cough and having difficult periods was advised by Ramel simply that 'silence and a little exercise would be very useful.'⁸⁷ Ramel was later to report that the patient recovered to enjoy excellent health.

Changes in lifestyle were found to be suggested particularly by Montpellier consultants. Perhaps they were more inclined to adopt Hippocratism, and the use of the non-naturals than were their Paris counterparts. Le Thieullier appears to have avoided making recommendations for change of lifestyle in the consultations of his which have been sighted. Either he ignored the topic, or instead, in a case of an apoplectic patient, commented,

⁸⁵ Madeleine Ferrières, *Sacred Cow, Mad Cow: A History of Food Fears*, trans. Jody Gladding, New York, Columbia University Press, 2006, p. 155. *Journal de Trévoux* ou *Mémoires pour l'histoire des sciences et des beaux-arts* was published in Paris monthly from January 1701 to December 1767. It is described in The University of Chicago ARTFL Encyclopédie Project. as 'one of the most influential and controversial 18th century French periodicals ... the *Journal de Trévoux* dealt with almost every discipline of knowledge: Grammar, Rhetoric, Sacred and Profane Philology, Religious, Ancient, Modern and Literary History, Moral Theology, Law (French and Ecclesiastic), Philosophy, Political Economics, Physics, Mathematics, Natural History, Astronomy, Fine Arts and to a lesser extent, Poetry and Drama.' The ARTFL Encyclopédie Project. <http://artfl-project.uchicago.edu/>

⁸⁶ *Consultations choisies*, vol. 6, p. 221. 'On abstiendra entièrement du vin, on évitera le serain, le vent, la fumée, le soleil, l'humidité, et l'on sera un exercice modéré.'

⁸⁷ Ramel, p. 196. 'Le silence et un exercice modéré lui seront très-utiles.'

‘as to lifestyle, we leave its management to the wisdom of the local physician’.⁸⁸ Whether he regarded such matters as of lesser importance than the ‘medical’ advice he gave, or he saw it as beyond his control can only be guessed at. Typical recommendations included avoiding extremes of weather, regulating sleeping hours, regular exercise, restraint of sexual activities, food restrictions and taking baths.⁸⁹ For instance in 1745 a man suffering from gout was advised by Montagne that ‘he must look on sexual intercourse as very dangerous ... It is easy to understand how the movements which take place at such times are capable of renewing the attack.’ A quiet life was recommended for cases of epilepsy whereas by contrast in melancholy, diversionary activities and a gay life were suggested.

Over-indulgence in alcohol was raised in *mémoires* with some regularity and was a topic raised by the *médecins ordinaires*, though never by the patient. Such was the case with a patient with a persistent cough whom the *médecin ordinaire* described as ‘indulging in Bacchus and smoking lots of tobacco’.⁹⁰ Similarly there was chastisement from physicians for a man who having acquired a taste for wine as a teenager, spent eighteen months in Flanders during which time he consumed large amounts of *eau-de-vie* without losing consciousness.⁹¹ Excessive consumption of strong liquors in particular but also drinking wine was frowned upon in some consultations and their avoidance was advocated. Again using the proxy sub-set, avoidance of strong liquors and wine was suggested in 7%. This does not sound high until one appreciates that it is one in every fourteen consultations, irrespective of the disorder. This analysis also has to be qualified in that Ramel on the contrary recommended the consumption of wine and *eau de vie* in 35% of his consultations, only calling for consumption in moderation.

⁸⁸ Le Thieullier, vol. 1, p. 45. ‘Quant au regime de vivre, nous en abandonnons la conduite à la sagesse de M. Le Médecin ordinaire.’

⁸⁹ *Consultations choisies*, vol. 6, p. 55. ‘Il doit regarder le commerce des femmes comme très dangereuse ... Il est aisé de comprendre combine les agitations qui se passant dans ce tems-là propres à renouveler le paroxysme.’

⁹⁰ Le Thieullier, vol. 1, p. 95. The *ordinaire* expressed this in Latin, *indulgens Baccho* the only use of Latin in the *mémoire*.

⁹¹ *Ibid.*, vol. 2, p. 120-121. ‘A l’âge de dix-sept ans se donna à la boisson de vin, supportant facilement cette liqueur; étant en Flandre en 1724, il but pendant dix-huit mois beaucoup d’eau de vie, sans cependant en avoir fait débauche jusqu’à perdre connoissance.’

It was common for local physicians to refer to lifestyle factors as contributing to illnesses. It was however unusual for patients to make direct comment about their lifestyle, perhaps because they wished to avoid criticism. One exception was a patient writing to Le Thieullier from Madrid in 1737 who believed that his problem was at least in part dietary remarking that: 'the table is my great enemy'.⁹² References by practitioners to *mode de vie*, and they included positive aspects such as the amount of exercise patients engaged in, as well as shortcomings, accord with the Hippocratic tradition of the influence of the non-naturals on health. This suggests again the longevity of this theoretical model.

Shock or extremes of weather were thought to cause ill-health.⁹³ A 1737 consultation was requested probably by the patient himself, who on the sudden loss of a favourite niece was so enraged that a surgeon had to be called in the night.⁹⁴ A consultation written in 1743 by Montagne demonstrates the effect of external factors for a patient who had a long list of symptoms which were attributed largely to the conditions suffered whilst on military engagements: '[t]he patient was tried in the last campaigns where he was exposed to extraordinary cold, influenced by an extremely humid climate and full of malign vapours'.⁹⁵ It was quite common for consultants to advise avoiding extremes of weather. Geographical location was another variable which arose during the consultations. Thus a woman suffering from *affection hysterique* was advised in 1747 to move from Marseilles, where the air was too dry and salty for her temperament and illness, particularly during the heat of summer. She was advised by Jacques Lazerme and Antoine Fizes to move inland to Isle [sur la Sorgue] where the air was fresh and humid, the food soft and very good.⁹⁶

⁹² Ibid., vol.1, pp. 70-271. 'la table est mon plus grande ennemie.'

⁹³ Barbara Duden has shown examples of causing and curing sickness through shock. Duden, p. 69.

⁹⁴ Chirac and Silva, p. 348. 'le malade perdit une niece qu'il amoit beaucoup et le jour même il se facha extrêmement contra sa beau-frere, ce qui causa une révolution se vive que la nuit on fait obligé de courir un chirurgien.'

⁹⁵ *Consultations choisies*, vol. 1, p. 101. 'Monsieur a essayées dans les dernieres campagnes [de la guerre] où il a été expose à des froids extraordinaires causés par les influences d'un climat extrêmement humide et chargé de vapeurs maligne'.

⁹⁶ *Consultations choisies*, vol. 7, 1750, p. 280. 'l'air de Marseille ... est trop sec et salé ... On lui conseille de se transporter incessamment à l'Isle ... où l'air est frais et humide.' For other examples of lifestyle recommendations see *Consultations choisies*, vol. 2, p. 226, vol. 5, p. 328, vol. 6, pp. 218 and 303, vol. 8, p. 359, vol. 10, 1755, p. 302.

Several instances are recorded where sea-air was perceived as being unhealthy because of its dry and salty nature.

The application of the non-naturals then was addressed in *mémoires* and in the consultations. Whilst as a whole they were secondary to more immediate forms of treatment, recommended changes to lifestyle appeared frequently as an end-point to consultations. At times stated directly, but more frequently implied, was the concept that the treatments could address immediate ailments, but the maintenance of health required an appropriate lifestyle.

In addition to medication and lifestyle changes, patients were almost always advised to adopt dietary restrictions in order to regain their health. This is again a reflection of the importance of the non-naturals in the physician's thinking. As so many disorders were believed to originate in the gut, it is hardly surprising that most commonly restrictions were recommended on foods that were perceived as overly hot in humoural terms such as spicy foods and ragouts; white meats were preferred to red meats. Le Thieullier advised a female patient whose symptoms were attributed to a digestive disorder, to eat only white meat, to avoid vegetables, cut or cooked fruit, strong liquors, wine with meals, coffee and all dairy products.⁹⁷ For a patient experiencing difficulty in swallowing, in 1726 Pierre Chirac advised the avoidance of salt, spices, ragouts, fried fish, pastries, red meat, cheese, sugar and fresh fruit.⁹⁸ Jean-Baptiste Silva and Jean-Baptiste Nicolas Boyer jointly advised the same patient not to drink chocolate, coffee, tea, other hot liquids or wine, only plain water; he was allowed however to drink cow's milk.⁹⁹ The restrictions on food should be viewed in terms of humoural theory; all things derived from plants and animals had their inherent complexions in the same terms as humans did - hot, cold, wet, and dry, - and when eaten, these elements were assimilated into the body

⁹⁷ Le Thieullier, vol. 2, p. 253. During the Renaissance the consumption of raw fruits was blamed for many disorders. See Ferrières, pp. 276 and 348.

⁹⁸ Chirac and Silva, vol. 2, p. 214.

⁹⁹ Ibid., p. 243. 'le malade ne boira que l'eau simple, et ne prendre ni chocolat, ni thé, ni caffè, ni vin, ni quelque autre liqueur que ce soit.'

and altered its complexion.¹⁰⁰ Through the late seventeenth and eighteenth centuries disapproval of raw fruit recurs in consultants' letters. Typical is a 1745 consultation that Montagne provided for a patient suffering from rheumatism and advised that it was absolutely essential to abstain from raw fruit.¹⁰¹ The Montargis physician Paul Dubé explained this as being because 'women will never find greater enemies to their health, than the seasonal fruits ... immoderate usage loosens and cools the stomach.'¹⁰² Ramel attributed a sixteen-year old girl's various problems to '[a] long-time faulty digestion through fatty food, by the quantity of sour and acid fruits this young person has eaten by a corrupted taste, common to her sex'.¹⁰³ The attitudes of physicians towards wine and spirits have been discussed earlier in this chapter. These are examples from many which show that control of diet was seen as one of the weapons in the physician's armamentarium. To what extent they succeeded in imposing their strictures on food and drink cannot be gleaned from the correspondence.

Summarising, the idea that a person's *mode de vie* was a significant factor in maintaining and restoring health dated from the classical period and was still widely promoted in the period analysed by this thesis. The strictures recommended by the consultants went beyond moderation when the patient was sick, to limits on food which at times must have seemed very restrictive. Exercise was deemed necessary to keep the body fluids, particularly the blood moving. Excessive study was also deemed to be unhealthy. Only one example of a work-related illness has been encountered in the sources examined, a wig-maker whose chest complaint was attributed to the continual inhalation of powder used in his work.¹⁰⁴ The paucity of such cases probably reflects the fact

¹⁰⁰ See Ken Alba, *Eating Right in the Renaissance*, Berkeley, Calif., California University Press, 2002, pp. 78-114.

¹⁰¹ *Consultations choisies*, vol. 8, p. 128. 'Il est absolument nécessaire ... s'abstenant ... de fruits cruds.'

¹⁰² Paul Dubé, *Le Medecin et le chirurgien des pauvres*, Paris, chez Edmé Couterot, 1683, p. 359. '[les Dames] ne trouveront jamais de plus grands ennemis de leur santé, que les fruits que nous appelons passager ... l'usage immodéré relâche et refroidit l'estomac.'

¹⁰³ Ramel, pp. 255-256. 'Des digestions long-temps viciées par les alimens grossier, par la quantité de fruits aigres et acerbes que cette jeune personne a mangé par un goût dépravé. ordinaire à son sexe.' On the use of the term dépraver see this chapter fn. 131.

¹⁰⁴ *Ibid.*, pp. 35-40. 'la poudre qu'il respiroit continuellement par raison de son état (M. eu Perruquier) obstruoit insensiblement les dernières extrémités des bronches, et les tubules aériens les plus déliés et les plus tenus.'

that most of the patients did not engage in the type of work that could lead to such problems.

The evidence of self-medication

Undoubtedly patients self-medicated more often than is recorded in the letters. Elaine Leong and Sara Pennell writing in an English context, but which could undoubtedly be applied to France, claimed that 'most medicines kept on hand domestically could easily be produced using common cooking methods and equipment'.¹⁰⁵ Even a cursory inspection of many of the self-help manuals shows that many of the proposed medicaments could have been prepared in such a manner.

A patient suffering from persistent migraine wrote in 1741 to Le Thieullier stating that he had his own remedy, which was to soak a handkerchief in lukewarm goat's milk and put this on his head, and to tie a garter around his arm.¹⁰⁶ Le Thieullier attributed the primary cause to problems with the patient's digestion, and after an explanation as to how this affected the nerves in the head, prescribed a typical round of bleeding, purging and dietary recommendations. He simply ignored the patient's home remedy in his response, presumably unable to rationalise how it would affect the digestive system. Alternatively, he may have regarded this as 'an old wives' recipe that did not warrant comment.

A case which exemplifies graduated self-treatment concerned a man who also in 1741 wrote to Le Thieullier over a skin disorder which started as just a red itching spot which he likened to a mosquito bite.¹⁰⁷ The affected area grew and spread. His initial treatment was saliva (specifically on an empty

¹⁰⁵ Elaine Leong and Sara Pennell, 'Recipe Collections and the Currency of Medical Knowledge in the Early Modern "Marketplace"', in Mark Jenner and Patrick Wallis (eds), *Medicine and the Market in England and its Colonies, c.1450-c.1850*, Basingstoke, Palgrave Macmillan, 2007, p. 135.

¹⁰⁶ Le Thieullier, vol. 1, pp. 270-271.

¹⁰⁷ Ibid., vol. 2, p. 291. The patient opened his description 'un mal plus désagréable qu'incommode ...' je me trouvai pris à ma crête du menton une petite grosseur rouge de la largeur d'une pièce de douze sols (about 13 mm.), que je regardai d'abord comme une piqure de moucheron.'

stomach), to which he had added a grain of salt; this was followed by a decoction of elderflowers; then a suspension of lime in rose water; then washing morning and night in urine. The problem worsened and his glands began to swell, and finally, he submitted to a physician who adopted a succession of bleeding, purging and laxatives. All were ineffective, and he turned to Le Thieullier who prescribed eight days of treatment with a compress made from oil of turpentine, olive oil and honey of violets, mixed with hot wheat flour, egg yolks and honey. But there was simultaneously a round of bleeding, purging and laxatives. Apart from his initial reaction that it was due to an insect bite the patient made no further attempt at further diagnosing his problem.

Self-medication was not without hazard. A *médecin ordinaire* writing to Le Thieullier in 1736 described his patient as having ‘had himself bled once, and purged in a manner so extraordinary, that he thought he was going to die.’¹⁰⁸ Consultants must have been aware that patients would attempt to cure their own ailments before seeking medical advice, but it was seldom raised in any of their letters. As was the case in the Le Thieullier example above, consultants simply ignored descriptions of self-medication just as they did in some instances where the patients had resorted to empirics.

Therapeutic efficacy

The physician may have had confidence in the treatments he proposed but were patients cured or believed they were cured? Did they indeed expect to be cured? Matthew Ramsey has expressed the view that it was ‘highly unlikely that medicine significantly influenced mortality ... or brought relief to substantial numbers of patients.’¹⁰⁹ The notion of cure is one mentioned by physicians, as is recounted a number of times in this thesis, but seldom by patients themselves. Perhaps all they really expected was amelioration of their ‘dis-ease’ and that cure would be a bonus. A patient suffering from a ‘virus vérolique’ who wrote from Nice to Antoine Deidier in 1738 was aware enough of the problem to

¹⁰⁸ Le Thieullier, vol. 1, p. 95. ‘il se fit saigner une fois, et purger d’une manière si extraordinaire, qu’il pensa en mourir.’

¹⁰⁹ Matthew Ramsey, *Professional and Popular Medicine in France, 1770-1830: The Social World of Medical Practice*, Cambridge, Cambridge University Press, 1988, p. 45.

write: 'So that ... [M. his physician] can procure for him relief of his discomforts, if he cannot hope for a complete cure.'¹¹⁰ Whilst one encounters consultants noting a condition incurable this is the sole example found of a patient acknowledging such a status.

The Italian physician Francesco Torti commented that 'of the hundreds of consultations by letter I have undertaken, I know the outcome in scarce above a dozen'.¹¹¹ The authors of *Consultations choisies* were equally open in writing: 'that which is missing from the Consultations in order to be true observations of medicine is the outcome of the disease'. They gave by way of justification: 'but there is reason to presume, at least in cases which are not essentially mortal, that it [the outcome] was happy, when they [the patients] were not obliged to resort again to the physician consulted.'¹¹² In contrast it appears that Ramel did endeavour to find out what happened with his patients as his *Consultations* ended with an appendix in which he briefly commented on the outcome of all forty-seven of the printed consultations.¹¹³ He recorded the improvements in his patients with the exception of two. He wrote of one, unsympathetically, '[t]he patient did not follow one part of this consultation. He continued to lead an idle and soft life; he was attacked by a serious apoplexy which was followed by hemiplegia.'¹¹⁴ The other died of a different complaint.¹¹⁵ Since both these explanations excuse Ramel from not curing the patient, perhaps the purpose of adding the outcome appendix was in part self-promotion aimed at promoting Ramel's image as a successful consultant and served as a warning to lay people of the possible consequences of not following a physician's advice. Analysis of Ramel's outcomes are listed in Table 7.5

¹¹⁰ Deidier, vol 1, p. 91. 'Afin ... [M. fon Médecin] ... il puisse lui procurer du soulagement à ses incommodités, s'il ne peut pas espérer une guérison entière.'

¹¹¹ Francesco Torti, *The Clinical Consultations of Francesco Torti*, trans. with an introduction by Saul Jarcho, Malabar, Florida, Krieger Publishing Company, 2000, p. 911.

¹¹² *Consultations choisies*, vol. 1, preface, pp. ix-x. 'Ce qui manque donc aux Consultations pour être de vrais observations de Médecine c'est l'événement de la maladie; mais il y a lieu de présumer, de celles au moins qui ne sont pas essentiellement mortelles, qu'il a été heureux, quand on n'a pas été obligé de recourir de nouveau aux lumières du Médecin consulté.' As is shown in the examples, the outcome was recorded, but only in a small number of instances.

¹¹³ Ramel, pp. 394-419.

¹¹⁴ Ibid., p. 397. 'Le malade n'exécuta qu'une partie de cette Consultation. Il continua à mener une vie oiseuse et molle, il fut attaqué d'une appoplexie séreuse à laquelle succéda l'hémiplégie.'

¹¹⁵ Ibid., p. 408, 'Il est mort d'une autre maladie à Aix.'

Table 7.5: Treatment outcomes recorded by M.B. F Ramel le fils

Completely cured	23
Condition improved	14
Inconclusive	4
Died	3
Other	2

Ramel's descriptions of the degree of cure achieved are typified by the following examples. Thus he wrote that 'the bilious degeneration of the humours was completely cured though the use of the remedies prescribed in this consultation'¹¹⁶ or in a case of convulsions 'at last the trouble disappeared, and this person enjoyed the health they had before this illness.'¹¹⁷ By contrast, in inconclusive cases, Ramel generally used such phrases as in the case of a woman suffering from 'the whites' – 'they are always in the same state although the patient has consulted many other physicians'.¹¹⁸ or 'this pulmonary phthisis was of the third degree. The patient lived for one month more'.¹¹⁹ Some patients he had not been able to improve, such as the patient who only survived a few days after contracting tetanus.¹²⁰

Even if a consultant expressed uncertainty about the correctness of his proposals, which was uncommon, that did not deter him from making recommendations on treatment. Thus a patient who was having difficulty swallowing was told by Jacques Lazerme that he could not promise success, but that did not prevent him from proposing treatment.¹²¹ Publishing the

¹¹⁶ Ibid., p. 392. 'La cachexie bilieuse fut entièrement guérie par l'usage des remèdes ordonnés dans cette Consultation.'

¹¹⁷ Ibid., p. 400. 'Enfin cette incommodité disparut, et cette personne jouit d'une santé telle qu'avant sa maladie.'

¹¹⁸ Ibid., p. 403. '[Les fleurs blanches] sont toujours dans le même état, quoique la malade ait consulté plusieurs autres Médecins.'

¹¹⁹ Ibid., p. 392. 'Cette pthisie pulmonaire étoit dans le troisieme degré. Ce malade vécut encore un mois'

¹²⁰ Ibid., p. 394, 'Cet homme ne vécut que quelques jours'

¹²¹ *Consultations choisies*, vol. 1, p.23.

outcomes of treatment, or annotations to manuscripts, was not commonplace and when they are encountered, they are usually success stories. Thus a 1748 Antoine Fizes consultation for a rheumatic was footnoted that the patient gradually improved and was cured after three months.¹²² Another Fizes case is more unusual in that there are three letters written over a three-month period.¹²³ The patient was diagnosed as suffering from obstructions in the lower belly. The treatment in the first and dated letter was fairly standard, comprising purging, laxatives, and sedatives; the whole process was to take place over a six-month period. In the second undated consultation, Fizes castigated the patient for not meticulously following his instructions. The patient now having acquired a fever, Fizes proposed additional medication. The third and dated letter again advised the patient that his growing list of symptoms was the result of not following the prescribed treatment and added still more medication. Finally, at the end of this third consultation is a footnote:

[t]hat the patient could not stand these remedies for eight days, he almost died because of discontinuing them. After about fifteen days of rest he restored himself little by little and returned to some of these remedies and was cured perfectly.¹²⁴

Fizes evidently felt justified in his persistence. Just what influenced the patient to ignore Fizes' advice is unknown as no letters from the patient are included.

Correspondence indicating recovery as a result of following a consultants' proposals are found, although infrequently. In January 1737 Le Thieullier wrote a consultation for a M. G..., who was afflicted by a bad cough and other symptoms. The following April, without Le Thieullier having asked for advice on how effective the treatment had been, the patient wrote to make Le Thieullier aware of how improved he was. Le Thieullier promptly wrote back summarising the improvements the patient had reported:

¹²² Ibid., vol. 9, p. 127. 'Monsieur*** se trouva guéri en trois mois, son rhumatisme diminuant par degrés à mesure qu'il faisoit le remèdes.'

¹²³ Ibid., vol. 7, pp. 339-346.

¹²⁴ Ibid., p. 346. 'Que le malade ne put supporter ces remèdes au-delà de huit jours, il étoit mourant lorsqu'il les discontinua. Après environ quinze jours de repos il se rétablit peu à peu, il revint à quelques - un de ces remèdes et guérit parfaitement'.

[i]t appears from the account that we gave M.G... of the success of the remedies that we have prescribed to him last January; that the situation has become comforting, since the pains have diminished, that the spots are less abundant, that the appetite is pronounced, the taste more developed, and his corrupted [taste] almost faded.¹²⁵

He then recommended more treatment and in what must be a unique case in all the correspondence examined, advised that purging was not only useless but was prejudicial to his condition.¹²⁶ A female patient had been suffering from scurvy for a long time.¹²⁷ She had consulted various other physicians in Paris, and wrote to Le Thieullier telling him: 'I have not had incidents since taking the remedies; that is to say that I have had no colic, nor rheumatic pain'.¹²⁸ She had however some other complaints which were not covered in the earlier correspondence and she asked Le Thieullier's advice on further medication.

More unusual still was a consultation in which Le Thieullier requested the patient to inform him of the success of the proposed remedies.¹²⁹ Although letters advising of positive outcomes are uncommon, there was evidently some return correspondence to the consultants advising them of the patient's progress. Although the numbers are small, they are only from patients themselves, not from *ordinaires*. Perhaps this was acknowledgment from grateful patients, though the wording does not as a rule indicate this. As to the *ordinaires*, they probably regarded such outcomes as what the consultant was paid for.

¹²⁵ Le Thieullier, vol. 1, p. 259. 'Il paroît sur le compte que nous rend M. G... du succès de remèdes que nous lui avons prescrits au mois de janvier dernier, que la situation est devenue consolante, puisque les douleurs sont diminuées, que les boutons sont moins abondans, que l'appétit est marqué, le gout plus développé, et sa dépravation presque effacée.' Dépraver' was a term used in the eighteenth century in the context of taste. See *Dictionnaire de l'Académie française*, 4th edn, Académie française, Paris, 1762.

¹²⁶ Ibid., p. 260. 'Il seroit non seulement inutile. Mais encore préjudiciable de purger Monsieur.'

¹²⁷ Ibid., vol. 2, p. 1. 'affection scorbutique invétérée'

¹²⁸ Ibid., vol. 2, p. 12. 'Je n'ai point eu d'accidens depuis que je prens des remèdes; c'est-à-dire, que je n'ai eu ni colique d'estomac, ni douleur de rhumatisme.'

¹²⁹ Ibid., vol. 2, p. 321. In this instance no response is published, or it wasn't received.

The following derives from a translocation of a Théophile de Bordeu manuscript.¹³⁰ It differs from most letters in the detail that the patient, a Madame de Sus, gave to Bordeu and therefore deserves to be examined in some depth. She was suffering from scurvy for a long time. Evidently feeling expansive, she wrote to him in November 1776 to advise him that her health was much improved. One does not know what illness Bordeu had diagnosed or when he first started treating her. Madame de Sus provided plain descriptions of the symptoms which initially had been ameliorated or eliminated. Then just as she hoped she was much improved, she suffered another attack, expressed much more metaphorically than her earlier descriptions, probably an expression of her disappointment at this set-back. Her expression of confidence in Bordeu as a physician, and in the remedies he has prescribed, are evident, and she clearly believed that in his hands she would recover her health:

[y]our remedies have made everything convenient for me. It was only given to you to find exactly what was convenient for me; since the moment that I started them, until towards the middle of October, I have not had a violent attack The pains in the chest, the tightness and the cough returned at one time or another, but, neither was as strong as before: the incidence of fever and the sweats had disappeared; my stomach was better, the strength came back, my condition finally was so different; I was finding my

¹³⁰ Théophile de Bordeu, *Correspondance*, éd. Martha Fletcher, Centre d'étude du XVIII^e siècle de l'Université Paul Valéry, Montpellier, 1977-1979, vol. 1, p. 229.

'Vos remèdes m'ont fait tout me convenait. Il n'était donné qu'à vous de trouvais justement ce qui me convenait; depuis l'instant que je les ai commencé, jusques vers la mi-octobre, je n'ai pas eu d'attaque violente. Les maux de poitrine, l'oppression et la toux revenaient de temps à autre, mais ce n'était ni à beaucoup près aussi fort: les accès de fièvre et les sueurs avaient disparu; mon estomac était meilleur, les forces revenaient, mon état enfin était si différent; je trouvais mon mal si doux, en égard à ce qu'il a été, que je n'aurais osé m'en plaindre. Un si long calme me donnait l'espérance d'être désormais à l'abri des fâcheux accidents auxquels j'étais sujette, lorsqu'une forte bourrasque vint cruellement en éloigner l'espoir; elle fut comme toutes les autres que j'avais eues; il y eut de plus à celle-ci un mal de gorge très violent. A la suite vint la fièvre que j'eus pendant plusieurs jours avec une toux très vives toutes les nuits, toux que je conserve encore, sans être tout à fait aussi importune.

Aussitôt que je fus un peu remise, je ne tardai pas de reprendre les remèdes que vous m'aviez prescrits. La confiance que j'ai en vous me les a toujours fait continuer avec le plus grand zèle; je les ai finis depuis peu, et j'en resterai là, jusqu'à ce que je sache par votre réponse, si je dois faire quelque chose encore ou me reposer quelque temps. 'Le mal de gorge me poursuit opiniâtrement et ne me laisse que courts intervalles, sans pourtant me faire vivement souffrir; mes règles ne sont pas revenues; je pense que avant leur retour, ma santé, quoique assez bonne aujourd'hui devra cependant être meilleure. Il est sûr qu'elle n'est pas encore pas perfection; mais elle est dans vos mains; et cela me suffit pour croire qu'elle sera un jour dans son premier état.'

illness so mild, compared with what it was, that I would not dare to complain.

Alas for Madame de Sus, this recovery was short-lived for she went on to describe a relapse:

[s]uch a long period of calm gave me hope from now on of being sheltered from the troublesome misfortunes to which I was prone, when a strong gust of wind came cruelly to dismiss the hope; it was like all the others that I had had; there might have been more to these than a very violent bad throat. Again and again the fever came that I had for several days, with a very deep cough every night, a cough that I still suffer from, without being entirely irksome. As soon as I was a little better, I did not delay to take again the remedies that you had prescribed for me. The confidence that I have in you always makes me continue them with great zeal; I have finished them recently, and I will leave it there, until I know from your response, if I must still do something or rest for some time.

She evidently had confidence in Bordeu's ability to heal her and sought his further advice:

[t]he bad throat continues stubbornly and only leaves me for short intervals, without nevertheless making me actively suffer; my periods have not returned; I think that before their return, my health, although good today, ought however to be better. It is sure that it is not yet perfect; but it is in your hands; and that is sufficient for me to believe that it will be one day as it was in the first place.

Madam de Sus added a footnote:

[y]ou have not said if you recall these were the remedies that you had ordered for me; that was the baths, the ass' milk, the chicken water and

the powders before meals. The milk purged me constantly while I took it, and without weakening me at all.¹³¹

This letter is unusual in the detail it provided of response to treatment. The medications that she wrote of were typical of that of the eighteenth century. There was neither indication of what the powders contained that she referred to, nor whether Bordeu had supplied them or prescribed them for an apothecary to dispense. Her descriptions of the symptoms were straightforward, there was no attempt at engaging in medical jargon, nor did she introduce humoural or any other theoretical explanations for her condition. Looking at each of the examples in this section one is inclined to the view that cure was viewed as something that could be achieved at least in some instances.

One source of treatment which has not been examined so far in such cases is that provided by surgeons. Whilst there are a small number of consultations written jointly by physicians and surgeons, the role of the surgeon in these cases was generally of a minor nature. That was not so in a severe case of hydropsy, when it was suggested by a trio of Montpellier physicians, Montagne, Fizes and M. Tudesq (fl. 18th. C.) that five days prior to the purging, the patient should have an operation to drain fluid collected in his abdomen.¹³² In a subsequent letter, Montagne confronted with the patient's reluctance to submit to the surgery discussed, but effectively rejected a non-surgical remedy:

I see from the letter that you have recently sent to me the aversion of your patient for the operation that we here recommended. It seems to me that its [the hydropsy] prevention by the Arab remedy must give way to the opinion of some people who have given it daily to M. the Abbé of Sarret ... I will naïvely say to you that although this remedy seemed to have done

¹³¹ Ibid., vol. 1, p. 229. 'Vous n'aviez dit de vous rappeler quels étaient les remèdes que vous m'aviez fait faire: c'étaient les bains, du lait d'ânesse, de l'eau de poulet et des poudres avant les repas. Le lait m'a constamment purgé pendant que je l'ai pris, et sans du tout m'affaiblir.'

¹³² *Consultations choisies*, vol. 8, p. 391. '[après reposé quelque jours] ... on aura recours à la ponction pour évacuer le eaux déjà ramassées dans le bas-ventre.'

well at first, we have been forced to abandon it because of the problems it produces.¹³³

In effect, Montagne was of the opinion that the initial proposals were appropriate. As to surgeons' successes, an example is that of the leading Parisian surgeon Henri-François le Dran who advised a *chirurgien ordinaire* how to operate on an abscess on the jaw bone of a patient. The consultation was footnoted that after the operation the patient was cured in less than ten days.¹³⁴ In 1773 a Dijon surgeon M. Enaux sought the advice of the dental surgeon Louis-Bernard-Bréchillet Jourdain for a patient who had developed a fleshy excrescence on her nasal sinus. In his reply Jourdain wrote that he would seek a palliative treatment, as an operation might leave her in a worse state. He commented in a footnote that the previous year he had seen in Paris a nun who had a similar problem where the resulting cavity had been cauterised and had been filled with lead since when the patient had enjoyed perfect health.¹³⁵

Most of the surgical consultations give no information on the outcome of treatment. The exception is in Le Dran's text, where in a large number of cases he describes what was done, as opposed to what he had simply recommended, and what the result was.

Thus whilst in isolated cases the physicians became aware of their successes, they were, by their own acknowledgement, often oblivious to whether they were successful or not. Had they failed, it is quite probable that the patient sought help elsewhere. This was dramatically demonstrated in the case of the syphilitic Countess referred to in chapter 2, who over an eight-year period had sought the help of at least five physicians, two surgeons and a charlatan.¹³⁶ Perhaps like their modern counterparts, the physicians assumed that if they

¹³³ Ibid., pp. 397-398. 'Je vois par le lettre que vous m'avez fait l'honneur de m'écrire récemment l'aversion de votre malade pour l'opération qui lui a été conseillée ici. Il me paroît que sa prévention pour le remede Arabe doit céder a l'avis des personnes qui l'ont donné journellement à Monsieur l'Abbé de Sarret ... Je vous dirai naïvement que, quoi que ce remede semblât d'abord avoir fait du bien, nous fumes obligés de l'abandonner à cause des désordres qu'il produisit.' The *Remède [Syrope] Arabe* was a mixture of crude antimony, syrup of lemon and saffron.

¹³⁴ Le Dran, p. 5.

¹³⁵ Louis-Bernard-Bréchillet Jourdain, *Traité des maladies et de opérations réellement chirurgicales de la bouche*, vol. 1, Paris, Valleyre, 1778, pp. 255-258.

¹³⁶ See chapter 2, p. 35.

heard nothing they had cured the patient.¹³⁷ On the other hand they may simply have expected the patient to try another source of advice if their proposals had failed. Perhaps the last word on physician's expectations falls to Montpellier physicians Jean Verney, Antoine Sidobre (1672-?), Antoine Gauteron and Nicholas Fournier who in 1732 proposed a cure for a young woman with diseased eyes when they wrote 'we promise a great success with this remedy, which has performed miracles in Paris'.¹³⁸

Attending to the non-naturals was the practitioners' method to address the health problems of their patients. The long-established techniques of evacuation were the therapeutic mainstay of everyday practice. The data suggests that purging was the primary method, rather than blood letting, a significant but not inevitable option. Whether the intention was to reduce a plethora of a humour or to eliminate a *cacochyme* or bad humour, not withstanding any developments in medical theory, therapy remained essentially Galenic. The use of phlebotomy was to some extent dependant on the disease in question as is demonstrated in the cases of epilepsy examined where it was recommended almost as often as purging.

A small number of new substances had been introduced and adopted, but the scale of their use was small compared with materials which, like the methodology, had stood the test of time. When physicians turned their attention to what went into the body in the form of food and drink, concern was again focussed by humoral considerations.

That lifestyle strategies tended to be placed at the end of consultations, and then often dealt with somewhat briefly, suggests that they were regarded at best only as a part of the solution to the patients' problems. The sources have been analysed for evidence of physicians effecting cures for their patients. For the most part it would appear they had little idea. Some positive outcomes have been uncovered, but even they have to be regarded cautiously, as they were in

¹³⁷ See chapter 1, p.13.

¹³⁸ *Consultations choisies*, vol. 2, p. 455.

printed works, and may have been selected simply because they reflected positively on the physician.

Epilepsy – examining therapeutic options and rationales

Examining this disease provides the opportunity to demonstrate the interplay of therapies in a clearly defined disease and how they were related to contemporary medical theory. As was pointed out in the introduction to the thesis, the selection of sub-categories for analysis is not easy. In the case of epilepsy, the disease was not problematic in some ways as epilepsy was clearly identified and named consistently in all cases. The analysis of medicaments is somewhat more difficult. The prescriptions written for treatment were not succinct; on the contrary as will be shown, they were mixtures of individually active substances.

Consultations for patients with epilepsy have been examined in some depth, though not exhaustively, in particular to examine whether the letters support the Hippocratic notion of idiosyncrasy, and whether there was a degree of consistency in the way this construct was addressed. Was any uniformity in the treatments offered for a specific disease and if variance was exhibited what was the basis for it? The following analysis employs twenty-nine epistolary consultations specific to epilepsy over the period 1719-1750; dates are unavailable for five of the consultations.¹³⁹ They involved eleven named consulting physicians of whom ten were trained in Montpellier and one in Paris; the training location of the remaining three is unknown.

There were a number of reasons for selecting this disease over others. Firstly, although all therapeutic remedies of the period tended to be by way of mixtures of substances, in this case there was sufficient simplicity to enable comparisons to be made in the choice of the major medicaments by the different practitioners. Secondly, perhaps due to some particularities of epilepsy, there are some unusual treatments proposed. Finally there were

¹³⁹ A further three cases were identified, but excluded as the word epilepsy was not included in the consultation to avoid retrodiagnosis.

questions as to whether or not it was hereditary, an issue of public interest as well as potentially impacting on medical treatment.

Epilepsy had been categorised as a disease entity for 5000 years or more. Hippocrates contended that it was a disease of the brain.¹⁴⁰ His comments that the disease was neither divine nor sacred indicate that such a postulate was considered in his day. Whilst that perspective was not completely lost over time, the disorder became engulfed by the metaphysics typical of the Middle Ages.¹⁴¹ Sachiko Kusawawa has said that in the late medieval period epilepsy was 'widely held to be caused by demonic possession'.¹⁴² Wilfrid Bonser in his study of Anglo-Saxon medicine made a similar contention.¹⁴³ On the other hand in Faye Getz's translation of the writings of Gilbertus Anglicus this disease is expressed in humoral terms:

'[epilencie] cometh of a moist humour that fulfilleth thilke placis of the hede that shullen be voyde, and stoppith the hyndre parte of the hede ther-as is the begynnyng of the sekeness, and feblith the senewis.'¹⁴⁴

¹⁴⁰ Hippocrates, *On the Sacred Disease*, trans. Francis Adams, 1849.

classics.mit.edu/Hippocrates/sacred.html. Hippocrates stated that 'It is thus with regard to the disease called Sacred [epilepsy] it appears to me to be nowise more divine nor more sacred than other diseases, but has a natural cause from the originates like other affections. Men regard its nature and cause as divine from ignorance and wonder, because it is not at all like to other diseases. And this notion of its divinity is kept up by their inability to comprehend it, and the simplicity of the mode by which it is cured, for men are freed from it by purifications and incantations. But if it is reckoned divine because it is wonderful, instead of one there are many diseases which would be sacred; for, as I will show, there are others no less wonderful and prodigious, which nobody imagines to be sacred.' Indicating that as far back as ancient Greece there was a perception that epileptics were in some way special.

¹⁴¹ There were no less than 37 saints whose intercession could be sought for epilepsy. See Brockliss and Jones, pp. 74,133 and 161-163 for examples of some of the many 'cures' proposed from amulets of elk's horns and charms of peony roots to medicaments containing human skull shavings from hanged men. Jean Astruc recommended the use of skull for the treatment of epilepsy in children. Jean Astruc, *A General and Complete Treatise on all the Diseases of Children from their Birth to the Age of Fifteen*, London, n.p., 1766, p. 138.

¹⁴² Sachiko Kusawawa, 'Medicine in Western Europe in 1500', in Peter Elmer (ed.), *The Healing Arts: Health, Disease and Society in Europe, 1500-1800*, Manchester, Manchester University Press, and The Open University, 2004, p.19.

¹⁴³ Wilfrid Bonser, *The Medical Background of Anglo-Saxon England: A Study in History, Psychology and Folklore*, London, The Wellcome Historical Medical Library, 1963, p. 257. 'Mental disease was usually regarded by the Anglo-Saxons ... as the result of possession by the devil. ... Epilepsy ... comes under this category.'

¹⁴⁴ As cited in Chapter 1 of the Middle English Gilbertus Anglicus (Wellcome MS 537), in Faye Getz (ed.), *Healing and Society in Medieval England: A Middle English Translation of the Pharmaceutical Writings of Gilbertus Anglicus*, Madison, The University of Wisconsin Press, 1991, p. 20.

This mirrors Galen's explanation for epilepsy as an accumulation of a cold and viscous humour in the brain cavities.¹⁴⁵ Even though epilepsy had been medicalised by the seventeenth century, it remained a problematic condition for physicians as to whether or not it was hereditary.

To what did eighteenth-century physicians attribute its cause? François Boissier de la Croix Sauvages classified epilepsy as 'a spasmodic, irregular movement and intermittently chronic disease'.¹⁴⁶ In all the cases examined, there was reasonable consistency, in essence, that it was the result of excess blood reaching the brain and causing pressure. This in turn was due to poor digestion. In consequence treatment was aimed at both adjusting the amount and free flow of the blood, and improving the digestion. A typical explanation was given in 1725 by Antoine Fizes for a young woman:

[h]er character which is on the side of melancholic, little by little slows down the digestions and they reduce all the movements that serve to distribute the fluids. By which they reach an exhausted state. What is more due to the same cause, the fibres of the brain remain too tense, and the flow of the blood is found a little hampered in the tissue of these viscera; so that the blood vessels in the brain are forced little by little, so that they find themselves exposed more and more to the engorgements which precede the attacks that become more frequent over time.¹⁴⁷

¹⁴⁵ Temkin, *Galenism*, p. 173.

¹⁴⁶ François Boissier de la Croix Sauvages, *Nosologia methodica sistens morborum classes, genera et species, juxta Sydenhami mentem et botanicorum ordinem*, Amsterdam, Frères De Tournes, 1763, vol. 4, p. 105. 'maladie spasmodique, chronique, et chronique intermitente'. Science historian Mary Matossian has suggested that many cases of convulsions were wrongly diagnosed as epilepsy which should have been attributed to ergotism. In the cases examined in this thesis no instance of spasms has been encountered which implicated grain or specifically ergotism which was a recognised condition at the time. Mary Matossian, 'Mold, Poisoning and Population Growth', *The Journal of Economic History*, vol. 44, no. 3, Sept. 1984, pp. 669-686.

¹⁴⁷ *Consultations choisies*, vol. 6, pp. 334-335. 'Son caractere d'esprit qui se porte du côté de la mélancolie ont peu à peu ralenti ses digestions, et ont tendu languissans tous les mouvemens qui servent pour la distribution des fluides. Par là ils ont contracté un état d'épaississement De plus, par ces mêmes cause les fibres du cerveau se sont accoutumées a demeurer tendues, et le cours du sang s'est trouvé un peu gêné dans le tissu de ces viscères; par-là les vaisseaux sanguins du cerveau ont été forcés peu à peu, en sorte qu'ils se trouvent à présent exposés de plus en plus aux engorgements d'où procèdent les attaques qui deviennent plus fréquentes depuis quelque tems.'

Such an explanation led to medication being employed to improve the state of a patient's digestion, and phlebotomy to reduce the volume of blood.¹⁴⁸ On the other hand, Jean Astruc explained the primary cause differently:

[i]n general the primary or immediate cause consists in the unequal and violent influx of the animal spirits ... this ... proceeds from two causes the irregular impulse of the spirits, by the impressions made on some parts of the body or ... their irregular reflux by the oscillations of the arteries of the brain'.¹⁴⁹

Astruc's theorising is interesting because it shows that the centuries-old idea of the involvement of animal spirits in bodily functioning was still being deployed (Astruc's original manuscript was dated 1747), juxtaposed with his use of iatromechanical concepts in the words reflux and oscillations. This is different to that given in the cases which have been analysed here, including those in which Astruc was involved. This exemplifies the kind of dilemma that the medical theorist faced in the eighteenth century, whether to abandon long-held constructs of bodily functioning for the new or to somehow try to integrate them.

Some physicians contended that epilepsy was hereditary, others that this was the case only if attacks occurred after the age of twenty-five. As is shown in Table 7.6 a hereditary factor was commented on in 36% of the cases examined. The specific age in terms of the curability of epilepsy stemmed from the Hippocratic Aphorisms, 'Those cases of epilepsy which come on before puberty may undergo a change; but those which come on after twenty-five years of age, for the most part terminate in death.'¹⁵⁰ Jacques Lazerme and Pierre Rideux (fl.18th. C.) declared that because 'the patient had not reached the age of twenty-five the epilepsy was not hereditary'.¹⁵¹ Antoine Deidier went further than the other consultants encountered in this study, giving an explanation for this age-related factor:

¹⁴⁸ For example *Consultations choisies*, vol. 9, p. 108, 'de diminuer le masse du sang.'

¹⁴⁹ Astruc, *A General and Complete Treatise*, p. 126. Yet in the two consultations on epilepsy in which Astruc was involved, such causes were not mentioned.

¹⁵⁰ *Aphorisms by Hippocrates*, trans. Francis Adams, Section 5 no. 7, *eBooks @Adelaide2000*.

¹⁵¹ *Consultations choisies*, vol. 9, p.157. 'qui n'ont pas atteint l'age de vingt cinq ans ... qu'elle n'est pas héréditaire.'

It is the case that often epilepsy in infants cures itself perfectly with age but after one has passed the age of twenty-five years, the vessels no longer grow and remain in the same state and then the epilepsy is mentally and physically incurable. The patient being aged thirty-two years must not therefore count on a perfect cure, but we must have in view preventing the frequency and the violence of the attacks in restoring and conserving the digestions and in giving the blood its natural liquidity'.¹⁵²

There was concern that a hereditary factor was involved when in 1750 consultant Jacques Lazerme commented on this condition: '[the cause of epilepsy is] most difficult to destroy, because it seems to us hereditary, since the mother of the patient, and some of his family, suffer habitual headaches, and one of his brothers has attacks of dizziness.'¹⁵³ Lazerme added that it was impossible to cure, but that as the patient was still young, one could hope to reduce the frequency and violence of the attacks.¹⁵⁴ On the other hand a contemporary Montpellier professor, Henri Haguenot, declared in 1729 that epilepsy was not hereditary because his patient was young.¹⁵⁵ As practitioners, even those at the same establishment, held different views on the matter, it would hardly be surprising if patients and their families were uncertain.

If it was hereditary, was it curable? Jean Astruc in his treatise on childhood disease stated that if hereditary it was incurable.¹⁵⁶ Curability was an issue raised by the patients and their local physicians. In the analysis, two instances were declared to be hereditary, nine were specifically said not to be, and no comment on the subject was made in the remaining eighteen. Whether

¹⁵² Deidier, vol. 2, p. 223, 'C'est ainsi que souvent l'épilepsie des enfans se guérit; parfaitement avec l'âge, mais des qu'on a passé l'âge de vingt-cinq ans, les vaisseaux ne croissent plus, et restent dans le même état, et alors l'épilepsie est moralement incurable. Le malade, étant âgé de trente-deux ans, ne doit donc pas compter sur une guérison parfaite; mais l'on doit avoir en vue de prévenir la fréquence, et la violence, des paroxysmes, en rétablissant et conservant les digestions, et en donnant au sang sa liquidité naturelle'.

¹⁵³ *Consultations choisies*, vol. 10, p. 331. '[la cause d'épilepsie est] la plus difficile à détruire, parce qu'elle nous paroît comme héréditaire, puisque la mere du malade, et quelequesuns de sa famille, souffrent des maux de tête habituels, qu'un de ses freres a des attaques de vertige.

¹⁵⁴ *Ibid.*, p. 331. '[il] est impossible à guérir; comme le malade est encore jeune, on peut se flatter de tendre le retour des accidens moins fréquent, et d'en diminuer la violence.'

¹⁵⁵ *Consultations choisies*, vol. 8, p. 342. 'le mal [épilepsie] n'est pas héréditaire que la malade est jeune.'

¹⁵⁶ Astruc, *A General and Complete Treatise*, p. 135.

they considered it curable or not, the consultants always made proposals for treatment of epileptic patients. The ages of the patients in this study, to the extent that they are recorded, shows that seventeen were under twenty-five years of age, as opposed to four who were twenty-five or more.

Consultant	Date	Sex	Age	Hereditary	Bleed	Emetic	Purge	Enema	Opiate	Laxative	Bathing	Mineral waters	Lifestyle & diet
Montagne	1743	M		No	✓	✓	✓		✓	✓	✓		✓
Fizes		M	25		✓		✓		✓	✓			✓
No name		M		No	✓		✓		✓	✓	✓		
Haguenot/ Marcot	1730	M	<14	No	✓	✓	✓		✓	✓	✓	✓	✓
Montagne	1739	M			✓		✓		✓	✓	✓		✓
No name	1740	M	Infant	No			✓			✓		✓	✓
Montagne	1744	M	12	Yes	✓		✓		✓	✓		✓	✓
Fizes	1744	F	6				✓			✓			
Fizes	1725	F	Young 6 to		✓		✓	✓	✓		✓	✓	✓
Chicoyneau/Astruc	1719	F	7	No	✓	✓	✓		✓	✓			✓
Chicoyneau	1724	M	24		✓		✓						✓
Lazerme	1746/7	M		No	✓		✓		✓	✓			✓
No name	1747	M			✓		✓		✓				✓
Haguenot	1729	M	<25	No			✓		✓	✓	✓	✓	✓
Chicoyneau	1730	M			✓		✓			✓	✓	✓	✓
Fizes	1747	M	>25		✓		✓		✓	✓			✓
Lazerme/Rideaux	1749	M	<25	No	✓		✓		✓		✓		✓
Lazerme	1750	M	55	Yes	✓	✓	✓		✓	✓		✓	✓
Lazerme	1750	F	Young		✓		✓		✓	✓			✓
Lazerme/Haguenot/Fizes	1750	M	Young	No	✓		✓		✓	✓			✓
No name & Astruc	1732	F	Young		✓	✓	✓		✓				✓
No Name	1733	M	Young		✓	✓	✓		✓				✓
Deidier	1726	M	17		✓		✓	✓	✓		✓		
Deidier		M			✓		✓	✓	✓	✓			✓
Deidier		M	8		✓	✓		✓	✓	✓		✓	
Deidier		F	36		✓		✓	✓	✓				✓
Chicoyneau, Deidier & Serane	1725	M			✓		✓			✓	✓	✓	✓
Le Thieullier	1741	M	<13		✓		✓		✓		✓		
Le Thieullier	1736	M	20-22		✓		✓		✓	✓	✓	✓	
29 cases, 6 Female 23 Male % of cases					90	24	97	17	83	69	41	34	79

Table 7.6 Summary of epilepsy analysis

Table 7.6 lists cases of epilepsy which have been analysed. It shows details of the gender and age of the patient as well as who the consultants were and the

date of the consultancy to the extent that they are known and the various treatments proposed.

The first notable point in this table is that there are twenty-three cases involving males to only six concerned with females. This may be due to chance as the sample is small; however, it may reflect either a greater actual incidence in males or a greater concern for its incidence in men than in women, or, more particularly, boys than girls. No suggestion in either the correspondence or contemporary texts has been found to suggest that males were more likely to suffer from epilepsy than females.

The data generally confirms the conclusion drawn in the previous chapter that, in line with humoural theories, evacuative processes were the dominant form of treatment; epilepsy was no exception. Likewise, there were few exceptions to calls for adjustments to be made to the non-invasive therapies of diet and lifestyle; the non-naturals were a significant consideration in the consultations.

As an excess of blood was thought to be the primary cause of epilepsy, treatment by bleeding the patient, which was recommended in all except three cases, two of which were infants, is hardly surprising. The location from which blood was drawn was mostly the feet, sometimes the arms; in three instances the jugular was the preferred site.¹⁵⁷ That the site from which blood should be drawn was specified is normal, even if as was pointed out in chapter five this contradicts the logic of the circulation of the blood. The three instances of taking blood from the jugular suggest that perhaps credence was being given to reducing the amount of blood close to the perceived site of the problem, the brain. However one consultant was emphatic that the most appropriate location in this disorder from which to take blood was the feet.¹⁵⁸

The volume of blood taken was inconsistent within the sample. In some instances there was simply a call for a 'good bleed', in others there were

¹⁵⁷ Ibid., p. 353 and Le Thieullier, vol. 1, p. 68.

¹⁵⁸ Chirac and Silva, vol. 2, p. 318. 'Celle [la saignée] du pied est sans contredit la plus appropriée à votre maladie [épilepsie]'

multiple bleedings, such as twice from each foot over two days. When specified the volume to be taken ranged from six to twelve (fluid) ounces, or, in one instance the figure was to be two *palettes* which would equate to about eighteen ounces of blood.¹⁵⁹ The lack of specificity on the amount of blood to be taken not only prevents numerical analysis in this thesis, but perhaps more importantly, implies that the consultants were for the most part content to leave to the judgement of the local practitioner, whether physician or surgeon.¹⁶⁰ When the volume to be drawn was nominated, this is consistent with the general observation that their instructions were to be followed exactly. Epilepsy was no different to other disorders in calling for blood-letting, but the rationale was explained in the consultations, where in many other diseases this was not the case.

Purging was suggested in all except one case and invariably was to commence the day after bleeding. The explanation for this delay was to allow the patient to rest. Seven of the purges, that is, somewhat less than half, were preceded by the use of an emetic. In one instance this was ipecacuanha, the remainder employed the antimonial, tartar emetic.¹⁶¹ In seven instances this emetic was included with components that were also bowel purgatives. The use of emetics as compared to bleeding and purging is less consistent and may be a reflection of doubts over the advisability this procedure in diseases of the head.¹⁶² However Montagne in a 1743 consultation explained his use of an emetic because: 'the digestions had been disturbed in such a manner as to cause a putrid or malign fever which give rise to attacks of convulsive or

¹⁵⁹ Astruc, *A General and Complete Treatise*, pp. 126-140. Astruc's bleeding recommendations included the use of leaches, a method which has not been encountered in any of the letters examined for any disorder.

¹⁶⁰ For example, Ramel, p. 154, 'Nous consions ... l'administrations à M. A. Chirurgien ordinaire'.

¹⁶¹ Although the latter is not used today as an emetic, it was up to the twentieth century and by comparison, the doses suggested in the consultations are very high.

¹⁶² *Encyclopédie méthodique, chirurgie, par une société de médecins*, Paris, H. Agassi, An VII. p. 775. By the 1790s physicians were being warned of the potential dangers of using emetics in cases of disorders to the head, because the shock could cause death. There is however no correlation between use of emetics and date of consultation.

epileptic movements'.¹⁶³ This was a typical description of using evacuative medicines to remove unwanted humoural matter.

The purges employed in *Consultations choisies* are shown in Table 7.7 and were based on senna and manna in 92% of the consultations; rhubarb was a component in 52% of cases, *fleurs de pêcher* in 38% and *sel végétal* in 31%.¹⁶⁴

Table 7.7: Frequency of use of individual purgatives in cases of epilepsy

<u>Ingredient</u>	<u>Frequency (n)</u>
Senna (purgative)	11
Manna (purgative)	14
Rhubarb (purgative)	15
Tamarin (mild laxative, diuretic and diaphoretic)	4
Sel végétal (purgative and diuretic)	9
Fleurs de pêcher (purgative and diuretic)	11
Tartar emetic (purgative/ emetic/diuretic)	7

The use of combinations of these purgatives was justified on the basis that individually they had different efficacy in removing different humours.¹⁶⁵ Thus, somewhat oversimplifying, the amount of the four humours could be altered by the administration of purges (black bile and phlegm), diuretics (yellow bile), diaphoretics (phlegm) and of course the blood by phlebotomy. These purgatives had been, with the possible exception of tartar emetic, in use for hundreds of years.

¹⁶³ *Consultations choisies*, vol. 5, p. 199. 'les digestions ont été dérangées d'une maniere à causer la fièvre putride ou maligne, et à donner lieu ... attaques de mouvemens convulsive ou épileptiques.'

¹⁶⁴ Sel végétal was composed mostly of potassium tartrate. *Fleurs de pêcher* was added to purge the body of urine, i.e. a diuretic. A range of other components were added. One of the more unusual substances employed was Agaric otherwise known as *Polypore de Méléze* (*Boletus larius* L.) by Le Thieullier in both his purges. This fungus was regarded as a violent purge to be used with great caution. See Nicholas Addon et Jules Béclard, *Dictionnaire de médecine*, Paris, chez Béhet jeune, 1821, vol. 1, pp. 380-381.

¹⁶⁵ Lemery, *Pharmacopée universelle*, p. 2. Lemery divided purgatives into cathartics, emetics, diaphoretics and diuretics.

On the other hand there was no consistency of dosing, which indicates, bearing in mind the majority of the consultants were Montpellier-based, that the consultants were not simply following a common pharmacopœia. The most marked variation amongst the formulae was in the level of tartar emetic prescribed, which ranged from one to eight grains. Even an individual consultant was not following a formula, a finding consistent with the view that cures had to be tailored to the individual patient. The majority of purges were taken in two doses, the second two or three hours after the first, which was always the case when the first dose included a vomitant. This appears to be a standard practice when purging.

The other common forms of medication were the use of laxatives and opiates. Purging was followed by mild laxatives, mostly in the form of a *petit-lait* over periods of many days.¹⁶⁶ Besides their purging properties, tamarin, *sel végétal* and *fleurs de pêcher* were diuretics and *fleurs de pêcher* was additionally a diaphoretic. In total sixteen of the proposed treatments included diuretics and diaphoretics. Whilst this indicates a significant level of consistency in the medicaments employed, these particular substances were the most commonly employed purgatives of the period irrespective of the disease being treated. This form of treatment was again consistent with the humoural theory.¹⁶⁷ It should be noted that recommendations for the taking of mineral water was limited, perhaps because many of these also acted as purgatives. Opiates were part of the treatment in 83% of the cases, in keeping with the lifestyle recommendation that the sufferers should maintain a quiet lifestyle. Jean Astruc said of their use in epilepsy: '[they] not only relax and embrace the fibres of the brain, but produce grateful and pleasant dreams.'¹⁶⁸ They were being use prophylactically rather than as an immediate post-attack treatment.

Lifestyle issues were addressed in twenty-three of the cases (79%), as was common throughout the period for most ailments. It was suggested that

¹⁶⁶ *Petit-lait* was typically prepared by clarifying goat's milk with the white of egg but other active ingredients could be added to it.

¹⁶⁷ For a more detailed discussion of the different purgatives see Roger Teyssou, *Quatre siècles de thérapeutique médicale du XVI^e au XIX^e siècle en Europe*, Paris, L'Harmattan, 2007. pp. 71-76.

¹⁶⁸ Astruc, *A General and Complete Treatise*, p. 111.

epileptics should lead a quiet life with some exercise, walking not horse riding. The passions should not be aroused; the [male] patient might be urged to restrain himself within marriage.¹⁶⁹ Dietary restrictions were also recommended, typically the avoidance of spicy foods, wine and fruit. The use of baths was limited to a quarter of the cases, and in all instances this was the domestic, not the public bath.

The data indicates that there were no gross differences amongst the consultant physicians on the treatment offered between male and female patients, neither was there in the type of treatment offered on the basis of age, except infants. The use of vomitants is where a difference does emerge. Whilst one case involved the use of ipecacuanha; the remainder used tartar emetic.

The importance of an individual's temperament was part of the early modern physician's stock argument in diagnosis and therapy. Thus in the vast majority of the memoirs and consultations examined, temperament is described. These took the form of melancholic, sanguine, phlegmatic, and bilious, linking temperament to the Galenic four humours. What is unusual in the case of epilepsy is that this parameter is given only in a third of the cases; of these nine, seven of the patients were described as melancholic, one as piteous and the last simply as an over-eater. In the Jacques Lazerme and Pierre Rideux consultation referred to earlier, they went so far as to attribute the cause as being due to his temperament, but failed to describe what that temperament was.¹⁷⁰ But in the majority of epilepsy cases, the individual's characteristics did not appear to be shaping therapy choices.

The diagnosis of epilepsy was not always immediate, as in a case on which Pierre Chirac and Jean Astruc gave separate reports. Astruc attributed the cause of the patient's symptoms to fatigue, not epilepsy, and Chirac to the vapours. Another *mémoire* from the *ordinaire* some months later added to the case history and in which the *ordinaire* said he feared the patient, a young female, was going to die. Chirac changed the diagnosis to epilepsy; he made no

¹⁶⁹ *Consultations choisies*, vol. 9, p. 161. 'On l'exhorte à user du mariage avec beaucoup de retenue.' This particular advice was not made to women.

¹⁷⁰ *Ibid.*, p.157.

comment on the *ordinaire*'s fear of the patient dying, making no prognosis.¹⁷¹ As with the case where a parent disputed a diagnosis of epilepsy discussed in chapter four, despite the well-understood symptoms of this disease there was apparently some reluctance to make this definitive diagnosis.

All the cases discussed so far in this section have involved the use of therapies which were typical of the period, bleeding, purging, sedation and the like. Jean Astruc included theriac in list of suitable medicaments for epileptic children.¹⁷² There were instances however in which additional to the conventional treatments others were added which were less conventional. In the first of these, Chirac recommended that the patient's head was to be shaved, and a live pigeon cut open and placed on her head whilst she was having a fit.¹⁷³ The *médecin ordinaire* wrote back advising Chirac that: '[n]othing has worked more quickly than the living pigeon on the head. That remedy has entirely cured her'.¹⁷⁴ Louis Daniel Arnaud de Nobleville proposed a similar treatment for pleurisy. He recommended 'a live pigeon was split lengthwise down the back, placed on the painful side and held with a towel for eighteen to twenty hours until the bad smell obliged its removal.'¹⁷⁵ Reference to this form of treatment has not been found in any contemporary medical dictionaries, highlighting the fact that practices were not necessarily to be found in what were regarded as authoritative texts. Another Chirac consultancy for epilepsy also called for the female patient's head to be shaved, but proposed no treatment to the scalp.¹⁷⁶ Perhaps in this case the purpose was simply to achieve a cooling

¹⁷¹ Chirac and Silva, vol. 2. pp. 365-387.

¹⁷² Astruc, *A General and Complete Treatise*, p.137.

¹⁷³ Chirac and Silva, vol. 2. p. 372. 'On sera raser la tête de la malade, sur la sommet de laquelle on mettra, lorsqu'elle sera menacée de son accès, un pigeon ouvert vivant'.

¹⁷⁴ Ibid., pp. 382-383. 'Rien ne l'a produit plus prompt que le pigeon vivant sur la tête. Ce remede l'a guérie entierement'.

¹⁷⁵ Arnaud de Nobleville, p. 8. 'On prend un Pigeon vivant, que l'on fend par le dos suivant sa longueur; on le met ensuite tout chaud sur le côté douloureux, le maintenant avec un compresse et une serviette, et on l'y laisse dix-huit ou vingt heures, jusqu'à la mauvais odeur oblige de l'ôter. 'There is a Jewish tradition of using pigeons as a means of drawing a patient's illness. 'In more recent times, pigeons have been placed on the abdomen of jaundiced patients to transfer the illness to the pigeons and facilitate recovery of the patient. Fred Rosner, *Complementary Therapies and Traditional Judaism*, vol. 66, no. 2, 1999, pp.102-105.

¹⁷⁶ Ibid., p. 300-309. 'La malade doit se rassurer sur la crainte.'

effect. This might be compared with a treatise on epilepsy by Louis Guyon that recommended one shave the head and place on it the astringent oxyrhodin.¹⁷⁷

In 1741 Le Thieullier in dealing with a child he diagnosed as suffering from *épilepsie prochaine* also introduced some seemingly unusual therapies.¹⁷⁸ Like Chirac, he recommended shaving the head, which was to be treated with an ointment containing peony, a plant with magical connotations.¹⁷⁹ But he used other less conventional medicaments. The opiate he proposed also contained peony, theriac, powdered human skull and stag's horn. He also proposed a tisane which included betony. The literature of the period mentioned a number of specifics for treating epilepsy, including betony, peony and staghorn.¹⁸⁰ Two were encountered in the consultations; the first was peony, in the case above. The second was staghorn which 100 years after Guyon and in the nineteenth century was still being referred to as a specific for epilepsy, but by then regarded by some physicians to be useless.¹⁸¹ Le Thieullier had held out little hope of effecting a cure and perhaps he was trying all the known remedies in the hope that something would work.

These treatments which are unique amongst the totality of the consultations which have been examined for the whole thesis, suggest that some other *mentalité* is involved. They are more in keeping with an earlier

¹⁷⁷ Louis Guyon, *Le Cours de medecine en françois contenant le miroir de beauté et santé corporelle*, Lyon, chez Daniel Gayet, 1673, vol.1, p. 58. 'puis on rasera la teste, et lui sera oincte d'oxirhodin'. Oxyrhodin was a mix of oil of roses and vinegar of roses. Louis-Jacques Bégin et al., *Dictionnaire des termes de médecine, chirurgie, art vétérinaire, pharmacie, histoire naturelle, botanique, physique, chimie, etc.*, Paris, Crevot, Béchet, Bailliére, 1823, p. 440.

¹⁷⁸ Le Thieullier, vol. 2, pp. 378-385. The term *épilepsie prochaine* does not appear in any of the medical dictionaries of the period which have been examined. It was perhaps one of those cases where the physician was reluctant to immediately diagnose epilepsy.

¹⁷⁹ Teyssou, *Quatre siècles*, p. 97, has referenced betony as an ancient panacea with medicinal and magical properties with specific use as a cure for epilepsy and in Teyssou, *Dictionnaire mémorable des remèdes*, p. 218 that peony's special powers were because the male plant flowered in moonlight. In Une Société de Médecins et de Chirurgiens, *Dictionnaire des science médicales*, vol. 42, 1820, p. 546, powdered peony (under its alternative name of pivoine) was described as 'un ingrédient banal de toutes les poudres ... antiépileptique vantes à diverse époques par le charlatanisme'.

¹⁸⁰ Jean Astruc, *A General and Complete Treatise*, p. 136.suggested betony was 'useful in cases of seizures'.

¹⁸¹ Une Société de Médecins et de Chirurgiens, *Dictionnaire des science médicales*, vol. 4, p. 441. 'On regardait cette poudre [corne de cerf] comme un remède souverain contre épilepsie ... L'Expérience a prouvé son inutilité.' *Encyclopédie méthodique, médecine, par une société de médecins*, vol. 5, 1813, at p. 184 categorised the use of human skull as 'credulity, ignorance, prejudice and charlatany'.

period with what appears to be a reversion to occult medicine and the notion that epilepsy was regarded as a special disease and that epileptics were special people.¹⁸² Yet they came from learned physicians not from charlatans. It is noteworthy that in the section on epilepsy Jean Astruc's treatise on the diseases of children made no suggestions for head shaving or other seemingly unorthodox treatments.¹⁸³

The case study shows that to varying degrees all the traditional tools available to the physician were employed in the treatment of epilepsy. Although based on a small sample, the analysis demonstrates that there was little variance in the methods used for treating patients for this disorder. The exception was in the dosage levels of tartar emetic when employed. Despite claims that personal factors had to be taken account of in providing therapy, the relevant information was provided only in a minority of the cases. If this factor was vital, it puts a question mark against the value of the printed consultations as guides for less experienced practitioners which was one of their claimed purposes. This study has also highlighted the problem of hereditary diseases, which was a contentious subject during the period but one of import to patients, their families and physicians. Whether the epilepsy was deemed to be hereditary or not, or if it were curable beyond the age of twenty-five, made no great difference to the treatments proposed. The injunction that the disease was incurable beyond the age of twenty-five seems to have been generally accepted. Perhaps the most curious feature of the treatments was the use of live pigeons and some of the components described in Le Thieullier's medications which collectively appear to stem from a much earlier time period. Susan Broomhall for example has shown that in 1578 when an Angevin healer Jeanne Lescallier was accused in court of engaging in witchcraft, a part of the allegation made against the woman was a treatment which included the use of a live crow and a man's brain. Her accusers, the Angers' medical fraternity, evidently did not consider this as falling within regular medicine.¹⁸⁴ Yet nearly

¹⁸² See Mervyn Eadie and Peter Bladin, *A Disease Once Sacred: A History of the Medical Understanding of Epilepsy*, Eastleigh, John Libby and Company, 2001, pp. 166-167.

¹⁸³ Astruc, *A General and Complete Treatise*.

¹⁸⁴ Susan Broomhall, *Women's Medical Work in Early Modern France*, Manchester, Manchester University Press, 2004, p. 115. For still earlier attitudes towards and cures for epilepsy see Bonser, pp. 257, 346 and 415.

two hundred years later much the same treatments are being employed and in one case at least, claimed success.

Recapping, despite new theories being propounded to explain the way the body worked or became diseased, when it came to treatment, practitioners fell back on the humoral basis they had employed for centuries. The weapons at hand were chiefly phlebotomy, purging and enemas and adjustment to the patients' lifestyle. As to medicaments there were very few new substances introduced and few of these were particularly significant in combating disease for example, Epsom salt was just another purgative. Ipecacuanha was another emetic, although it also had specific use in the treatment of dysentery.¹⁸⁵ Letters from *ordinaires* and consultants are consistent with the views of historians quoted in the introduction to this chapter; the contentions of Temkin and of Halioua, of Brockliss and Jones, that the therapeutic armamentarium through the eighteenth century differed little to that of the preceding centuries, is largely confirmed.

There was little change in the therapies offered over time. The analysis indicates that there was a reduction in the use of polypharmaceuticals such as the time honoured theriac, although, it should be pointed out that it was extremely rare for any substance to be employed on its own, most were mixtures, though not of the complexity of theriac. An increase in attention to the non-naturals including the prescribed use of mineral waters was evident. New physiological theories such as iatromechanics did not change the nature of the therapy physicians proposed, however, the role of the non-naturals, such as sleep, food and drink, were at times explained with mechanical metaphors as was shown in chapter 5.¹⁸⁶

Significantly, there appears to be a mystical component about some of the proposed treatments encountered which defies Elizabeth Williams' contention that eighteenth-century French physicians saw their medicine as 'rigorous, genuinely scientific and informed by sound method and not affected

¹⁸⁵ Ramel. He employed ipecacuanha, as an emetic at p. 272, and to treat dysentery at p.188.

¹⁸⁶ See Chapter 5, pp. 181-182.

by superstition.’¹⁸⁷ It has been shown that some of these treatments proposed in the consultations were regarded by some of their contemporaries as lacking a sound foundation.

At the same time there are gaps in the knowledge of today’s historian. If say, a herb was to be collected at a specific time in the month, was this because experience told them that this resulted in a more efficacious product, or was it simply folk-lore? This is an unknown, the answer to which is not found in the correspondence. It is true that as has been pointed out, occasionally concern could be raised about the quality of an apothecary’s stock. Perhaps for most of the products which did contain active substances the difference between therapeutic and toxic doses was large.¹⁸⁸ But there was no effective method known for providing a standardised product where biological materials were concerned. The risk of killing rather than curing the patient was ever present.¹⁸⁹ What this thesis has shown is that there is scope for further analysis of the epistolary consultation. The large database which has been uncovered presents opportunities to pursue the kinds of analysis which have been explored here on a yet much broader and deeper scale again.

Was there a change in the therapies offered over the period with the introduction of changing theories and new medicaments? There is little evidence to support such a proposition, however, it is noted that in Chapter 5 two descriptions were given where the roles of food, drink and sleep, traditional non-naturals, were expressed in metaphorical iatromechanical terms.¹⁹⁰

The case-study of epilepsy demonstrates that consistency and inconsistency in treatments occurred. It also shows that medications were still in use which did not fit their own notions of what constituted a scientific and rational physician, rather his treatments were traditional and empirical. There

¹⁸⁷ Elizabeth Williams, *The Physical and the Moral: Anthropology, Physiology, and Philosophical Medicine in France, 1750-1850*, Cambridge, Cambridge University Press, 1994, p. 13.

¹⁸⁸ Ipecacuanha. One of the drugs introduced from the Americas is a case in point. In small doses it is an expectorant, in larger doses an emetic and can cause fatalities. The level of alkaloids in the raw product can vary considerably.

¹⁸⁹ Ramsey, *Professional and Popular*, p. 67. ‘[The physicians’ efforts in the eighteenth century] were at best an affront to modesty, at worst a threat to life.’

¹⁹⁰ See chapter 5 pp. 181-182.

was a clear dichotomy in the self-image of the physician and his methods.

There were the ribald attacks portrayed on stage by Molière or pictorially as in the enema painting shown in this chapter. In contradiction to this, the patients for whom such images were created sought out and paid for the advice of men who they knew would propose such treatments. Perhaps in health their mirth could be sustained, but in sickness and pain, hope for relief overcame their prejudices.

Conclusions

This thesis has examined the practice of medical consulting by letter in the last half of the seventeenth century and the eighteenth century. The existing literature indicated that it was a widespread practice in Europe, but provided very little evidence of its occurrence in France. As a result of extensive searching a collection of approximately 2500 examples has been uncovered as manuscripts and printed texts. The number of individual practitioners who provided consultations has also been found to be substantial, with around 100 individuals identified. It has been shown that surgeons as well as physicians provided written consultations, adding a facet to the topic that other scholars in the field have not studied.

The patients seeking advice have been identified as largely coming from the upper social classes of French society, though seldom from the higher reaches of the aristocracy. The majority of the consultations have been the work of elite physicians practising mostly in Paris and Montpellier, the locations of the two principal schools of medicine. Indeed many of them held professorial chairs at these institutions. The surgeons providing written consultations were renowned in the field and held significant positions within the surgical establishment. In addition, a number of consultations have been located which originated from physicians practising in small French towns. The evidence strongly supports the idea that patients sought the advice of a distant elite consultant because they had failed to obtain relief from their local advisor.

The correspondence shows clearly the significance of the *médecin* and *chirurgien ordinaires* as primary sources of medical services. The literature suggests, and the letters demonstrate, that surgeons at a local level in country areas were extensively involved with addressing non-surgical ailments of their patients. Notwithstanding the theoretical hierarchy that supposedly ruled in official medicine, with the physician deemed superior to the surgeon, the *chirurgien ordinaire* provided a vital community service. It can be argued that requests from surgeons suited the elite physicians, as they were perhaps more likely to need and be willing to seek expert advice.

The identification of who wrote the *mémoires* asking for advice has been shown to be unclear in many of the cases. What must have been a deliberate policy of excluding names from letters in either direction presents difficulties for the historian. It is often only slight changes within most of the *mémoires* that provide clues as to whether the author was the patient or an *ordinaire*. Patient anonymity, observed in manuscript as well as printed material, was found to be increasingly evident from the seventeenth through the eighteenth century; even though it has been suggested that this practice had its origins in late-medieval Italian universities. This in particular has made it difficult to analyse the sources in the context of the relative social standing of the correspondents.

The nature of the illnesses for which patients sought help was wide, but invariably of a chronic nature, as acute diseases were not deemed suited to consultation at a distance. It has been shown that often the patients had suffered for long periods of time before 'expert' advice was sought. That is not to say that they had necessarily suffered in silence. There is no shortage of evidence that patients sought help from other physicians and surgeons before seeking the help of an elite physician, furthermore, the *mémoires* reveal time and again that they also turned to the empiric for treatment. Such interventions gave both *ordinaires* and consultants 'unauthorised' individuals whom they could blame for a patient's worsening condition. Empirics represented commercial competitors to the recognised practitioners of all levels. The letters have revealed some information on the question of the cost of this kind of medical service, and how it might compare with the level of charges made by empirics. The consultant offered advice, the empiric invariably sold product. Such evidence of empirics' charges uncovered showed substantial variance, whereas indirect evidence of the physician's charges show greater consistency.

The correspondence involved was not only between patients, or their *ordinaires*, but also involved third parties, particularly family members. Examples where parents were concerned with the health of their children were to be expected, as were letters which involved spouses. In addition more distant relatives and friends were found to be involved in seeking expert advice on a patient's behalf. A specific study of the correspondence related to venereal

disease was used to exemplify the interplay of relationships between patients, their families, third parties such as wet nurses, and the practitioners. This was an area of medicine which impacted beyond the immediate patient. The treatment proposed for men and women differed little, however it was men who were perceived to have introduced the diseases into the household. The expert advisors addressed the medical side of infection, but did not altogether recoil from making moral judgements on their male patients, although they implied that infected immoral women were the underlying cause of the problem. Many examples were encountered in which women were receiving consultations for venereal disease, particularly *la vérole*, when the consultant advised that the husband should be treated as well - a proposal not always accepted.

As advisors, consultants hoping to impose their authority over a patient were reliant on the rhetoric they used in their letters, and any influence of the *ordinaire*. The question of authority, and its corollary power, is one which directly and indirectly appears throughout this thesis. Who had authority over whom and on what basis it was claimed is a constant undercurrent. It has been shown, that although leading physicians and surgeons had knowledge as an authority base; in reality their authority was very limited with respect to the patients. In a letter the physician could only advise and propose; he was in no position to exert his will on to the patient. Ultimately it was the patient who decided whether to accept some or all of the advice given. Furthermore, ever present were the alternative suppliers of medical help like the empiric to whom the patient could turn for help.

Medical historians have made frequent forays into the topic of the disputation between French surgeons and physicians during the early modern period and how these became more intense during the eighteenth century. The politico-legal wrangling and the public paper war it generated were outside the scope of this thesis, however the correspondence reveals clear evidence that the two sides co-operated with each other to a significant extent on a daily basis. For the elite consultants the *chirurgiens ordinaires* were a source of paying patients, the *ordinaires* stood to gain through improved knowledge and providing their patients access to expertise. The *médecin ordinaire* was in much

the same position. However, by having to resort to another, albeit expert physician, he jeopardised his standing in the eyes of his patient. The consultations have shown that as a rule, the experts were supportive of the *ordinaires*; they more often criticised the patients.

The basis of the consultant's authority was essentially that of claimed superior knowledge. Yet as has been shown the foundation of his proposals in the vast majority of cases was Hippocratic-Galenic theory, which had been employed for centuries and was well-known to the educated patient. Limited evidence is displayed in the consultations that chemical and mechanical explanations for bodily function were employed, but even then it was in combination with the familiar humoral theory.

New theories to explain bodily functioning were introduced but it has been shown through the evidence of the correspondence that while many practitioners clearly thought as eighteenth-century individuals, others were still by training and inclination stuck in the seventeenth century.

The theories of medical practitioners were perhaps of limited if any interest to the suffering patient. It was a cure or amelioration from whatever ailed them that mattered. The thesis has examined in detail how patients perceived their bodies, its functioning and malfunctioning and what constituted health. These perceptions appear not only in their own letters, but also through the way they described symptoms to the *ordinaires*. Patients seldom attempted to diagnose the cause of their ailments, and even *ordinaires* appeared to show some reluctance to do so. That was a role for the consultant, what is perhaps surprising is that consultants very rarely attempted to give anything other than a superficial prognosis.

The patients' descriptions of their ills have been illustrated by analysis of cases of melancholia. A seemingly complex set of symptoms which arose frequently amongst the consultations; this illness appeared under a variety of interchangeable names. Whereas the physicians saw it essentially as due to a disordered digestive system, patients constantly reported a bewildering plethora

of symptoms affecting all parts of the body. Patients often saw themselves in a life-threatening condition, whilst the consultants did not. It was a surgeon and an apothecary who suggested that melancholia was not so much a physical disorder but more to do with an attitude of mind.

Finally the focus of the thesis turned to the all important issue of therapy; after all, what the patient wanted was relief. The therapies offered were seldom different from those that had been employed for centuries. Returning to the Hippocratic-Galenic medicine of old, the consultants followed the long-established paths of bleeding, and purging, sometimes accompanied by medicaments to relieve pain. They commended their patients to adjust their diets and their lifestyles in Hippocratic fashion. Bleeding was commonplace but not as consistently as the literature would suggest. Analysis of the correspondence has made it possible to put some figures to the extent to which this practice was employed which indicate significant differences between individual physicians. The other mainstay of early modern treatment, that of purging, has also been enumerated and the data indicates that previous scholarly assumptions about its ubiquity were correct.

To what extent did proposed treatments meet the patients' expectations and what evidence is there in the correspondence as to their perceived efficacy? The letters provide some answers, mostly of a positive nature.. Examples have been quoted that demonstrated patients' health being improved, even restored. However, that interpretation has to be treated with some caution. In the first place, advice of improvements are for the most part to be found in printed sources rather than in manuscript, and one has to question to what extent failure would have been published in books of consultations of the kind examined here.

Consideration of therapy led to the final case study employed, that of epilepsy. This disease has been used as a basis for obtaining a quantitative analysis of the various methods of treatment which were available and the medications proposed by the physicians. The evidence is that there was a considerable degree of consistency in both diagnosis and choice of therapies

across a number of different physicians. A stand-out feature of the epilepsy cases was the use, albeit in a minority of cases, of procedures and therapeutics which ran counter to the notion that the eighteenth-century physician followed a rational scientific philosophy. The prescription of disembowelled birds and human skull let alone plant material with mystical properties seem redolent of another age.

Epilepsy also served to introduce the topic of hereditary disorders a subject over which there was discussion but little agreement in the period. The ambiguities in contemporary thinking over how disease could be inherited and just what that meant are evident in the consultations. In the particular case of epilepsy there was a degree of unanimity that it was hereditary, and that whether or not it was curable was age-related.

In summary this thesis has established that there is a substantial amount of material available to the historian to examine in depth the medical practice of consulting by letter. There is sufficient material to analyse both social and medical aspects of the patient-practitioner relationship. There is scope for a closer examination of why medical consultations were printed, seemingly not by the physicians and surgeons themselves but by third parties. The material already in hand provides scope for a much deeper examination of the drugs recommended to more clearly ascertain how they corresponded individually and in combination to contemporary theories. Time simply has not permitted greater numerical analysis of the 2500 plus documents uncovered.

This thesis started out with a chance encounter of the story of sick man and an eminent physician writing to each other in France about the man's illness. My curiosity was aroused by the notion of early modern patients seeking and obtaining medical advice by mail. That inquisitiveness has resulted in a long paper chase through manuscripts and texts, in search of what was driving patients and practitioners. It has led to delving into archives across France which alone has been an extraordinary learning experience. The materials uncovered have been the passports to assembling this work. However the

journey is not over, for in satisfying that curiosity, unfilled spaces have been illuminated and new pathways sign-posted that await exploration.

BIBLIOGRAPHY

Primary Sources

Manuscript

Bibliothèque cantonale universitaire, Lausanne MS 3784, *Samuele-Auguste-David Tissot, Correspondance*.

Bibliothèque de l'Académie de médecine, Paris, Archives de l'Académie de Chirurgie, MS 33. *Observations de médecine et pratique suivres des l'histoire des epidemies de petite verole qui ont paru a Montpellier depuis 1746 jusqu'en 1770 par M^r Chaptal Docteur en médecine de l'université Montpellier*.

Académie de Chirurgie, Paris, MS 33, Folio 137, lettre 5. Letter from Jean-Antoine-Claude Chaptal seeking consent to publish work of Claude Chaptal.

Bibliothèque de l'Académie de médecine, Paris. *Archives de la Société Royale de Médecine*, ipp, d, 18, no.22, Graullaud et Langton, 19 May 1780. Record of letter from MM. Graullaud et Langton, 19 May 1780 regarding fees charged by empirics.

Bibliothèque de l'Académie de médecine, Paris. MS ARC 61, no. 38, 1763. Approbation by M. Housset for Henri-Francois Le Dran.

Bibliothèque interuniversitaire de médecine et d'ontologie, Paris, MS 2075. Recueil de consultations médicales.

Bibliothèque interuniversitaire de médecine et d'ontologie, Paris, MSS
5241/5242/5243/5244, *Correspondance de Geoffroy, médecin
parisien.*

Bibliothèque interuniversitaire de médecine et d'ontologie, Paris, MS 5425.
Recueil de consultations médicales ... d'après Sidobre, Chirac,
Barbeirac, Vergne, ... On y trouve une consultation d'une autre écriture
datée du 1er août 1728, signée de Chirac, etc. -s.l.n.d. [Écriture du
XVIIIe siècle- le manuscrit porte le nom de Jean-Antoine Fatio - 1850].

Bibliothèque universitaire de médecine Montpellier, MS H55G. *Registre des
consultations médicales de François Broussonnet*, Université de
Montpellier, XVIII siècle.

Bibliothèque municipale d'Aix-en-Provence - Méjanes, MS 129. *Recueil des
consultations les plus choisies par M^{rs} les médecins de Montpellier.*

Bibliothèque municipale d'Aix-en-Provence - Méjanes, MS 127. Honoré de
Trimond, et Léon de Trimond, Recueil de toute sorte de remèdes secrets
et receptes, fait et écrit par feu sieur Honoré de Trimond, chanoine et
conseiller clerk à Nismes, et frère de feu sieur Léon de Trimond, avocat
général en la cour des comptes de Montpellier.

Bibliothèque-Médiathèque municipale d'Avignon - Ceccano, MS 3192. *Archives
de la famille d' Athénosy. Recueil de recettes de médecine et de
consultations médicales provenant de François Athénosy et
Normandeau, médecins à Avignon. Les consultations sont signées des
personnes suivantes: F. Athénosy, Barbeyrac, de Montpellier; Brun,
d' Avignon ; Chirac; Cruès, de Nyons; Dassy, de Montpellier;
Fagon, premier médecin de la Dauphine; Falconet, Marcellin, de
Rhodes et Falconet fils, de Lyon; Pierre Favier; J. Gautier, d' Avignon;
Grès; Haguenot, de Montpellier; Antoine Montagnier, de Lambesc;
Nissolle, de Montpellier; Raymond, de Cavaillon; Raymond fils, de
Marseille; Saint-Yves, de Paris. XVIIe-XVIIIe siècle.*

Bibliothèque municipale de Carpentras - Inguimbertaine, MS 1163. *Mélanges de matières médicales, consultations médicales, ordonnance parmi lesquelles figurent les noms des docteurs Calvet, Pamard, Chauffard, Biscarrat, etc.*

Bibliothèque municipale de Colmar, MS 484. *Recueil de remèdes et de recettes médicales. Consultations et correspondance diverses.*

Bibliothèque municipale de Dijon, MS 433. *Dr. Ganiere de Beaune, Consultations médicales.*

Bibliothèque municipale de Nîmes - Carré d'Art, CGM 274. *Antoine Fizes, Traité de matière médicale tant interne qu'externe, par M. Fizes.*

Bibliothèque municipale de Nîmes - Carré d'Art, MS 425, folios 88-89, and 94.
Registre des délibérations du corps des médecins de Nîmes, de 1650 à 1792.

Bibliothèque municipale de Metz, MS 1308-1326. *Manuscrits du docteur Antoine Louis, né à Metz, secrétaire perpétuel de l'Académie de Chirurgie de Paris, chirurgien en chef de la Salpêtrière (1723-1792).*

Bibliothèques municipales de Rennes, MS 172. Recueil de consultations médicales, signé par Demeure, D.M.P.

College of Physicians, Philadelphia, MS 170. Pierre Chirac, reports on the treatment of various ailments recorded by Cuthbert Constable, Montpellier?, ca. 1700-18.

Le Centre d'accueil et de recherche des Archives nationales (CARAN), Séries H, MSS 852 and 2307, *Correspondances médicales.*

Louis, Antoine, Manuscrits, mémoires diverses, correspondance scientifique, etc., 2 vols, 1749-1792. Private collection.

Médiathèque de Lille–Jean Levy, MS. 27. Claude Gonse, *Extrait des leçons de matiere medicales de Mr Fizes, Professeur Royale dans l'Université de Montpellier: ecrire par C. Gonse, etudiant de la meme Université en l'année 1746.*

Médiathèque de Lille-Jean Lévy, MS. 38. Recueil de consultations réunies par le D^r Dehenne.

Printed primary sources

Addon, Nicholas et Béclard, Jules, *Dictionnaire de médecine*, 21 vols, Paris, chez Béhet jeune, 1821.

Albertini, Ippolito, Torti, Francesco, et al., *Clinical Consultations and Letters by Ippolito Francesco Albertini, Francesco Torti and other Physicians*, University of Bologna MS 2089-1, trans. and annotated with an introductory analysis by Saul Jarcho, Boston, Mass., Francis A. Countway Library of Medicine, 1989.

Arnaud de Nobleville, Louis Daniel, *Le Manuel des dames de charité ou formules de médicamens faciles a preparer*, 5^{ieme} edn, Paris, chez Debure l'aîné, 1765.

[Arnault, Guillaume], *Dissertation en forme de lettres sur l'effet des topiques dans les maladies internes, ecrire par un médecin de Paris, à un médecin de Provence*, 5th. edn, Paris, chez Moutard, Paris, 1769.

Astruc Jean, *De morbis veneris libri sex: in quibus dissertur tum de origine, propagatione et contagione horumce affectuum in genere, tum de singulorum natura, aetiologia & therapeia, cum brevi analysi & epicrisi*

operum plerorumque quae de eodum argumento scripta sunt, Paris, n.p., 1738.

—Seconde lettre de M. Astruc, 1717, *Sur un écrit intitulé, seconde mémoire pour les chirurgiens, lettre de M. Astruc*, Paris, n.p., 1737.

—*Traité des maladies des femmes où l'on a tâche de joindre à une théorie solide la pratique la plus sûre et la mieux éprouvée. Avec un catalogue chronologique des médecins qui ont écrit sur ces maladies*, Paris, Cavalier, 1770.

—*A General and Complete Treatise on all the Diseases of Children from their Birth to the Age of Fifteen*, London, n.p., 1766.

Barbeyrac, Charles, 'Une consultation inédite de Barbeyrac', Reproduced by Mirko Grmek in 'Le Néohyppocritisme Montpelliérain au XVIIe siècle: l'énigme Barbeyrac', *110^e Congrès nationale des sociétés savantes, Montpellier, 1985, Colloque sur l'École médicale de Montpellier*, pp. 103-113.

Barthez, Paul Joseph, *Consultations de médecine, de M. Barthez ouvrage posthume de Paul-Joseph Barthez/publ. par J. Lordat*, Paris, Michaud frères, 1810.

Bayle, François, 'Dissertation sur quelques questions de physique et de médecine', in *Ouvrages en relation avec celui-ci, présentation Bayle*, Toulouse, n.p., 1688, pp. 22-23.

Bégin, Émile-Auguste, *Biographie de la Moselle ou histoire par ordre alphabétique des toutes personnes nées dans ces Département*, 4 vols, Metz, Verronais, 1830.

Bégin, Louis-Jacques et al. *Dictionnaire des termes de médecine, chirurgie, art vétérinaire, pharmacie, histoire naturelle, botanique, physique, chimie, etc.*, Paris, Crevot, Béchet, Baillière, 1823.

Bel, Philippe le, *Chirurgie de maître: chirurgien de Philippe le Bel, composée de 1306-1320*. Cited by Édouard Nicaise, *Les Consultations entre médecins au XIV^e siècle*, Bureaux de la Revue Scientifique, Paris, Chamerot et Renouard, 1894.

Berneir, Jean, *Essais de médecine où il est traité de l'histoire de la médecine et des médecins*, Paris, chez Simone Langronne, 1689.

Boerhaave, Herman, *Institutiones medicae in usus annuae exercitationis domesticus*, Lugduni Batavorum, Apud Johannem vander Linden, 1708.

— *Aphorism: de cognoscendis et curandis medicae*, Leiden, n.p., 1709.

— *Boerhaave's Institutions in Physick by which the Principles and Fundamentals of that Art are Dissected and Fully Explained*, trans. Jonas Browne, 2nd edn, London, n.p., 1715.

— *Boerhaave's Medical Correspondance: Containing the Various Symptoms of Chronical Distempers: the Professor's Opinion, Method of Cure and Remedies*, London, n.p., 1745.

— *Des Maladies des yeux par M. Herman Boerhaave le tout traduit du Latin*, Paris, chez Huart et Morceau fils, 1749.

— *Traité des maladies vénériennes: traduit du Latin*, Paris, chez Briasson, 1753.

Bondurand, Edouard, 'Une Consultation de médecins au XVIII^e siècle. Consultations et ordonnance de MM Fizes et Montagne, médecins de

Montpellier 2 septembre 1742, Montpellier', *Nemausa*, 1^{ière} ed., No.1, août, 1883, pp. 120-123.

Bordeu, Théophile de, *Correspondance*, éd. Martha Fletcher, Centre d'étude du XVIII^e siècle de l'Université Paul Valéry, Montpellier, 4 vols, Montpellier, 1977-1979.

—*Œuvres complètes de Bordeu*, ed. par Anthelme le Chevalier Richerand (1779-1840), Paris, chez Caille et Ravier, 1818.

Boyer, Pierre de la Prébandie, *Les Abus de la saignée démontrés par les raisons prises de la nature, et de la pratique des plus célèbres médecins de tous le tems*, Paris, chez Vincent, 1759.

Brambilla, Giovanni Alessandro, *Discours sur la préminence et l'utilité de la chirurgie*, Bruxelles, chez Emmanuel Flon, 1738.

Cabanis, Pierre-Jean-Georges, *Rapports du physique et du moral de l'homme*, Paris, Fortin et Masson, 1843.

Catalogue des livres que composent la bibliothèque de M. Hue de Miromenil, Garde de Sceaux de France, Paris, de Valade, 1781.

Charas, Moyse, *Pharmacopée royale, galénique et chemique*, Paris, chez l'Autour, 1676.

Chirac, Pierre, *Traité des fièvres maligne: des fièvres pestilentiennes et autres*, 2 vols, Paris, chez Jacques Vincent, 1742.

Chirac, Pierre et Jean-Baptiste Silva, *Dissertations et consultations médicales de messieurs Chirac, conseiller d'Etat, et Silva médecin consultant du Roi, et premier médecin de S.A.S. monseigneur le Duc*, 2 vols, Paris, Durand, 1744.

Chambon de Montaux, Nicolas, *Des Maladies de filles*, 2 vols, Paris, Hôtel Serpente, 1785.

Chicoyneau, François, *Lettre de Monsieur Chicoyneau, conseiller du Roi, écrite à Monsieur de la Monière, doyen du Collège des médecins de Lyon, pour prouver ce qu'il a avancé dans ses observations et réflexions touchant la nature, les événements et le traitement de la peste de Marseille et d'Aix, du 10 décembre 1720*, Lyon, chez les Frères Bruyset, 1721.

Chomel, Noël, *Dictionnaire oeconomique, contenant divers moyen d'augmenter et conserver son bien, et même sa santé avec plusieurs remedes assurez et éprouvez, pour un très-grand nombre de maladies, et de beaux secrets pour parvenir à une longue et heureuse vieillesse*, Paris, Le Conte et Montalant , 1709.

Codex medicamentarius sive pharmacopoeia Gallica, editus a facultate medica parisiensi, Paris, Hacquart, 1818.

Consultations choisies de plusieurs médecins célèbres de l'Université de Montpellier sur des maladies aiguës et chroniques, 10 vols, Paris, Durand et Pissot, 1750-1757.

Cotgrave, Randle, *A Dictionarie of the French and English Tongues compiled by Randle Cosgrove*, Reproduced from the first edition London 1611, Colombia, University of South Carolina, 1959.

Culpeper, Nicholas, Abdiah Cole and William Rowland, *The Practice of Physick in Two Volumes, Very Much Enlarged*, Printed by Peter Cole, London, n.p., 1658.

Daremberg, Charles, *Histoire des sciences médicales: comprenant l'anatomie, la physiologie, la médecine, la chirurgie, et les doctrines de pathologie*

générale: depuis les temps historiques jusqu'à Harvey, 2 vols, Paris, J.-B. Bailliere, 1870.

Daviel, Jacques, *Lettre de M. Daviel à M. de Joyeuse, Paris, 1748*. [extract from *Mercure de France*, September 1748]

—*Lettre à M. le marquis de *** sur les opérations de la cataracte*, Paris, n.p., 1751.

Deidier, Antoine, *Consultations et observations médicales de M. Antoine Deidier*, 3 vols, Paris, chez Jean-Thomas Hérissant, 1754.

Descartes, René, *A Discourse for the Well Guidance of Reason and the Discovery of Truth in the Sciences*, printed by Thomas Newcombe, London, 1649, part V, sect. 96-97.

Dezeimeris, Jean-Eugène, *Dictionnaire historique de la médecine ancienne et moderne, ou précis de l'histoire générale, technologique et littéraire de la médecine [texte imprimé] ; suivi de la Bibliographie médicale du dix-neuvième siècle ; et d'un répertoire bibliographique par ordre de matières / par MM. Dezeimeris, Ollivier (d'Angers) et Raige-Delorme, ... , Hagenbut – Robbi*, 4 vols, Paris, Béchot jeune, 1828-1839.

Davach de la Riviere, Jean, *Le Miroir des Urines par l'inspection desquelles on connoît les différens temperamens, les humeurs dominantes, les sièges et les causes des maladies*, Paris, chez Laurent, chez D'Houry, 5^{ieme} edn., 1763.

Dictionnaire de l'Académie française, Paris, Académie française, 1694.

Dictionnaire de l'Académie française, 4th edn, Paris, Académie française, 1762.

Dictionnaire des sciences médicale: biographie médicale, 7 vols, Paris, Panckoucke, 1820-1825.

Dubé, Paul, *Le Medecin et le chirurgien des pauvres*, Paris, chez Edmé Couterot, 1683.

Encyclopédie méthodique, chirurgie, par M. de La Roche et M. Petit-Radel, Paris, Panckoucke, 1790-1792.

Encyclopédie méthodique, médecine, par une société de médecins, 17 vols, Paris, Panckoucke, 1787-1830.

Encyclopédie, ou dictionnaire raisonnée des sciences, des arts et des métiers, par une société de gens de lettres. Recueil de planches sur les sciences, les arts libéraux, et les arts mécaniques, avec leur explication. Paris, Briasson, 1762-1772.

Fauchard, Pierre, *Le Chirurgien dentiste, ou traité des dents*, 2 vols, Paris, Pierre Jean Mariette, 1728.

Féraud, Jean-François, *Dictionnaire critique de la langue française*, Marseille, Mossy, 1787-1788.

Fernel, Jean, [Fernelius, Johannes], *Consiliorum medicinalium liber: ex ejus adversariis quadringentum consultationum selectus*: Paris, apud Aegidium Beys, 1582.

— *La Pathologie ou discours des maladies*, Paris, J, Guignard, 1655.

— *Universa medicina*, Utrecht, Gilbert ô Zijll and Theodor ab Ackersdijck, 1656, in Sir Charles Sherrington, *The Endeavour of Jean Fernel: with a List of his Writings*, Cambridge, Cambridge University Press, 1946.

— ‘Select Medicinal Counsels of the Renowned Johannes Fernelius’, In Nicholas Culpeper, Abdiah Cole and William Rowland, *The Practice of*

Physick in Two Volumes, Very Much Enlarged, Printed by Peter Cole, London, n.p., 1658.

Flamant, M., *The Art of Preserving and Restoring Health Written in French and Faithfully Translated into English*, London, n.p., 1697.

Fouquet, Françoise, *Les remèdes charitables de Madame Fouquet, pour guérir à peu de frais toute forme de maux tant internes qu'externes, invétérés. et qui ont passé jusques à présent pour incurables, experimentez par la même dam : et augmentez de la méthode que l'on pratique à l'Hôtel des Invalides pour guérir les soldats de la vérole/ par Madame Fouquet*, Lyon, chez Jean Certe, 1685.

— *Recueil des remèdes faciles et domestiques*, 2 vols, Paris, chez Jean Musier, 1739.

France, Ministère de l'éducation nationale, *Catalogue général des manuscrits des bibliothèques publiques des départements / publié sous les auspices du Ministre de l'instruction publique*, Paris, Imprimerie Impériale, 7 vols, 1849-1885.

[Middle English] Gilbertus Anglicus (Wellcome MS 537), in Faye Getz (ed.), *Healing and Society in Medieval England: A Middle English Translation of the Pharmaceutical Writings of Gilbertus Anglicus*, Madison, The University of Wisconsin Press, 1991.

Guybert, Philbert, *Toutes les œuvres charitables de Philbert Guybert*, Paris, chez Pierre le Mercier, 1670.

Guyon, Louis, *Le Cours de medecine en françois contenant le miroir de beauté et santé corporelle*, Lyon, Chez Daniel Gayet, 1673, et *La Theorie avec un accomplissement de pratique selon les principes tant dogmatiques, que chimiques, augmenté du traité des maladies nouvelles, extraordinaire, spirituelles, et astrales, avec des recherches curieuses*

par Lazare Meysonnier, Lyon, Chez Jacques Faeton et Daniel Gayet, 6th edn, 1673, Reprinted as 2 vols, Éditions Louis Pariente, Garenne-Colombes, Presses de CIFIC, 1987.

Harduin de Saint Jacques, Philippus, *Codex medicamentarius seu pharmacopœia Parisensis, Lutetiæ Parisiorum*, sumpt, Oliverii de Varennes, 1639.

Hélian, *Dictionnaire du diagnostic, ou l'art de connoître les maladies, et de les distinguer exactement les unes des autres*, Paris, chez Vincent, 1771.

Hecquet, Philippe, *La Medecine, la chirurgie et la pharmacie des pauvres*, Paris, chés Clousier, David fils, Durand, et à S. Etienne, Damonnville 1740-1742.

Helvetius, Jean-Claude Adrien, *A New Method of Curing all Sorts of Fevers*, Translated out of the French by F.M., London, F Knapton, 1694.

— *Idée generale de l'œconomie animale, et observations sur la petite verole*, Lyon, chez Freres Bruyset, 1727.

Hippocrates. *Aphorisms by Hippocrates*, trans. Francis Adams, Section 5 no. 7, [eBooks@Adelaide2000]

Hippocrates, *On the Sacred Disease*, trans. Francis Adams, 1849. [eBooks @Adelaide, last update 03 April 2007]

Hoffmann, Frederic, *Fundamenta medicinae*, Halle, n.p., 1695.

— *Consultations de médecine*, 8 vols, chez Briasson, Paris, 1754.

James, Robert, *Dictionnaire médicinale universel de médecins – traduite de l'anglais par Mrs. Diderot, Eidous et Toussaint*, Brianson, David l'ainé, Paris, Durand, 1746.

Joubert, Laurent, *Erreurs populaires au fait de la médecine et régime de santé*, Bordeaux, Simon de Millanges, 1578.

Jourdain, Anselme-Louis-Bernard-Bréchillet, *Traité des maladies et de opérations réellement chirurgicales de la bouche*, 2 vols, Paris, Valleyre, 1778.

Journal des savants, Paris, Sallo, Denis de la Coudraye, [pseud. Sieur d'Hedonville], 1665.

Journal de Trévoux, or *Mémoires pour l'histoire des sciences et des beaux-arts*, Paris, 1701-1767.

Laënnec, Guillaume-Francois, *Lettres*, cited in Alfred Rouxeau, *Un Étudiant en médecine quimperrois (Guillaume-Francois Laënnec), aux derniers jours de l'ancien régime (Quimper-Paris-Montpellier-Londres, 1768-1774)*, Nantes, n.p., 1926.

La Faye, Georges de, *Principes de chirurgie*, Paris, chez D'Houry père et Laurent D'Houry, 1746.

Le Dran, *Consultations sur les pluspart des maladies qui sont du ressort de la Chirurgie*, Paris, P. Fr. Diderot le jeune, 1765.

Le Thieullier, Louis-Jean-Baptiste, *Consultations de médecine*, 2 vols, Paris, Charles Osmont, 1739.

Lémery, Nicolas, *Pharmacopée universelle*, Paris, Libraire d'Houry, 1697.

— *Dictionnaire ou traité universel des drogues simples*, 3rd edn, Amsterdam, Aux dépens de la Compagne, 1716.

— *Pharmacopée universelle: contenant toutes les compositions de pharmacie qui sont en usage dans la médecine, tant en France que par toute*

l'Europe, leurs vertus, leurs doses, les manières d'opérer les plus simples et les meilleures, avec un lexicon pharmaceutique, plusieurs remarques nouvelles, et des raisonnemens sur chaque opération, 5^{ieme} ed., Paris, chez Charles-Maurice D'Houry, 1748.

Le Vacher, Mrs. le V ***, M*** et de la M*** / Le vacher de la Feutrie, Thomas / Moysant François / La Macellerie. *Dictionnaire de chirurgie contenant la description anatomique des parties humaine ... le mécanisme des fonctions ... le manuel des opérations chirurgicales, avec ... les usages des différens instrumens et médicamens employés dans le traitement des maladies du ressort de la chirurgie ...*, 2 vols, Paris, Lacombe.

Louis, Antoine, *Essai sur la nature de l'ame: où l'on tâche d'expliquer son union avec le corps et les loix de cette union*, Paris, chez Charles Osmond, 1747.

— *Sur les causes de la mort de Demoiselle Galliy*, Paris, le Breton, 1773.

Mandeville, Bernard de , *A Treatise of the Hypochondriack and Hysterick Diseases, in Three Dialogues. By B. Mandeville, M.D. The Second Edition: Corrected and Enlarged by the Author*, London, n.p., 1730.

Maraise, Madame de, *Une Femme d'affaires au XVIIIe siècle: la correspondance de Madame de Maraise, collaboratrice d'Oberkampf*, présente par Serge Chassagne, Toulouse, Éditions Privat, 1981.

Michell, Jan Petersen, *De morbis nerveis commentarius, quo respondetur ad problema ab illustri societate regia medica parisiensi Imo ante kalendas septembris 1784 ad solutionem publice propositum*, Paris, n.p., 1786.

Mondeville, Henri de, *Chirurgie de maître: chirurgien de Philippe le Bel, Composée de 1306-1320*. Cited in Édouard Nicaise, *Les Consultations entre médecins au XIV^e siècle*, Bureaux de la Revue Scientifique, Paris, Chamerot et Renouard, 1894.

Molière, Jean-Baptiste Poquelin, *Le Malade imaginaire*, Paris, n.p., 1673.

Paré, Ambroise, *The Works of that Famous Chirurgeon Ambrose Parey / Translated out of Latin and Compared with the French, by Th. Johnson, Together with Three Tractates Concerning the Veins, Arteries, and Nerves, Exemplified with Large Anatomical Figures, Translated out of Adrianus Spigelius*, London, n.p., 1678.

— *Les oeuvres de M. Ambroise Paré conseiller, et premier chirurgien du Roy avec les figures et portraits tant de l'anatomie que des instruments de Chirurgie, et de plusieurs Monstres ...*, Paris, Gabriel Buon, 1575.

Patin, Guy, *Lettres choisies de feu Mr Guy Patin*, 3 vols, Cologne, chez Pierre de Laurens, 1691.

Pomme, Pierre, *Traité des affections vaporeuses des deux sexes*, Lyon, B. Duplian, 1765.

Prébandie, Pierre Boyer de, *Les abus de saignée, démontrés par des raisons prises de la nature, et de la pratique des plus célèbres médecins de tout les tems : avec un appendix sur les moyens de perfectionner la médecine vrain*, Paris, chez Vincent, 1759.

Ramel, M.F.B. [Marie-François-Bernadin] le fils, *Consultations médicales et mémoire sur l'air de Gemenos*, La Hayes, chez Les libraires associés, 1785.

Recueil périodique d'observations de médecine, de chirurgie et de pharmacie, 1754-1757, Paris, 1754-1755 Joseph Barbou, 1756-1757, Vincent.

Renouard, Pierre Victoire, *History of Medicine from its Origin to the Nineteenth Century, translated from the French by Cornileus G Comegys*, Cincinatti, Moore, Wilstach, Keys and Co, 1856.

Renaudot, Théophraste, *La Presence des absens ou facile moyen de rendre présente au médecin consultans charitablement à Paris pour les pauvres malades avec les figures des corps humaine ... ensemble l'instruction ...* Par Théophraste Renaudot, Paris, n.p., 1642.

Riolan, Jean, *Curieuses recherches sur les escholes en médecine de Paris et de Montpellier, nécessaires d'estres sceuës pour la conservation de la vie, par un ancien docteur en médecine de la faculté de Paris*, Paris, G. Meturas, 1651.

Rivière, Lazarre, *The Universal Body of Physick in Five Books: Exactly Containing Five Hundred and Thirteen Observations, or Histories, of Famous or Rare Cures*, London, Carr, 1657.

Sauvages, François Boissier de la Croix, *Nouvelles classes des maladies dans un ordre semblable à celui des botanistes, comprenant les genres les espées*, Avignon, d'Anville, 1731

— *Nosologia methodica sistens morborum classes, genera et species, juxta Sydenhami mentem et botanicorum ordinem*, 5 vols, Amsterdam, Frères De Tournes, 1763.

— *Nosologie méthodique*, 10 vols, Lyon, Gouvion, 1772.

Sévigné, Marie de Rabutin-Chantal, marquise de, *Lettres de Madame de Sevigné, 1676-1684*, texte établi et annoté par Gerard-Gailly, 3 vols, Paris, Éditions Gallimard, 1978.

Smollett, Tobias, *Travels through France and Italy*, 1766, World Classics Edition, Frank Felsenstein, (ed.), Oxford, Oxford University Press, 1981.

Sue, Pierre, *Notice sur M, Louis*, Paris, n.p., 1792, 8 pp.

Sydenham, Thomas, *The Whole Works of that Excellent Practical Physician Dr, Thomas Sydenham ... The Second Edition Corrected from the Original Latin, by John Pechey, M.D. of the College of Physicians in London*, London, n.p., 1667.

Tissot, Samuel Auguste André David, *Avis au peuple sur la santé*, 2nd. edn, 2 vols, Lyon, chez Jean-Marie Bruyset et Benoit Duplian, 1763.

— *Samuel Tissot's, Advice to People in General with Regard to Their Health*, 5th ed., Dublin, n.p., 1769

Torti, Francesco, *The Clinical Consultations of Francesco Torti*, trans. with an introduction by Saul Jarcho, Malabar, Florida, Krieger Publishing Company, 2000.

Tourette, Giles de la, *La Vie et les oeuvres de Théophraste Renaudot, fondateur du journalisme et des consultations charitables*, Paris, Éditions du Comité, 1893.

Une Société de médecins et de chirurgiens, *Dictionnaire des sciences médicales*, 60 vols, Paris, Panckoucke, 1812-22.

Verdier, Jean, *La Jurisprudence particuliere de la chirurgie en France, ou traite historique et juridique*, Paris, chez D'Houry et Didot, 1764.

Verduc, Jean-Philippe, *Pathologie de chirurgie*, 2 vols, Paris, chez Laurant d'Houry, 1720.

Vesalius, Andreas, *On the Fabric of the Human Body: The Bones and Cartelidges by Andreas Vesalius*, trans. John Carman and William Richardson Novato, C A., Norman Publishing, 2003.

Veuden, Ernst, *Illustrations du pays d'Ouche: Jacques Daviel et sa famille, mémoire présenté au congrès des savants à la Sorbonne en 1891*, Paris, Bernay, 1891.

von Haller, Albrecht, *De partibus corporis humani sensilibus et irritabilibus*, n.p., Gottingen, 1732.

Secondary Sources

Académie des Sciences et Lettres de Montpellier, *Membres de la Société Royale (1706-1793)*. Académie des Sciences et Lettres de Montpellier, n.d. [<http://www.biu.univ-montp1.fr/academie/>]

Adelson, Leslie, *Making Bodies, Making History: Feminism and German Identity*, Lincoln, University of Nebraska Press, 1993.

Alba, Ken, *Eating Right in the Renaissance*, Berkeley, Calif., California University Press, 2002.

Arber, Agnes (ed.), *Herbals, their Origin and Evolution, a Chapter in the History of Botany, 1470-1670*, Cambridge, Cambridge University Press, 1986.

Arrizabalaga, Jon, John Henderson and Roger French, *The Great Pox: The French Disease in Renaissance Europe*, New Haven and London, Yale University Press, 1997.

Baron, Pierre, 'Dental Practice in Paris', in Christine Hallam (ed.), *Dental Practice in Europe at the End of the 18th Century*, Rodopi, Amsterdam, *Clio Medical The Wellcome Series in the History of Medicine*, vol. 72, 2003, pp. 113-162.

Barroux, Gilles, *Philosophie, maladie et médecine au XVIII^e siècle*, Paris, Honoré Champion Editeur, 2008.

Bates, Donald, 'Thomas Sydenham and the Medical Meaning of "Method"',
Bulletin of the History of Medicine, vol. 51, no.3, 1977, pp. 321-338.

Beck, Stephen, 'Syphilis the Great Pox' in Kenneth, Kipple, (ed.), *Plague Pox and Pestilence: Disease in History*, London, George Weidenfeld and Nicholson Limited, 1997, pp. 110-115.

Beier, Lucinda, 'Sufferers and Healers', Ph.D. Thesis, University of Lancaster, 1984. Cited in Jenner, Mark and Wallis, Patrick (eds), *Medicine and the Market in England and its Colonies, c.1450-c.1850*, Basingstoke, Palgrave Macmillan, 2007.

Berlan, Hélène, 'La formation médicale au XVIII^e siècle: l'exemple de Montpellier', *Liame (Varia)*, no.13, Jan.-June, 2004, pp. 9-38.

— *Faire sa médecine au XVIII^e siècle (1707-1789). Recrutement et deviner professionnel des étudiants montpelliérains*, Thèse de Université Montpellier III (Paul Valéry), 8 vols, Montpellier, 2000.

Bessade, Jean-Marie, 'The Idea of God and the Proofs of his Existence' in John Cunningham (ed.), *The Cambridge Companion to Descartes*, Cambridge, Cambridge University Press, 1992.

Bonnet, Emile, *Catalogue des manuscrits, par Emile Bonnet de la Société archéologique de Montpellier*, Paris, Nourrit et Cie, 1920.

Bonser, Wilfrid, *The Medical Background of Anglo-Saxon England: A Study in History, Psychology and Folklore*, London, The Wellcome Historical Medical Library, 1963.

Bouteiller, Marcelle, *Médecine populaire d'hier et d'aujourd'hui*, Paris, Maisonneuve et Larose, 1966.

- Broadbank, William, 'Sovereign Remedies, a Critical Depreciation of the 17th Century London Pharmacopœia', *Medical History*, 1964, vol. 8, pp. 1-14.
- Brockliss, Laurence, *French Higher Education in the Seventeenth and Eighteenth Centuries: A Cultural History*, Oxford, Clarendon Press, 1987.
- 'The Literary Image of the *Médecins du Roi* in the Literature of the Grand Siecle', in Vivian Nutton (ed.), *Medicine at the Courts of Europe, 1500-1837*, London, Routledge, 1990, pp. 117-154.
- 'Consultations by Letter in Early Eighteenth-century Paris: The Medical Practice of Etienne-François Geoffroy', in Ann La Berge and Mordechai Feingold (eds), *French Medical Culture in the Nineteenth Century*, Amsterdam, Rodopi, 1994, pp. 79-117.
- "'Extending the Medicable" Medicine and the Church in the Enlightenment', *Sartoniana*, vol. 10, 1997, pp.15-42.
- 'Curricula: the Faculty of Medicine' in *History of the University in Europe*, Hilde de Ridder-Symoens (ed.), *A History of the University in Europe, Universities in Early Modern Europe (1500-1800)*, vol. 2, Cambridge, Cambridge University Press, 1996, pp. 609-620.
- *Calvet's Web: Enlightenment and the Republic of Letters in Eighteenth-Century France*, Oxford, Oxford University Press, 2002.
- 'The Rise and Fall of the Huguenot Physician in Early Modern France', *Proceedings of the Huguenot Society*, vol. 28, no.1, 2003, pp. 36-55.
- 'Science, Universities, and other Public Spaces' in Roy Porter (ed.), *The Cambridge History of Science*, vol. 4, 'Eighteenth-century Science', Cambridge, Cambridge University Press, 2003.

— and Colin Jones, *The Medical World of Early Modern France*, Oxford, Clarendon Press, 1997.

Broman, Thomas, 'The Medical Sciences' in Roy Porter (ed.), *The Cambridge History of Science*, Vol. 4, "The Eighteenth Century," Roy Porter (ed.), Cambridge, Cambridge University Press, 2003, pp. 463-484.

Broomhall, Susan, *Women's Medical Work in Early Modern France*, Manchester, Manchester University Press, 2004.

Bynum, W.F., and Roy Porter (eds), *William Hunter and the Eighteenth-century Medical World*, Cambridge, Cambridge University Press, 1985.

Cardini, Roberto and Mariagela Regoliosi, *Umanesimo e Medicina: il Problema dell'Individuale*, Rome, Bulzoni Editore, 1996.

Carrick, Paul, *Medical Ethics in the Ancient World*, Georgetown, Washington, Georgetown University Press, 2001.

Chartier, Roger, Dominique Julia et Marie-Madeleine Compère, *L'Éducation en France du XVI^e au XVIII^e siècle*, Paris, Société d'édition d'enseignement supérieur, 1976.

— (ed.), Arthur Goldhammer (trans.), 'The Practical Impact of Writing' in *A History of Private Life*, vol.3, 'Passions of the Renaissance', Cambridge, Mass., The Belknap Press of Harvard University Press, 1989, pp. 111-159.

— and Alain Boureau, and Cécile Dauphin, *Correspondence: Model Letter-writing from the Middle Ages to the Nineteenth Century*, Oxford, Blackwell Publishing Ltd, 1997.

Chauspinand-Nogaret, Guy, 'Nobles médecins et médecins de cour au XVIII^e siècle', *Annales*, vol. 32, No. 5, 1977, pp. 851-857.

Cohen, Sir Henry, 'The Evolution of the Concept of Disease', *Proceedings of the Royal Society of Medicine*, vol. 4, no. 3, 1955, pp. 155-160.

Coleman, William, 'The People's Health: Medical Themes in 18th-century French Popular Literature', *Bulletin of the History of Medicine*, vol. 51, 1977, pp. 55-74.

Connor, Steven, *The Book of the Skin*, Ithaca, Cornell University Press, 2004.

Connor, Susan, 'The Pox in Eighteenth-century France', in Linda Merians (ed.), *The Secret Malady*, Lexington, University of Kentucky, 1996.

Cook, Harold, *The Decline of the Old Medical Regime in Stuart London*, Ithaca, Cornell University Press, 1986.

— 'Medicine', in Katherine Park and Lorraine Daston (eds), *The Cambridge History of Science*, Cambridge, Cambridge University Press, vol. 3, 'Early Modern Science', 2006, pp. 407-434.

Cordasco, Francesco, 'Correspondence', *Modern Language Notes*, vol. 65, no. 2, Feb. 1950, pp. 117-119.

Coste, Joël, *Practical Medicine and its Literary Genres in France in the Early-Modern Period*, Université Paris Descartes, Ecole Pratique des Hautes Etudes, trans. Karine Debbasch, 2008, [Electronic version Bibliothèque interuniversitaire de médecine et d'ontologie, Paris, n.p.]

Coulter, Harris, *Divided Legacy: A History of the Schism of Medical Thought*, vol. II, 'The Origins of Modern Western Medicine: J.B. Van Helmont to Claude Bernard', Washington, D.C., Wehawken Book Co., 2000

- Crosland, Maurice, 'The Officiers de Santé of the French Revolution: A Case Study in the Changing Language of Medicine', *Medical History*, vol. 48, 2004, pp. 229-244.
- Cumming, Ian, *Helvetius: His Life and Place in the History of Education*, London, Routledge, 2001.
- Darnton, Robert, 'Policing Writers in Paris, Circa 1750', *Representations*, vol. 5, 1984, pp. 1-31.
- Delauney, Paul, *La Vie médicale aux XVI^e, XVII^e, et XVIII^e siècles*, Paris, Éditions Hippocrate, 1935.
- Delisle, Candice, 'The Letter: Private Text or Public Place? The Mattioli-Gesner Controversy about *aconitium primum*', *Gesnerus*, vol. 61, 2004, pp. 161-176.
- de Renzi, Silvia, 'Women and Medicine', in Peter Elmer (ed.), *The Healing Arts: Health, Disease and Society in Europe, 1500-1800*, Manchester, Manchester University Press, and The Open University, 2004, pp. 196-227.
- di Corsia, Joseph, 'Bourg, Bourgeois, Bourgeois de Paris from the Eleventh to the Eighteenth century', *Journal of Modern History*, vol. 50, 1978, pp. 207-331.
- Doe, Janet, 'Jean Astruc (1684-1766): A Biography and Bibliography', *Journal of the History of Medicine and Allied Sciences*, vol. 15, no. 2, 1960, pp. 184-197.
- Drouas, Jacques de, 'Un Remède au XVIII^e siècle, le sachet antiapoplectique d'Arnoult', *Bulletin de la société de l'histoire de Paris et de l'Ile-de-France*, vols 113 and 114, 1986-1987, pp. 415-429.

Duden, Barbara, T. Dunlap (trans), *The Woman Beneath the Skin: a Doctor's Patients in Eighteenth-century Germany* Harvard University Press, Cambridge, Mass., 1991.

Dulieu, Louis, 'François Boissier de Sauvages (1706 – 1767)', *Revue d'histoire des sciences et de leurs applications*, 1969, vol. 22, nos.22-24, pp. 304 – 305.

— *La Pharmacie à Montpellier de ses origines à nos jours*, Avignon, Les Presses Universelles, 1973.

— *La Chirurgie à Montpellier de ses origines au début du XIX^e siècle*, Avignon, Les Presses Universelles, 1975.

— *La Médecine à Montpellier*, 4 vols, Avignon, Les Presses universelles, 1975-1999.

Eadie, Mervyn and Peter Bladin, *A Disease Once Sacred: A History of the Medical Understanding of Epilepsy*, Eastleigh, John Libby and Company, 2001.

Elmer, Peter (ed.), *The Healing Arts: Health, Disease and Society in Europe, 1500-1800*, Manchester, Manchester University Press and The Open University, 2004.

Emch-Davies, Antoinette, 'The Non-Naturals Made Easy', in Roy Porter (ed.), *The Popularization of Medicine 1650-1850*, London, Routledge, 1992, pp. 134-159.

Estes, J. Worth, *Dictionary of Protopharmacology: Therapeutic Practices, 1700-1850*, Canton, M.A., Science House Publications U.S.A., 1990.

Fabrega, Horatio Jr. and Tyma, Stephen, 'Culture, Language, and the Shaping of illness: an Illustration based on pain', *Journal of Psychosomatic Research*, vol. 20, 1976, pp. 323-337.

Faure, Olivier, *L'Histoire sociale de la médecine*, Paris, Anthropus, 1994.

— (ed.), *Les Thérapeutiques: savoirs et usages*, Lyon, Collection Fondation Marcel Merieux, 1999.

Febvre, Lucien and Henri-Jean Martin, *The Coming of the Book: the Impact of Printing 1450-1800*, trans. David Gerard, Geoffrey Nowell-Smith and David Wootton, London, NLB, 1976.

Ferrières, Madeleine, *Sacred Cow, Mad Cow: A History of Food Fears*, trans. Jody Gladding, New York, Columbia University Press, 2006.

Fogel, Robert, *The Escape from Hunger and Death, 1700 – 2100*, Cambridge, Cambridge University Press, 2004.

Forster, Elborg, 'From the Patient's Point of View: Illness and Health in the Letters of Liselotte von der Pfalz (1652-1722)', *Bulletin of the History of Medicine*, vol. 60, no. 3, 1986, pp. 297-320.

Franklin, Alfred Louis August, *La vie privée d'autrefois, arts et métiers, modes, mœurs, usages des Parisiens, du Xlle au XVIIIe siècle / d'après des documents originaux ou inédits par Alfred Franklin*, 27 vols, Paris, E. Plon, Nourrit, 1830-1917.

Freidson, Eliot, *Profession of Medicine: A Study of the Sociology of Applied Knowledge*, New York, Dodd, Mead and Company, 1972.

French, Roger, *Medicine before Science: The Business of Medicine from the Middle Ages to the Enlightenment*, Cambridge, Cambridge University Press, 2003.

Furet, François and Jacques Ozouf, *Reading and Writing: Literacy in France from Calvin to Jules Ferry*, Cambridge, Maison des science de l'homme

and Cambridge University Press, 1982.

Garrison, Fielding, *An Introduction to the History of Medicine: With Medical Chronology, Suggestions for Study and Bibliography*, W.B Saunders Company, Philadelphia and London, 4th edn, 1929.

Gelfand, Toby, 'A "Monarchical Profession" in the Old Regime: Surgeons, Ordinary Practitioners and Medical Professionalization in Eighteenth-Century France', in Gerald Geison (ed.), *Professions and the French State 1700-1900*, Philadelphia, University of Pennsylvania Press, 1984, pp. 149-180.

— 'Empiricism and Eighteenth-Century French Surgery', *Bulletin of the History of Medicine*, vol. 44, no. 1, 1970, pp. 40-53.

Gentilcore, David, *Medical Charlatanism in Early Modern Italy*, Oxford, Oxford University Press, 2006.

Gerth, Hans and C. Wright Mills (eds), *From Max Weber: Essays in Sociology*, London, Routledge, 1998.

Goodman, Dena, *The Republic of Letters: a Cultural History of the French Enlightenment*, Ithaca, Cornell University Press, 1994, pp. 140-145.

Goubert, Jean-Pierre, 'Twenty Years on: Problems of Historical Methodology in the History of Health', in Roy Porter and Andrew Wear (eds), *Problems and Methods in the History of Medicine*, London, Croom Helm, 1987, pp. 40-56.

Gowing, Laura, *Common Bodies: Women, Touch and Power in Seventeenth-Century England*, Newhaven, Yale University Press, 2003.

Gowland, Angus, 'The Problem of Early Modern Melancholy', *Past and Present*, vol. 19, no. 1, 2006, pp. 77-120.

Grmek, Mirko D. (ed.), *Western Medical Thought from Antiquity to the Middle Ages*, trans. Antony Shugaar, Cambridge, Mass., Harvard University Press, 1998.

Habrich, Christa, 'Characteristic Features of Eighteenth-century Therapeutics in Germany', in 'Essays in the History of Therapeutics', William Bynum and Vivian Nutton (eds), *Clio Medica*, vol. 22, Amsterdam, Rodopi, 1991, pp. 39-49.

Halioua, Bruno, *Histoire de la médecine*, 2nd edn, Paris, Masson, 2004.

Harley, David, 'Rhetoric and the Social Construction of Sickness and Healing', *Social History of Medicine*, vol. 12, no. 3, 1999, pp. 407-435.

Hess, Volker 'Medical Semiotics in the 18th Century: a Theory of Practice?', *Theoretical Medicine and Bioethics*, vol. 19, no. 3, 1988, pp. 203-213.

Hudon, Philippe and Othmar Keel, 'La pratique clinique et thérapeutique dans les armées Françaises: Le développement de la collaboration entre les médecins, chirurgiens et pharmaciens (1750-1800)', in Olivier Faure (ed.), *Les Thérapeutiques: savoirs et usages*, Lyon, Collection Fondation Marcel Merieux, 1999, pp. 209-221.

Jenner, Mark and Patrick Wallis, (eds), *Medicine and the Market in England and its Colonies, c. 1450-c.1850*, Basingstoke, Palgrave Macmillan, 2007.

Jewson, Nicholas, 'Medical Knowledge and the Patronage System in Eighteenth Century England', *Sociology*, vol. 8, no. 3, 1974, pp. 369-385.

Jones, Collin, 'Prostitution and the Ruling Class in 18th-century Montpellier', *History Workshop*, vol. 6, Autumn 1978, pp. 7-28.

- *The Charitable Imperative: Hospitals and Nursing in Ancien Regime and Revolutionary France*, London, Routledge, 1989.

- 'The Médecins de Roi and the French Revolution', in Vivian Nutton (ed.), *Medicine in the Courts of Europe 1500-1837*, London, Routledge, 1990.

- 'The Great Chain of Buying: Medical Advertisement, the Bourgeois Public Sphere, and the Origins of the French Revolution', *The American Historical Review*, vol. 101, No. 1, Feb., 1996, p. 33.

- Jordanova, Ludmilla, 'The Social Construction of Medical Knowledge', *Social History of Medicine*, vol. 8, no. 3, 1995, pp. 361-381.

- Kibre, Pearl, 'The Faculty of Medicine at Paris, Charlatanism, and Unlicensed Medical Practitioners in the later Middle Ages', *Bulletin of the History of Medicine*, vol. XXVII, Jan. – Feb. 1953, pp. 1-20.

- Kibleur, Pascale, 'L'évaluation et la validation des remèdes par la société royale de médecine' in Olivier Faure (ed.), *Les Thérapeutiques: savoirs et usages*, Lyon, Collection Fondation Marcel Merieux, 1999, pp. 209-221.

- King, Helen, *The Disease of Virgins: Green Sickness: Chlorosis and the Problems of Puberty*, London, Routledge, 2004.

- King, Lester, *The Road to Medical Enlightenment 1650-1695*, London, Macdonald, 1970.

- *Medical Thinking a Historical Preface*, Princeton, N.J., Princeton University Press, 1982,

- Kleinman, Arthur, *The Illness Narratives: Suffering, Healing and the Human Condition*, New York, Basic Books Inc., 1988.

Kiple, Kenneth (ed.), *Plague, Pox and Pestilence: Disease in History*, London, George Wiedenfeld and Nicholson Limited, 1997.

Klairmont Lingo, Alison, 'The Fate of Popular Terms for Female Anatomy', *French Historical Studies*, vol. 22, no.3, Summer 1999, pp. 335-349.

Knapp, Lewis and Lillian Thorpe, *Modern Language Notes*, vol. 67, no.1, Jan. 1952, pp. 69-71.

Kuhn, Thomas, *The Structure of Scientific Revolutions*, 2nd ed., Chicago, University of Chicago Press, 1970.

Kusawawa, Sachiko, 'Medicine in Western Europe in 1500', in Peter Elmer (ed.), *The Healing Arts: Health, Disease and Society in Europe, 1500-1800*, Manchester, Manchester University Press and The Open University, 2004, pp. 1-26.

— 'The Medical Renaissance of the Sixteenth Century: Vesalius, Medical Humanism and Bloodletting', in Peter Elmer (ed.), *The Healing Arts: Health, Disease and Society in Europe, 1500-1800*, Manchester, Manchester University Press and The Open University, 2004, pp. 58-63.

Lafont, Olivier, 'Médicaments des villes médicaments des champs, réglementation stricte contre pragmatisme', *Acta congressus historiae pharmaciae*, 2001, 5 pp [no page nos].

Laget, Mirielle, 'Childbirth in Seventeenth- and Eighteenth-century France: Obstetrical Practices and Collective Attitudes', in Robert Forster and Orest Ranum (eds) *Medicine and Society in France: Selections from the Annales, Économies, Sociétés, Civilisations*, vol. 6, trans. Elborg Forster and Patricia M. Ranum, Baltimore, The Johns Hopkins University Press, 1980, pp. 240-248.

Le Fanu, William, 'The Lost Half-century in English Medicine, 1700-1750',
Bulletin of the History of Medicine, vol. 46, no. 4, 1972, pp. 310-348.

Lehoux, Françoise, *Le Cadre de vie des médecins parisiens aux XVI^e et XVII^e siècles*, Paris, Éditions A. et J. Picard, 1976.

Leong, Elaine and Sara Pennell, 'Recipe Collections and the Currency of Medical Knowledge in the Early Modern "Marketplace"', in Mark Jenner and Patrick Wallis (eds), *Medicine and the Market in England and its Colonies, c. 1450-c.1850*, Basingstoke, Palgrave Macmillan, 2007, pp. 133-152.

Lille School of Medicine, *Faculté de médecine de Lille l'université*,
<http://medecine.uni-lille2.fr/faculte/histoire1.htm> Historical website.

Lindemann, Mary, *Medicine and Society in Early Modern Europe*, Cambridge, Cambridge University Press, 1999.

— 'Medicine, Medical Practice, and Public Health' in Peter Wilson (ed.), *A Companion to Eighteenth-Century Europe*, Oxford, Blackwell, 2008, pp. 158-175.

Lingo, Alison, *The Rise of Medical Practitioners in Sixteenth-century France: the Case of Lyons and Montpellier*, Ph. D. thesis, University of California, Berkeley, 1980.

Lipkowitz, Elise, 'The Physicians' Dilemma in the 18th-Century French Smallpox Debate', *Journal of the American Medical Association*, vol. 290, 2003, pp. 2329-2330.

Lock, Stephen, James Last and George Dunea, *The Oxford Illustrated Companion to Medicine*, Oxford, Oxford University Press, 2001.

- López-Beltrán, Carlos, 'Les Maladies héréditaires: 18th Century Disputes in France', *Revue d'histoire des sciences*, vol. 48, no. 3, 1995, pp. 307-350.
- Louis-Courvoisier, Micheline, 'Le Malade et son médecin: le cadre de la relation thérapeutique dans la deuxième moitié du XVIII^e siècle', *Canadian Bulletin of Medical History*, vol. 18, part 2, 2001, pp. 277-296.
- 'Que faut-il ne pas dire à qui? Le secret médical au XVIII^e siècle', *Revue médicale Suisse*, no.141, 2008, pp. 242-246.
- and Séverine Pilloud, 'Consulting by Letter in the Eighteenth Century: Mediating the Patient's View?' In Willem de Blécourt and Conelie Usborne (eds), *Cultural Approaches to the History of Medicine: Mediating Medicine in Early Modern and Modern Europe*, Basingstoke, Palgrave Macmillan, 2004, pp. 71-87.
- Lupton, Deborah, *Medicine as Culture: Illness Disease and the Body in Western Societies*, London, SAGE Publications, 1994.
- Lux, David and Harold Cook, 'Closed Circles or Open Networks?: Communicating at a Distance During the Scientific Revolution', *History of Science*, vol. 36, issue 112, part 2, 1998, pp. 179-211.
- Lynch, C.D., K.R. O'Sullivan and C.T. McGillicuddy, 'Pierre Fauchard: the Father of Modern Dentistry', *British Dental Journal*, vol. 201, no. 12, 2006, pp. 779-781.
- Mann, Ronald, *Modern Drug Use: An Enquiry on Historical Principals*, Lancaster, MTP Press Limited, 1984.
- Marland, Hilary, *The Task of Healing: Medicine, Religion and Gender In England and the Netherlands, 1450-1800*, Rotterdam, Erasmus Publishing, 1996.

Marteau, Pierre, *The Marteau Early 18th-Century Currency Converter*,
www.pierre-marteau.com/currency/converter.

Martin, Henri-Jean and Roger Chartier, *Histoire de l'édition*, 4 vols., Paris,
Promodis, 1982.

McAllister, Marie, 'Stories of the Origin of Syphilis in Eighteenth-Century
England, Science, Myth and Prejudice', *Eighteenth-Century Life*, vol. 24,
no.1, 2000, pp. 22-44.

McCullum, R. Ian, *The Use of Antimony in Medicine*, Edinburgh, The Pentland
Press, 1999.

McTavish, Lianne, *Childbirth and the Display of Authority in Early Modern
France*, Aldershot, Ashgate, 2005.

Micale, Mark, *Approaching Hysteria: Disease and its Interpretations*, Princeton,
Princeton University Press, 1995.

Morrisson, Christian and Wayne Snyder, 'The Income Inequality of France in
Historical Perspective', *European Review of Economic History*, vol. 4, no.
1, 2000, pp. 59-83.

Matossian, Mary, 'Mold, Poisoning and Population Growth', *The Journal of
Economic History*, vol. 44, no. 3, Sept, 1984, pp. 669-686.

Muchembled, Robert, *Culture populaire et culture des élites dans la France
moderne (XV^e – XVIII^e siècles)*, Paris, Flammarion, 1977.

Nance, Brian, *Turquet de Mayerne as Baroque Physician: the Art of Medical
Portraiture*, Amsterdam-New York, Editions Rodopi, B.V., 2001,

- Nicolson, Malcolm, 'The Metastatic Theory of Pathogenesis and the Professional Interests of the Eighteenth-century Physician', *Medical History*, vol. 32, no. 3, 1988, pp. 277-300.
- Norton, Stata, 'The Origins of Pharmacology in the Sixteenth Century', *Molecular Interventions*, vol. 5, no. 3, 2005, pp. 144-149.
- Nutton, Vivian, 'Humoralism', in W.F. Bynum and Roy Porter (eds), *Companion Encyclopaedia of the History of Medicine*, 2 vols, London, Routledge,
- O'Dowd, Michael, *The History of Medications for Women: Materia Medica Woman*, New York, Parthenon Publishing Company, 2001.
- Park, Katherine, *Doctors and Medicine in Early Renaissance Florence*, Princeton, Princeton University Press, 1985.
- Petrelli, Richard, 'The Regulation of Midwifery during the *Ancien Régime*', *Journal of the History of Medicine and Allied Sciences*, vol. 26, no. 3, 1971, pp. 276-292.
- Pilloud, Séverine and Micheline Louis-Courvoisier, 'The Intimate Experience of the Body in the Eighteenth Century: Between Interiority and Exteriority', *Medical History*, vol. 47, no. 4, 2003, pp. 451-472.
- , Stefan Hachler and Vincent Barras, 'Consulter par lettre aux XVIIIe siècle, *Gesnerus*, vol. 61, no. 3-4, 2004, pp. 232-253.
- Porter, Roy, 'Laymen, Doctors and Medical Knowledge in the Eighteenth Century: The Evidence of the *Gentleman's Magazine*, in Roy Porter (ed.), *Patients and Practitioners: Lay Perceptions of Medicine in Pre-industrial Society*, Cambridge, Cambridge University Press, 1985, pp. 292-293.

- 'The Patient's View: Doing Medicine from Below', *Theory and Society*, vol. 14, no.3, 1985, pp. 175-198.
- *The Greatest Benefit of Mankind: A Medical History of Humanity from Antiquity to the Present*, London, Harper Collins, 1997.
- 'Pain and Suffering' in W.F. Bynum and Roy Porter (eds), *Companion Encyclopedia of the History of Medicine*, London, Routledge, 1993, vol. 2, pp. 1574-1591.
- 'Disease and the Historian', in Peter Burke (ed.), *History and the Historians in the Twentieth Century*, Oxford, Oxford University Press, 2002, pp. 165-180.
- and Wear Andrew (eds), *Problems and Methods in the History of Medicine*, London, Croom Helm, 1987.
- Pouliquen, Yves, *Mme. de Sévigné et la médecine du grand siècle*, Paris, Odile Jacob, 2006.
- Quemada, Bernard, *Introduction a l'étude du vocabulaire médical (1600-1710)*, Besançon, Besançon Faculté de lettres, 1955.
- Quétel, Claude, *Le Mal de Naples: histoire de la syphilis*, Paris, Éditions Seghel, 1986.
- trans. Judith Braddock and Brian Pike, *A History of Syphilis*, Baltimore, The Johns Hopkins University Press, 1990.
- Quinlan, Sean, 'Inheriting Vice, Acquiring Virtue: Hereditary Diseases and Moral Hygiene in Eighteenth-century France', *Bulletin of the History of Medicine*, vol. 80, no. 4, pp. 649-676.
- Ramsey, Matthew, *Professional and Popular Medicine in France, 1770-1830: The Social World of Medical Practice*, Cambridge, Cambridge University Press, 1988.

- ‘*The Popularization of Medicine in France, 1770-1830: The Social World of Medical Practice*, Cambridge, Cambridge University Press, 1988, pp. 97-133.
 - ‘Alternative Medicine in Modern France’, *Medical History*, vol. 43, no. 3, 1999, pp. 286-322.
 - A review of Michael Lynn’s, *Popular Science and Public Opinion in Eighteenth-Century France*. Manchester and New York: Manchester University Press, 2006. *H-France Review* Vol. 9, (May 2009), no. 63, p. 245.
- Riddle, John, *Eve’s Herb: a History of Contraception and Abortion in the West*, Cambridge, Mass., Harvard University Press, 1997.
- ‘Research Procedures in Evaluating Medieval Medicine’, in Barbara Bowers (ed.), *The Medieval Hospital and Medical Practice*, Aldershot, Ashgate 2007, pp.3-17.
- Rieder, Philip, ‘Médecins et patients à Genève: offre et consommations thérapeutiques à l’époque moderne’, *Revue d'histoire moderne et contemporaine*, vol. 52, 2005, no. 1, pp. 39-63.
- ‘The Poor and the Patient: Protestant Geneva in the Early Modern Period’, *Hugiea Internationalis*, vol. 5, no. 1, 2006, pp. 33-50.
- Riskin, Jessica, *Science in the Age of Sensibility: the sentimental Empiricists of the French Eighteenth Century*, Chicago, University of Chicago Press, 2002, pp. 25-27.
- Rist, Édouard, ‘Une consultation médicale au XVIII^e siècle’, *Revue de Paris*, vol. 63, Jan. 1956, pp. 112-125.

- Robin-Romero, Isabelle, 'L'Enfant malade dans les écrits privés du XVIII^e siècle', *Histoire économie et société*, vol. a2, no. 4, 2003, pp. 469-486.
- Roche, Daniel, *La France des lumières*, Paris, Fayard, 1993.
- Ronouard, Pierre Victoire, 'Introduction', *History of Medicine from its Origin to the Nineteenth century*, trans. Cornellius Comegys, Cincinnati, Moore, Wilstach, Keys and Co., 1856.
- Rosner, Fred, 'Complementary Therapies and Traditional Judaism', *Mount Sinai Journal of Medicine*, vol. 66, no. 2, 1999, pp. 102-105.
- Rousseau, George, Miranda Gill and David Haycock (eds), *Framing and Imaging Disease in Cultural History*, Basingstoke, Palgrave Macmillan, 2003.
- Ruwet, Joseph and Yves Wellemans, *L'Analphabétisme en Belgique (XVIII-XIXe siècle)*, Louvain, Université Catholique de Louvain, 1978.
- Santorio, Santorio, The Galileo Project,
Galileo.rice.edu/Catalog/NewFiles/santorio.html. Historical website Last read 28. 01. 2010.
- Sternberg, Giora, 'Epistolary Ceremonial: Corresponding Status at the Time of Louis XIV', *Past and Present*, 2008, vol. 204, no. 1, pp. 33-88.
- Sturdy, David, *Science and Social Status: the Members of the Académie des Sciences, 1660-1750*, Woodbridge, Suffolk, The Boydell Press, 1995.
- Schiller, Francis, 'An Eighteenth Century View of the Placebo Effect (Rétif de la Bretonne)', *Clio Medica*, vols 1-2, 1984, pp. 81-86.

Sherwood, Joan, 'Treating Syphilis: the Wet-nurse as Technology in an Eighteenth-century Parisian Hospital', *Journal of the History of Medicine and Allied Sciences*, vol. 50, 1995, no. 3, pp. 315-319.

Sigerest, Henry, *On the History of Medicine*, New York, MD Publications, 1960.

Siraisi, Nancy, *Taddeo Alderotti and his Pupils: Two Generations of Italian Medical Learning*, Princeton, N.J., Princeton University Press, 1981.

— 'The Faculty of Medicine' in Hilde de Ridder-Symoens (ed.), *A History of the University in Europe, Universities in the Middle Ages*, vol. 1, Cambridge, Cambridge University Press, 1996, pp. 360-387.

— *History, Medicine and the Tradition of Renaissance Learning*, Ann Arbor, University of Michigan, 2008.

Smith, Amy, 'Tobias Smollett and the Malevolent Philip Thicknesse: Travel Narratives, Public Rhetoric and Private Letters', *The Huntington Library Quarterly*, vol. 66, no. 3/4, 2003, pp. 349-373.

Smith, Lisa, *Women's Health Care in England and France (1650-1755)*, University of Essex, Ph. D. thesis, 2001.

— 'Reassessing the Role of the Family: Women's Medical Care in Eighteenth-century England', *Social History of Medicine, The Journal of the Society for the Social History of Medicine*, vol. 16, 2003, pp. 327-342.

— 'The Relative Duties of Man: Domestic Medicine in England and France, ca, 1685-1740', *Journal of Family History*, vol. 31 no. 3, 2006, pp. 237-256.

Sontag, Sonia, *Illness as Metaphor: AIDS and its Metaphors*, New York, Picador, 2001.

Sournia, Jean-Charles, *The Illustrated History of Medicine: trans. from the French by Louise Davies, Graham Cross and Lillian Hart*, London, Harold Starke, 1992.

— *Histoire du diagnostique en médecine*, Paris, Editions de Santé, 1995.

Staum, Martin, *Cabanis: Enlightenment and Medical Philosophy in the French Revolution*, Princeton, Princeton University Press, 1980.

Stolberg, Michael, 'La negotiation du régime et de la thérapie dans la pratique médicale du XVIII^e siècle', in Olivier Faure (ed.), *Les Thérapeutiques: savoirs et usages*, Lyon, Collection Fondation Marcel Merieux, 1999, pp. 357-368.

— 'Medical Popularization and the Patient in the Eighteenth Century', in Willem de Blécourt and Conelie Usborne (eds), *Cultural Approaches to the History of Medicine: Mediating Medicine in Early Modern and Modern Europe*, Basingstoke, Palgrave Macmillan, 2004, pp. 89-107.

— 'The Decline of Uroscopy in Early Modern Medicine (1500-1650)', *Early Science and Medicine*, vol. 12, no. 3, 2007, pp. 13-36.

Sturdy, David, *Science and Social Status: the Members of the Académie des Science, 1666-1750*, Woodbridge, Suffolk, The Boydell Press, 1995.

Sussman, George, *Selling Mother's Milk; The Wet-Nursing Business in France 1715-1914*, Urbana, Ill., University of Illinois Press, 1982.

Temkin, Owsei, *Galenism: Rise and Decline of a Medical Philosophy*, Ithaca, Cornell University Press, 1973.

— and Lilian C. Temkin, 'The Hippocratic Oath' in Owsei Temkin and Lilian C Temkin (eds), *Ancient Medicine: Selected Papers of Ludvig Edelstein*, Baltimore, The John Hopkins Press, 1967. Reproduced in Peter Elmer

and Peter Grell (eds), *Health, Disease and Society in Europe 1500-1800: A Source Book*, Manchester, Manchester University Press, 2004, pp. 12-13.

Teyssou, Roger, *Dictionnaire mémorable des remèdes d'autrefois*, Paris, L'Harmattan, 2007.

— *Quatre siècles de thérapeutique médicale du XVI^e au XIX^e siècle en Europe*, Paris, L'Harmattan, 2007.

Udang, George, 'The Development of Pharmacopœias: A Review with Special Reference to the Pharmacopoeia Internationalis.' *Bulletin of the World Health Organisation*, vol. 4, 1951, pp. 577-603.

Vigarello, Georges, *Concepts of Cleanliness: Changing Attitudes to Cleanliness in France Since the Middle Ages*, trans. Jean Birrell, Cambridge, Cambridge University Press, 1988.

Vila, Anne, *Enlightenment and Pathology: Sensibility in the Literature and Medicine of Eighteenth-century France*, Baltimore, The Johns Hopkins University Press, 1998.

von Staden, Heinrich, 'Anatomy as Rhetoric: Galen on Dissection and Persuasion', *Journal of the History of Medicine and Allied Sciences*, vol. 50, no.1, 1995, pp. 47-66.

Wallis, Faith, 'Signs and Senses: Diagnosis and Prognosis in Early Medieval Pulse and Urine Texts', *Social History of Medicine*, vol. 13, no. 2, 2000, pp. 265-278.

Watts, Sheldon, *Epidemics and History: Disease, Power and Imperialism*, New Haven, Yale University Press, 1977.

- Wear, Andrew, 'Continuity and Union in Medical practice', in Roger French and Andrew Wear (eds), *The Medical Revolution of the Seventeenth Century*, Cambridge, Cambridge University Press, 1988, pp. 294-320.
- *Knowledge and Practice in English Medicine, 1550-1680*, Cambridge, Cambridge University Press, 2000.
- Wellman, Kathleen, *La Mettrie, Medicine, Philosophy and Enlightenment*, Durham and London, Duke University Press, 1992.
- Weston, Robert, 'Epistolary Consultations on Venereal Disease in Eighteenth-century France', French History and Civilisation, *Journal of the George Rudé Society*, vol. 3, 2009, pp. 69-79.
- Wild, Wayne, *Medicine by Post in Eighteenth-Century Britain: The Changing Rhetoric of Illness in Doctor-Patient Correspondence and Literature*, Ph. D. dissertation, Brandeis University, Waltham, Mass, Feb. 2001.
- 'Doctor-patient Correspondence in Eighteenth-century Britain', *Studies in Eighteenth-Century Culture*, vol. 29, 2000, pp. 47-64.
- Williams, Elizabeth, *The Physical and the Moral: Anthropology, Physiology, and Philosophical Medicine in France, 1750-1850*, Cambridge, Cambridge University Press, 1994.
- 'Hysteria and the Court Physicians in Enlightenment France', *Eighteenth-century Studies*, vol. 35, no. 2, winter 2002, pp. 247-255.
- *A Cultural History of Medical Vitalism in Enlightenment Montpellier*, Aldershot, Ashgate, 2003,
- Wilson, Lindsay, *Women and Medicine in the French Enlightenment*, Baltimore, The Johns Hopkins University Press, 1993.

Withington, Ernest, *Medical History from the Earliest Times*, London, The Holland Press, 1964.

Zarzosa, Alfons, 'Mediating Medicine through Private Letters: the Eighteenth-century Catalan Medical World', in Willem de Blécourt and Cornelia Usborne (eds), *Cultural Approaches to the History of Medicine: Mediating Medicine in Early Modern and Modern Europe*, Basingstoke, Palgrave Macmillan, 2004, pp. 108-126.

APPENDIX 1

Example of a consultation from,
Antoine Deidier, *Consultations et observations médicales de M. Antoine Deidier*, Paris, chez Jean-Thomas Hérissant, 1754, vol. 1, pp. 279-287.
(Courtesy of Bibliothèque interuniversitaire de médecine et d'ontologie, Paris)

CONSULTATION SUR DES VAPEURS

M É M O I R E

Pour ce qui est de ma santé, grâces à Dieu, elle est meilleure présentement. Je ne sçais à quoi attribuer l'incommodité qui m'est survenue quelques jours après, d'autant plus que j'ai passé le carême dernier, & que j'ai même jeûné, sans en sentir aucune incommodité. Depuis il m'est survenu un dégoût tel que je mangeois sans aucun goût, & comme forcé. Je me sentois la poitrine serrée, & l'estomac me faisoit mal. L'insomnie avec cela me causoit une lassitude fort grandé; &, ce qui étoit un grand mal, c'est que le ventre étoit plus paresseux qu'à l'ordinaire. M. Raucin Apoticaire, qui je consultai, me dit qu'il ne me falloit ni médecine, ni saignée, ni lavement, mais du repos, de bons bouillons; &, pour me rendre la liberté du ventre, il me fait prendre en différents jours cinq pries de sel d'absynthe, qui m'ont fort soulage. Avec le régime qu'il m'a donné, & que j'ai suivi, je me trouve mieux. Il est vrai que je n'ai pas tous les jours la liberté du ventre, & que je suis obligé de prendre des bouillons en me couchant, & en me levant, pour me la procurer; mais, comme c'est un péché, d'habitude depuis près de vingt ans, je n'en espère point de guérison. Depuis ce tems j'ai eu pour pratique aussitôt que j'étois levé de me mettre à genoux pendant une demi-heure, & de me serrer le ventre contre une table, pour aider la nature, sans quoi je passerois plusieurs jours sans pouvoir me décharger; ce qui m'incommode très-fort, parce que quand cela m'arrive je sens dès chaleurs, qui me montent à la tête, & qui m'ôtent la liberté de l'esprit.

Ce qui m'a causé cette incommodité c'est mon indiscretion. Jusqu'à l'âge de vingt ans j'ai joui d'une santé parfaite. J'étois fort, & d'un tempérament excellent. Je m'avisai à cet âge où je croissois beaucoup, de jeûner

régulièrement tout le carême, & de passer les nuits à lire. Quand je fus au bout, je me sentis fort échauffé. Je crus que le changement de nourriture remédierait à cela; point du tout le mal augmenta, ma poitrine se ferma de telle sorte que je sentoie comme une barre qui fermoit le passage à la nourriture ; enfin je tombai malade sérieusement, sans pourtant aucun accès, de fièvre. La bile s'étoit répandue par tout le corps, & s'étoit attachée aux boyaux surtout. On me donna plusieurs lavemens ensuite un médecin, & au bout d'un mois je fus en état de marcher. Je pris ensuite par l'ordre du Médecin tous les jours des bouillons aux herbes les plus rafraichissantes pour me rendre le ventre libre, & cela pendant un an, le tout fort inutilement. Peut-être que tous ces bouillons sont la cause de affoiblissement de ma poitrine. Depuis cette maladie j'ai été pendant quatre à cinq ans languissant; ensuite ma santé est devenue assez bonne, mais la poitrine ne s'est pas rétablie. J'ai toujours été obligé de faire faire mes habits fort larges, parce qu'elle ne peut souffrir d'être serrée. Il arrive quelque fois que quand j'ai travaillé long-tems avant que prendre les repas, les morceaux que j'avale font comme des especes de doux à crochets qui me déchirent la poitrine. Depuis plusieurs années mes urines sont très-souvent toutes crues, & claires comme de l'eau. J'ai la bouche pour l'ordinaire fort échaussée aussi-tôt que les chaleurs commencent. Je crois que la foiblesse de la poitrine cause la crudité des urines & que le deffaut de liberté du ventre cause la sécheresse de la bouche. Je n'ai jamais fait d'excès de bouche. Pour ce qui est des chagrins, j'avoue que pendant quelques années j'avois de tems en tems l'esprit occupé de certains objets, chagrinans, dont je ne pouvois pas me dépêtrer facilement; & que quelquefois ils me saisissoient de manière à me mettre tout en chaleur, & à m'ôter le repos nuit & jour. Il y a des tems où mon imagination s'échauffe facilement, & je remarque que les chaleurs qui me montent à la tête par le trop long séjour des excréments dans les entrailles y contribuent beaucoup. Ainsi le ventre & la poitrine, voilà ce qu'il faudroit guérir. Je vous avertis que je suis ennemi des remèdes qui obligeroient de garder la chambre long-tems. Je prendrai tout ce qu'on voudra mais il faut que je puisse aller & venir.

RÉPONSE

Les différentes incommodités dont le malade se plaint depuis environ, vingt ans portent le caractère de véritables vapeurs y désignées par l'assemblage des symptômes suivans, sçavoir par le resserrement de l'estomac, qu'il rapporte à la poitrine, par le travail de ce même estomac pour peu qu'il ait mangé; par le dégoût, l'insomnie, la constipation du ventre habituelle, & sur-tout par les chaleurs qui lut montent à l'a tête de fois à autre jusqu'à lui ôter la liberté de l'esprit.

Deux causes principales ont donné occasion à la première production de ces vapeurs, sçavoir les mauvais alimens de carême, qui ont dérangé les digestions, & la trop grande application à l'étude, qui a rendu tous les filets nerveux trop secs, & trop tendus.

L'estomac, naturellement pourvû d'une grande quantité de nerfs qui le rendent très-sensible, & à raison desquels il sympathise avec toutes les autres parties du corps, doit nécessairement se ressentir le premier d'un resserrement fâcheux, & devenir douloureux, dès qu'il est obligé de se resserrer pour pousser les alimens indigestes. Ceux-ci, sans doute mal mâchés & trop grossiers, produisent la constipation, & celle-ci, gênant le cours libre du sang dans les viscères du bas ventre, oblige cette liqueur vivifique de se porter en quantité vers la tête, où il produit les chaleurs, l'insomnie, & l'embarras de l'esprit.

Ces derniers accidens caractérisent les vapeurs, en ce qu'ils se dissipent bien-tot comme d'eux-mêmes; parce que le cœur, & les poumons réstant libres, poussent le sang avec vigueur, & l'obligent de reprendre sons cours naturel dans le tissu du cerveau, qui est bien constitué. Mais, le resserrement de l'estomac, & la constipation persistant, les mêmes vapeurs doivent revenir lorsqu'on s'y attend le moins. Ce sont elles qui ont produit à la longue ce visage pâle, & défait, que le malade porte depuis quelque tems.

Quoique cette maladie ne tue jamais par elle-même, sa longue durée fait craindre qu'elle ne dégénère en une affection hypochondriaque scorbutique incurable, si l'on ne travaille à rétablir les digestions, & à redonner aux filets nerveux leur souplesse naturelle; indications qu'on tâchera de remplir par le long usage des remèdes suivans.

LAVAMENT

24 *Decoc. commun, clyster. carminat. ℥ laxant. ℞j. cathol. pro ore ℥ij.*

diaphonic, ℥ mel. rof. ℥ j . m. f. clyster injiciend. hora commode, ℥

reiterand. quoties alvus pigra fuerit.

Après le lavement rendu l'on ouvrira la veine de l'un des pieds pour en tirer environ six onces de sang, & l'on le purgera le sur-lendemain avec cette potion.

P U R G A T I O N

24 *Passularum ℥ ℔ polypod. queri. 3vj jujubarum, sebestium aa. numéro*

ij. coque in s. q. aq. fontan coction. add. senn. mundat. ℥ij. epithym. erecti

℥ij infundant. per très horas; dein iterum coquantur addend. turpethi

gummosi, hellebor. nigri, styricus aa. ℥j. zinziberis, ℥ caryophylli, aa. ℥j.

fort. expression. solvantur. mann. 3vj. pot. sumend. mane cum regimine.

Le lendemain de cette purgation on prendra le matin à jeun un bouillon fait avec un jeune poulet farci d'orge mondé dans lequel on sera bouillir pendant une demi-heure une bonne poignée de cresson d'eau, & une demi-poignée de cochlearia. Un quart-d'heure avant de retirer le pot du feu on y jettera deux pincées des sommités du petit absinte, autant de celles de fumeterre, & une pincée des quatre fleurs cordiales. Lorsqu'on retirera le pot du feu on y jettera demi gros de tartre chalybé soluble; continuant pendant quinze jours, au bout desquels on le repurgera comme ci-dessus; &, supposé qu'on n'ait pas été allez vuider la première fois, l'on ajoutera à la colature de la potion un scrupule, ou une demi dragme, de senné, & de turbith gommeux.

Les bouillons finis on commencera l'usage de cette opiate.

O P I A T E.

24 *Croc. mart. aperent, maial. ror. préparat. 3 ℔ cinnamomi, maceris,*

nucis moschatæ ℥iij. sem. nasturit. ℥ij. crocioriental, exsiccat. ℥

pulverat. ℥iij. pul. tenuiss. exacte miscend. Qui cum s. q. syrup de absint. redigatur in consistentiam opiatæ de qua capiat. ʒij. mane jejun. ventricul. superbibend. juscul. fol. nasturtii aquat. alterat. continuand. per xv dies, quibus elapsis, reiterabitur pot. purgans ut supra.

Si l'on se trouve échauffé par cette opiate, on n'en prendra que de deux jours l'un, & l'on se baignera le jour d'intervalle dans un bain entier d'eau tiède le matin au sortir du lit. Si l'on peut continuer l'opiate tout de suite, on ne prendra lesdits bains qu'après l'avoir finie; & dans ce cas au sortir de l'eau on se remettra dans le lit, où l'on prendra la potion suivante, tâchant de suer, sans se trop couvrir, & continuant pendant huit à dix jours.

P O T I O N.

²⁴ *Suc, absîntii domestic. centaurii mlnor. & nasturtii aquat. ʒij. cum lacte caprin, exprimantur per pannum; expression. add. theriac. veteris ʒß m. f. pot. sumendæ ut dictum.*